UNIVERSITY OF ESWATINI

1ST SEM, 2020/2021

SPECIAL PAPER

PROGRAMMES: BSc. ANIMAL SCIENCE YEAR 3
BSc ANIMAL SCIENCE (DAIRY OPTION) YEAR 3

COURSE CODE: ASC305

TITLE OF PAPER: RESEARCH METHODS

TIME ALLOWED: TWO (2) HOURS

INSTRUCTIONS: ANSWER ANY FOUR QUESTIONS

DO NOT OPEN THIS PAPER UNTIL PERMISSION HAS BEEN GRANTED BY THE CHIEF INVIGILATOR

Question 1

Outline and explain each of the components of a research proposal. Give examples were necessary **(25 marks)**

Question 2

A study was carried out to compare the effects of four (4) different feed additives on the yield of milk from Holstein Cattle on a dairy farm in Eswatini. The experiments used twenty (20) Holstein cattle all in the first lactation. This created five (5) replicates per feed additive diet.

(a) For this study
   i. State the null hypothesis **(2 marks)**
   ii. State the alternate hypothesis **(2 marks)**

(b) Using an example from the study, define each of the following:
   i. Treatment **(2 marks)**
   ii. Experimental unit **(2 marks)**
   iii. Factor **(2 marks)**

(c) Present a schematic layout of this study with four diets, 20 cattle and five replicates **(15 marks)**

Question 3

Discuss the differences between the formal survey, participatory rural appraisal and rapid rural appraisal giving examples were necessary. **(25 marks)**

Question 4

An experiment was carried out to determine if there were any differences in the amount of feed consumed by adult Boer goats in different months. The following data are weights of feed consumed per day by adult Boer goats collected at different times of the year.

February	May	August	November
4.7	4.6	4.8	4.9
4.9	4.4	4.7	5.2
5.0	4.3	4.6	5.4
4.8	4.4	4.4	5.1
4.7	4.1	4.7	5.6
	4.2	4.8	

Was there any difference in the amount of feed consumed between the different months at α=0.05? **(25 Marks)**

Question 5

Surveys are one method of carrying out research.

i. Explain the key considerations that must be made before carrying out a survey **(15 marks)**
ii. What are the main components of a survey budget? **(6 marks)**
iii. What are the essential principles for carrying out PRA and RRA? **(4 marks)**

THE END

ADDENDUM: Formulae and F-tables

Completely Randomised design (CRD)

i. $SS_{total} = \sum x_i^2 - \frac{(\sum x)^2}{n}$

where: x_i represent the individual observations

ii. $SS_{treatment} = \frac{1}{k}\sum T_i^2 - \frac{(\sum x)^2}{n}$

where: k is the number of replicates
T_i represent the treatment total

iii. $SS_{error} = SS_{total} - SS_{treatment}$

Randomised Complete Block Design

i. $SS_{total} = \sum x_i^2 - \frac{(\sum x)^2}{n}$

where: x_i represent the individual observations

ii. $SS_{block} = \frac{1}{k}\sum B_j^2 - \frac{(\sum x)^2}{n}$ (where k is the number of treatments; B_j is the total of the j^{th} block)

iii. $SS_{block} = \frac{1}{b}\sum B_j^2 - \frac{(\sum x)^2}{n}$ (where T_i is treatment total and b is the number of blocks

iv. $SS_{error} = SS_{total} - SS_{block} k - SS_{treatment}$

Regression

$SS_Y = \sum y_i^2 - \frac{(\sum y)^2}{n}$

$SS_X = \sum x_i^2 - \frac{(\sum x)^2}{n}$

$S_{xy} = \sum xy - \frac{(\sum x)(\sum y)}{n}$

$SS_{reg} = b_1 S_{xy}$

$b_1 = \frac{SS_{xy}}{SS_{xx}}$

$b_o = \bar{y} - b_1 \ddot{x}$

$y = b_o + b_1 x_i$

24

F Values for $\alpha = 0.05$

d_2 \ d_1	1	2	3	4	5	6	7	8	9
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5
2	18.51	19.00	19.16	19.25	19.3	19.33	19.35	19.37	19.38
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96
inf	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88

F Values for $\alpha = 0.05$

d_2 \ d_1	10	12	15	20	24	30	40	60	120	inf
1	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3
2	19.4	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.5
3	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53
4	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36
6	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
7	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
8	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
9	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71
10	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
11	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
12	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
13	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21
14	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13
15	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
16	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01
17	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
18	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
19	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
21	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
23	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
24	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
25	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
26	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
27	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67
28	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
29	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64
30	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
40	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
60	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
120	1.91	1.83	1.75	1.66	1.10	1.55	1.50	1.43	1.35	1.25
inf	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00