

UNIVERSITY OF SWAZILAND

FACULTY OF EDUCATION



DEPARTMENT OF EDUCATIONAL FOUNDATIONS AND MANAGEMENT

FOR

INSTITUTE OF POST GRADUATE STUDIES

DECEMBER, 2016 FINAL EXAMINATION PAPER

MASTER OF EDUCATION (M.Ed)

COURSE CODE : EDF 650 AND EFM 601

TITLE OF PAPER : RESEARCH DESIGN AND TECHNIQUES

TIME ALLOWED : THREE HOURS

INSTRUCTIONS :
1. THIS PAPER IS DIVIDED INTO **TWO SECTIONS (A AND B)**. ANSWER ANY **TWO** QUESTIONS FROM EACH SECTION
2. UTILISE THE ATTACHED STATISTICAL FORMULAS AND TABLES WHERE NECESSARY.

TOTAL MARKS : 100

THIS PAPER IS NOT TO BE OPENED UNTIL PERMISSION TO DO SO HAS BEEN GRANTED BY THE INVIGILATOR.

SECTION A

1. Discuss the merits and demerits of using a quantitative research paradigm in educational research.
Total: 25 Marks.
2. Examine the assertion that a questionnaire is a better data collection instrument than an interview.
Total: 25 Marks.
3. Evaluate the claim that a pilot study is better for enhancing the quality of research than triangulation.
Total: 25 Marks.

SECTION B

4. (a) Given that a student scored **60%** in Biology test and the average was **50%** and the Standard Deviation was **5** and the same student scored **80%** in History and the mean was **85%** and the Standard Deviation was **5**.
 - i) Calculate the **Z- score** for Biology. **(5 marks)**
 - ii) Calculate the History **Z- score** **(5 marks)**
 - iii) In which subject did the student perform better? **(3 marks)**

(b) **Table 1 below is a data set of marks obtained by 10 O'level pupils in Maths and Physics tests.**

Table 1: data set of marks obtained by 10 O'level pupils in Maths and Physics tests.

PUPIL	A	B	C	D	E	F	G	H	I	J
MATHS	80	60	72	47	62	75	64	58	72	70
PHYSICS	78	61	70	52	60	75	65	60	70	70

Using data from **Table 1** above, carry out a t-test at 1% significance level to determine if there is a difference between the students' performance in Maths and in Physics
(12 marks).

[Total: 25 marks]

5. (a) A cellular phone manufacturer was keen to identify the cellular phone model with the highest number of sales. The manufacturer identified three cellular phone models which for anonymity reasons were denoted by P, Q, and R. The manufacturer then randomly selected five cellular phone retail outlets and recorded the number of cellular phones sold in December 2015. The results are tabulated below.

Table 2: Showing the number of laptop models sold in December 2015

Model of cellular phone sold	Retail Outlet A	Retail Outlet B	Retail Outlet C	Retail Outlet D	Retail Outlet E
P	16	18	24	22	23
Q	20	21	13	18	24
R	24	17	19	23	18

Carry out a One Way Analysis of Variance at 5% significance level to establish if three cellular phone models are in equal demand. Follow the steps suggested below,

- (i) State the null and alternative hypothesis (2 marks)
- (ii) State the rejection criterion (2 marks)
- (iii) Complete the one way ANOVA table (15 marks)
- (iv) Make a decision and a conclusion (3 marks)
- (b) State the 3 assumptions of ANOVA (3 marks)

[Total: 25 Marks]

6. Ten Grade Seven Special Needs students wrote a Mid- Year as well as Final Examinations. Their cores for both examinations are shown below.

Table 3: Scores for Mid Year and Final Year Examinations

STUDENT	MID – YEAR EXAM	FINAL EXAM
A	20	30
B	35	40
C	40	55
D	20	35
E	30	45
F	45	60
G	50	80
H	25	35
I	30	30
J	55	60

Calculate the Spearman Rank order correlation coefficient for the two sets of scores and comment on it. (25 marks)

TABLE II Critical Values of *t*: Student *t*-test


df	Level of significance for a directional (one-tailed) test					
	.10	.05	.025	.01	.005	.0005
	Level of significance for a non-directional (two-tailed) test					
	.20	.10	.05	.02	.01	.001
1	3.078	6.314	12.706	31.821	63.657	636.619
2	1.886	2.920	4.303	6.965	9.925	31.598
3	1.638	2.353	3.182	4.541	5.841	12.941
4	1.533	2.132	2.776	3.747	4.604	8.610
5	1.476	2.015	2.571	3.365	4.032	6.859
6	1.440	1.943	2.447	3.143	3.707	5.959
7	1.415	1.895	2.365	2.998	3.499	5.405
8	1.397	1.860	2.306	2.896	3.355	5.041
9	1.383	1.833	2.262	2.821	3.250	4.781
10	1.372	1.812	2.228	2.764	3.169	4.587
11	1.363	1.796	2.201	2.718	3.106	4.437
12	1.356	1.782	2.179	2.681	3.055	4.318
13	1.350	1.771	2.160	2.650	3.012	4.221
14	1.345	1.761	2.145	2.624	2.977	4.140
15	1.341	1.753	2.131	2.602	2.947	4.073
16	1.337	1.746	2.120	2.583	2.921	4.015
17	1.333	1.740	2.110	2.567	2.898	3.965
18	1.330	1.734	2.101	2.552	2.878	3.922
19	1.328	1.729	2.093	2.539	2.861	3.883
20	1.325	1.725	2.086	2.528	2.845	3.850
21	1.323	1.721	2.080	2.518	2.831	3.819
22	1.321	1.717	2.074	2.508	2.819	3.792
23	1.319	1.714	2.069	2.500	2.807	3.767
24	1.318	1.711	2.064	2.492	2.797	3.745
25	1.316	1.708	2.060	2.485	2.787	3.725
26	1.315	1.706	2.056	2.479	2.779	3.707
27	1.314	1.703	2.052	2.473	2.771	3.690
28	1.313	1.701	2.048	2.467	2.763	3.674
29	1.311	1.699	2.045	2.462	2.756	3.659
30	1.310	1.697	2.042	2.457	2.750	3.646
40	1.303	1.684	2.021	2.423	2.704	3.551
60	1.296	1.671	2.000	2.390	2.660	3.460
120	1.289	1.658	1.980	2.358	2.617	3.373
∞	1.282	1.645	1.960	2.326	2.576	3.291

Find the row corresponding to the indicated degrees of freedom, find the column corresponding to the chosen level of significance, taking into account the type of H_1 (directional or non-directional). The critical value t_{crit} is at the intersection of that row and that column. If $t_{obs} \geq t_{crit}$ then H_0 is rejected.

TABLE IV Critical Values of Chi Square

df	Level of significance for a non-directional test					
	.20	.10	.05	.02	.01	.001
1	1.64	2.71	3.84	5.41	6.64	10.83
2	3.22	4.60	5.99	7.82	9.21	13.82
3	4.64	6.25	7.82	9.84	11.34	16.27
4	5.99	7.78	9.49	11.67	13.28	18.46
5	7.29	9.24	11.07	13.39	15.09	20.52
6	8.56	10.64	12.59	15.03	16.81	22.46
7	9.80	12.02	14.07	16.62	18.48	24.32
8	11.03	13.36	15.51	18.17	20.09	26.12
9	12.24	14.68	16.92	19.68	21.67	27.88
10	13.44	15.99	18.31	21.16	23.21	29.59
11	14.65	17.23	19.68	22.62	24.72	31.26
12	15.81	18.55	21.03	24.05	26.22	32.91
13	16.98	19.81	22.36	25.47	27.69	34.53
14	18.15	21.06	23.68	26.87	29.14	36.12
15	19.31	22.31	25.00	28.26	30.58	37.70
16	20.46	23.54	26.30	29.63	32.00	39.29
17	21.62	24.77	27.59	31.00	33.41	40.75
18	22.76	25.99	28.87	32.35	34.80	42.31
19	23.90	27.20	30.14	33.69	36.19	43.82
20	25.04	28.41	31.41	35.02	37.57	45.32
21	26.17	29.62	32.67	36.34	38.93	46.80
22	27.30	30.81	33.92	37.66	40.29	48.27
23	28.43	32.01	35.17	38.97	41.64	49.73
24	29.55	33.20	36.42	40.27	42.98	51.18
25	30.68	34.38	37.65	41.57	44.31	52.62
26	31.80	35.56	38.88	42.86	45.64	54.05
27	32.91	36.74	40.11	44.14	46.96	55.48
28	34.03	37.92	41.34	45.42	48.28	56.89
29	35.14	39.09	42.69	46.69	49.59	58.30
30	36.25	40.26	43.77	47.96	50.89	59.70
32	38.47	42.59	46.19	50.49	53.49	62.49
34	40.68	44.90	48.60	53.00	56.06	65.25
36	42.88	47.21	51.00	55.49	58.62	67.99
38	45.08	49.51	53.38	57.97	61.16	70.70
40	47.27	51.81	55.76	60.44	63.69	73.40
44	51.64	56.37	60.48	65.34	68.71	78.75
48	55.99	60.91	65.17	70.20	73.68	84.04
52	60.33	65.42	69.83	75.02	78.62	89.27
56	64.66	69.92	74.47	79.82	83.51	94.46
60	68.97	74.40	79.08	84.58	88.38	99.61

Find the row corresponding to the indicated degrees of freedom, find the column corresponding to the chosen level of significance, the critical value of χ^2_{crit} is at the intersection of that row and that column. If $\chi^2_{obs} \geq \chi^2_{crit}$ then H_0 is rejected.



5% Significance level.

Degrees of Freedom for Denominator	Degrees of Freedom for Numerator										Degrees of Freedom for Numerator								
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	161	200	216	225	230	234	237	239	241	242	244	246	248	249	250	251	252	253	254
2	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.5	19.5	19.5	19.5	19.5	19.5
3	10.1	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.37
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.09

FACULTY OF EDUCATION

DEPARTMENT OF EDUCATIONAL FOUNDATIONS AND MANAGEMENT

STATISTICAL FORMULAE

Sample Variance: $S^2 = \frac{\sum(x-\bar{x})^2}{n-1}$

Sample Standard Deviation: $s = \sqrt{\frac{\sum(x-\bar{x})^2}{n-1}}$

Product moment correlation coefficient:

$$r_{xy} = \frac{n\sum xy - \sum x \sum y}{\sqrt{[n\sum x^2 - (\sum x)^2][n\sum y^2 - (\sum y)^2]}}$$

Spearman's rank order correlation coefficient: $rho = 1 - \frac{6\sum d^2}{n(n^2-1)}$

Chi-squared Test Statistic: $\chi^2 = \sum \frac{(O-E)^2}{E}$

Z-score: $z = \frac{x-\bar{x}}{s}$

Standardisation: $z = \frac{u-\mu}{\sigma}$ Where $Z \sim N(0,1)$

T-score: $T = 50 + 10 \left(\frac{x-\bar{x}}{s}\right)$

Student t-test: $t = \frac{\sqrt{(n-1)} \sum d}{\sqrt{n\sum d^2 - (\sum d)^2}}$

ANALYSIS OF VARIANCE (ANOVA) FORMULAE

$$1. \quad SS(TOTAL) = \sum x^2 - \frac{(\sum x)^2}{n}$$

$$2. \quad SST = SS(\text{Treatment}) = SS(\text{Btwn Grps}) = \sum \frac{T_i^2}{n_i} - \frac{(\sum x)^2}{n} = \frac{T_1^2}{n_1} + \frac{T_2^2}{n_2} + \dots + \frac{T_p^2}{n_p} - \frac{(\sum x)^2}{n}$$

$$3. \quad SSE = SS(TOTAL) - SST$$

[N.B. $SSE = SS(\text{Error}) = SS(\text{Within Groups}) = SS(\text{Residual})$]

$$4. \quad MST = \frac{SST}{p-1}$$

$$5. \quad MSE = \frac{SSE}{n-p}$$

$$6. \quad F_{calc} = \frac{MST}{MSE}$$

ONE-WAY ANOVA TABLE

Source of variation	Sum of squares	Degrees of Freedom (df)	Mean Square	F_{calc}
Between Groups (Treatments)	SST	$p-1$	$MST = \frac{SST}{p-1}$	$F_{calc} = \frac{MST}{MSE}$
Within Groups (Error or Residual)	SSE	$n-p$	$MSE = \frac{SSE}{n-p}$	
Total	$SS(TOTAL)$	$n-1$		

n = total number of observations

p = number of treatments (number of samples or groups)

$p-1$ = numerator degrees of freedom

$n-p$ = denominator degrees of freedom

T_i = total for group i ($i = 1, 2, 3, \dots, p$)

n_i = number of observations in group i ($i = 1, 2, 3, \dots, p$)