# UNIVERITY OF SWAZILAND **FACULTY OF HAELTH SCIENCES**

TITLE OF PAPER: COMMUNITY MIDWIFERY

COURSE CODE: MID :

130

FINAL EXAMINATION : DECEMBER, 2008

TIME ALLOWED : 2 HOURS

TOTAL MARKS

: 75 MARKS

#### **INSTRUCTIONS:**

- 1. ANSWER ALL QUESTIONS
- 2. FIGURES IN BRACKETS INDICATE MARKS ALLOCATED TO EACH OR PART OF A QUESTION.
- ANSWER EACH QUESTION ON A NEW PAGE. 3.
- 4. DO NOT CHEAT, IF YOU CHEAT YOU WILL BE PENALISED

THIS PAPER SHOULD NOT BE OPENED UNTIL PERMISSION IS GRANTED BY THE INVIGILATOR.

# **QUESTION 1 (A)**

**MATCHING:** 

Match the family described in column I with the appropriate family form in column II. Write down the number and letter indicating the correct response, e.g. 2. D

# COLUMN I COLUMN II

- Miss Dlamini lives with a 4 year old adopted Swazi daughter Linda.
- A. Binuclear family
- 2. Sam and Sophie are married and live with their daughter Kate and Sam's mother, Ruth.
- B. Single parent family
- 3. Thandi and Thulani are a married couple living with their new baby girl, Sharon.
- C. Homo sexual family
- 4. Londwa and Lindani are a gay couple living with D. Nuclear family Lindani's daughter, Sophie, whom they are raising together.
- 5. This family consists of Jim, his second wife Jane, and Jim's two daughters by a previous marriage.
- E. Nuclear family
- 6. Lorraine and Lucky have been divorced for 3 years.

  They share custody of their four children.
- F. Reconstituted (Blended Family)

# QUESTION 1 (B)

# TRUE OR FALSE

# Write 'T' if true and 'F' if false for each of the following statements.

| 1.  | An increase in the size of cells causes most of the child's growth before birth an |      |            |  |  |
|-----|--|------|------------|--|--|
|     | up to age two or three.  | [T   | F]         |  |  |
| 2.  | Race, religion, social background, age and educational level are significant       |      |            |  |  |
|     | factors in differentiating women at risk for abuse.                                | [T   | F]         |  |  |
| 3   | The key features of establishing rape is the absence of consent                    | [T   | F]         |  |  |
| 4.  | Approximately 30% of abused children become abusers as adults                      | [T   | F]         |  |  |
| 5.  | Battering follows a cyclic pattern   | [T   | F]         |  |  |
| 6.  | Nurses should assess all women entering the health care system for abuse           |      |            |  |  |
|     |  | T]   | F]         |  |  |
| 7.  | Most of the perpetrators in rape cases are known to their victims                  | [T   | F]         |  |  |
| 8.  | Emergency contraceptives with progestin only or combined with                      | estr | ogens must |  |  |
|     | be used within 24 hours of a sexual abuse  | [T   | F]         |  |  |
| 9.  | Nausea is a common side effect of progestin and oestrogen-ba                       | sed  | emergency  |  |  |
|     | contraception.   | [T   | F]         |  |  |
| 10. | Good nutrition can strengthen a person's resistance.                               | [T   | F]         |  |  |
| 11. | Putting cow or horse dung is an example of a harmful traditional                   | [T   | F]         |  |  |

| 12.  | You should begin getting to know the community by introducing yourself to the   |       |       |  |  |  |
|--|---|-------|-------|--|--|--|
|  | community leader.   | T]    | F]    |  |  |  |
| 13. A person's role in a group affects his freedom to offer ideas or opinions ea     |   |       |       |  |  |  |
|  |   | [T    | F]    |  |  |  |
| 14   | It is useful to take sides with one group in a community so you can             | o cot | thair |  |  |  |
| 14.  | support.  | [T    | F]    |  |  |  |
|  |   | ٠     | •     |  |  |  |
| 15   | 15. A woman who has had complications during past pregnancies is likely to have |       |       |  |  |  |
|  | complications during her next pregnancy.  | [T    | F]    |  |  |  |
| 16. The liquid that the breast secretes during the first few days is rich in special |   |       |       |  |  |  |
|  | substances that protect the newborn from disease.                               | T]    | F]    |  |  |  |
| 17. It is important to stay with your original plans and not change them anyway.     |   |       |       |  |  |  |
|  |   | -     | F]    |  |  |  |
| 18.  | You should build future community health activities on the res                  |       | •     |  |  |  |
|  | activities.   | T]    | F]    |  |  |  |
| 19.  | 9. A community health worker is usually selected by members of the community    |       |       |  |  |  |
|  | and its leaders.  | [T    | F]    |  |  |  |
|  |   |       |       |  |  |  |
|  |   |       |       |  |  |  |
|  |   |       |       |  |  |  |
|  |   |       |       |  |  |  |
|  |   |       |       |  |  |  |
|  |   |       |       |  |  |  |

# QUESTION 1 (C)

### **MULTIPLE CHOICE QUESTIONS**

- 1. Thandi Simelane is a 32 year old female with a 7 year history of infertility. She is being followed in the Public Health Clinic to determine the cause of infertility and for treatment. A midwife discovers Thandi crying. Thandi tells the midwife, "I never thought I'd have so much trouble getting pregnant. My sister has three children and she is 2 years younger than me". The most appropriate, initial response would be:
  - A. "But at least you are going to get help with your problem now".
  - B. "Try not to compare yourself with your sister. I can see how much that upsets you."
  - C. "It must be difficult for you".
  - D. "Pregnancy may take longer for you, but think of how happy you will be when you are pregnant."
- 2. Thandi's husband is also going to undergo infertility testing. Which of the following diagnostic findings would be most associated with infertility?
- A. Decreased sperm count
- B. Sperm immobility
- C. Decreased amount of ejaculate
- D. Presence of bacteria in the seminal fluid

Sally Vilakati, 28 year old, has been using an IUD for contraception for the past 4 years. She has decided to have it removed and is consulting the midwife to discuss birth control alternatives.

- 3. Which of the following elements of Sally's health history would contraindicate the use of oral contraceptives?
- A. Dysmenorrhea
- B. Diabetes mellitus
- C. Hypertension

- D. Pelvic inflammatory disease
- 4. Sally expresses interest in a diaphragm but fears it will not protect her adequately. The midwife should explain that:
- A. A diaphragm is effective but closely associated with toxic shock syndrome.
- B. A diaphragms may be easily dislodged during intercourse
- C. A diaphragms need to remain in place for 2 hours following intercourse
- D. A diaphragms should be refitted after weight gain or pregnancy
- 5. Sally explains that she is sexually active with multiple partners. She asks "Will the diaphragm protect me from getting VD?' The midwife best response would be which of the following:
- A. Limiting your sexual contacts is the best protection
- B. Research shows that many sexually transmitted diseases are prevented by continued use of the diaphragm
- C. The use of condom by the male partner is a good form of protection
- D. Diaphragm may actually increase the risk of venereal infection

#### 30 MARKS

#### **QUESTION 2**

A. What are the advantages of breast feeding?
B. State the disadvantages of artificial feeding.
C. Discuss the psychological benefits of breastfeeding
D. Mention the possible signs that a baby is not getting enough breast milk

10 MARKS

#### **TOTAL=25 MARKS**

# **QUESTION 3**

As a student midwife, you may be assigned to assist a health care provider during the performance of a pelvic examination for one of the clients who has come to the clinic for an antenatal care assessment.

## Describe how you would:

| A. | Prepare your client during the examination. | 6 MARKS |
|----|---|---------|
| B. | Support you client during the examination.  | 2 MARKS |
| C. | Assist your client after the examination.   | 2 MARKS |

# TOTAL=10 MARKS

## **QUESTION 4**

Positioning the baby properly when you are breast feeding is very important.

A. What are the 4 key points of positioning a baby to the breast? 2 MARKS

B. Mention the 4 key points of good attachment of the baby to the breast. 2 MARKS

C. State the results of poor attachment of the baby to the breast. 6 MARKS

## TOTAL=10 MARKS