

**UNIVERSITY OF SWAZILAND
SUPPLEMENTARY EXAMINATION, JULY 2011**

Title of Paper : THEORY OF COMPUTATION

Course number : CS 211

Time allowed : Three (3) hours.

Instructions : (1) Read all the questions in Section-A and Section-B before you start answering any question.

(2) Answer all questions in Section-A. Answer **any two** questions of Section-B. Maximum mark is 100.

(3) Use correct notation and show all your work on the answer script.

This paper should not be opened until the invigilator has granted permission.

SECTION-A (Maximum marks 50)

Q1 (marks 6 + 6 + 12). The following languages are given on symbol set $\{a, b\}$. Assume that $u, v, w \in \{a, b\}^*$, $|w| > 0$ and $\lambda \notin L1, L2$ or $L3$.

$$(i). \quad L1 = \{ba w ab\}$$

$$(ii). \quad L2 = \{u a w v b, |v| = |u| = 2\}$$

$$(iii). \quad L3 = \{w, (|w| \bmod 4) = 0\}$$

The following set of words is given -

$\{\lambda, a, b, ab, aab, abaa, aaabb, bbbbab, aaabbbb, aaaaaabb, aabbbbabb, ababab\}$

(a). From the above set, write all the words belonging to $L1$, all the words belonging to $L2$ and all the words belonging to $L3$.

(b). Write regular expressions representing $L1, L2$ and $L3$.

(c). Design three deterministic finite acceptors (**dfa's**) accepting $L1, L2$, and $L3$ respectively.

Q2 (marks 6 + 6 + 14) The following non deterministic finite acceptor (**nfa**) is given :

$M = (\{q_0, q_1, q_2\}, \{a, b\}, q_0, \delta, \{q_1\})$, where δ is given as :

$$\delta(q_0, a) = \{q_0, q_1\} ; \quad \delta(q_0, b) = q_0 ;$$

$$\delta(q_1, a) = q_2 \quad ; \quad \delta(q_1, b) = q_1 ;$$

$$\delta(q_2, a) = q_2 \quad ; \quad \delta(q_2, b) = q_2$$

(a). Draw the transition digraph of the **nfa**.

(b). Using the **nfa**, compute $\delta^*(q_0, w)$ completely, where $w = aab, baa$ and bab .

(c). Convert the above **nfa** into an equivalent **dfa**.

SECTION-B (Maximum marks 50)

Note: Answer **any two** questions in this section.

Q3(a) (marks 5 + 5). A Context Free Grammar (CFG) for simple arithmetic expressions is given as –

$$G = (\{E, T, I\}, \{a, b, c, +, *, (,)\}, E, P)$$

where the set of productions P is

$$\left\{ \begin{array}{l} E \longrightarrow T \mid E + T, \\ T \longrightarrow I \mid (E) \mid T * I \mid T * (E), \\ I \longrightarrow a \mid b \mid c \end{array} \right\}$$

Write left most derivation for the expression, $a + (b * c)$ writing the rule number used at each derivation step. Draw the corresponding derivation tree.

Q3(b) (marks 5 + 5 + 5). Find Context Free Grammars (CFG) G1 and G2 that generate the following languages. Assume $n \geq 0$ and $m \geq 0$ -

$$(i). L(G1) = \{a^{2n} b^n c^{2m}\}$$

$$(ii). L(G2) = \{a^n b^m c^m d^n\}$$

Test your CFG 's by writing left most derivations for -

$$w = aaaabb \text{ (using G1) and } w = aaabbbcccd \text{ (using G2).}$$

Include production number at each step of derivation.

Q4(a) (marks 10 + 5). Design a deterministic pushdown automaton (**dpda**) to recognize the language –

$$L = \{ w, w = a^n b^n, n \text{ is greater than or equal to } 1 \}$$

Describe the functional steps of your **dpda**. Write instantaneous descriptions for $w = aaaabbbb$.

Q4(b) (marks 6 + 4). Design a non deterministic pushdown automaton (**npda**) to recognize the language generated by the grammar –

$$G = (\{S, A, B\}, \{a, b\}, S, P)$$

where the set of productions P is –

$$\begin{aligned} \{ & S \longrightarrow aAB \mid aAA \\ & A \longrightarrow aB \mid a \\ & B \longrightarrow bB \mid AB \mid a \quad \}. \end{aligned}$$

Q5 (marks 15 + 10). The following Turing Machine is given -

$$TM = (\{q_0, q_1, q_2, q_3\}, \{1\}, \{1, \square\}, \delta, q_0, \square, \{q_3\})$$

$$\delta(q_0, 1) = \{q_0, x, R\}$$

$$\delta(q_0, \square) = \{q_1, \square, L\}$$

$$\delta(q_1, x) = \{q_2, 1, R\}$$

$$\delta(q_2, 1) = \{q_2, 1, R\}$$

$$\delta(q_2, \square) = \{q_1, 1, L\}$$

$$\delta(q_1, 1) = \{q_1, 1, L\}$$

$$\delta(q_1, \square) = \{q_3, \square, R\}$$

Analyze each transition and describe its functionality. Write the instantaneous descriptions when this TM starts in q_0 at the left most symbol of input string - 111, i.e.

$$q_0 \ 111 \ \mid^* \ ?$$

(End of Examination Paper)