

**UNIVERSITY OF SWAZILAND**

**FINAL EXAMINATION PAPER MAY 2008**

**B.SC., B.A., B.A.S.S AND B.ED.**

- TITLE : STATISTICAL GEOGRAPHY
- COURSE NUMBER : GEP 223
- TIME ALLOWED : THREE (3) HOURS
- INSTRUCTIONS :
1. ANSWER THREE (3) QUESTIONS
  2. QUESTION 1 IS COMPULSORY
  3. CHOOSE TWO (2) OTHER QUESTIONS FROM SECTION B.
  4. WHERE APPROPRIATE, ILLUSTRATE YOUR ANSWERS BY EXAMPLES.
  5. ALL WORKING AND/OR CALCULATIONS MUST BE CLEARLY SHOWN.
  6. YOU WILL BE PROVIDED WITH GRAPH PAPERS AND TABLES FOR CRITICAL VALUES AND SIGNIFICANT LEVELS.

MARK ALLOCATION : QUESTION ONE (1) CARRIES FORTY (40) MARKS AND THE OTHER QUESTIONS ARE THIRTY (30) MARKS EACH.

THIS PAPER IS NOT TO BE OPENED UNTIL PERMISSION HAS BEEN GRANTED BY THE INVIGILATOR.

## SECTION A: COMPULSORY SECTION

### QUESTION 1

A developmental psychologist is interested in determining whether it is possible to use the heights of young mango trees to predict their eventual height at maturity. To answer this question, the psychologist collects the data shown in table 1.

**Table 1**      **Height of mango trees at age 3 and age 20**

Individual No.	Height at age 3 (X)	Height at age 20 (Y)
1.	30	59
2.	48	75
3.	33	67
4.	32	62
5.	30	63
6.	45	74
7.	47	71
8.	34	65
9.	45	71
10.	34	65
11.	43	68
12.	35	61
13.	41	65
14.	41	73
15.	38	66

Source: Hypothetical

- (a) Draw a scatter plot of the data. (20 marks)
  - (b) If the data are linearly related derive the least squares regression line. (3 marks)
  - (c) Based on these data, what height would you predict for a 20-year old if at 3 years its height were 42 cm. (3 marks)
  - (d) Compute the Pearson Correlation Coefficient ( $r$ ) of variables X and Y using any two formulae. (10 marks)
  - (e) Interpret the value of  $r$ . (4 marks)
- (40 marks)**

## SECTION B: ANSWER ANY TWO (2) QUESTIONS

### QUESTION 2

- (a) Define measures of skewness (5 marks)
- (b) Find the skewness of 3, 4, 5, 6, 6, 7, 8, 8, 9, 9 (20 marks)
- (c) Explain the meaning of the skewness measure obtained in (b) above. (5 marks)
- (30 marks)**

### QUESTION 3

The data provided on table 2 shows the quantities of cotton produced by a sample of farmers from the Lavumisa area and its environs. Using this data apply the F-ratio test to find out whether there is more variation between the samples than within them. (30 marks)

**Table 2 Cotton produced by a sample of small scale farmers**

Qomintaba	Zindwendweni	Malayinini	Hlushwana
111	96	130	95
100	99	135	96
106	108	108	104
112	101	110	106
107	105	99	107
99	107		100
115			

### QUESTION 4

<sup>any</sup>  
Identify three main sampling techniques and explain how each one of them is applied.

**(30 marks)**

### QUESTION 5

<sup>relevant</sup>  
Using examples explain how the following types of data differ from each other.

- (a) Grouped and ungrouped data (6 marks)
- (b) Primary and secondary data (6 marks)
- (c) Parametric and non-parametric tests (6 marks)
- (d) Probability sampling and non-probability sampling (6 marks)
- (e) Nominal and ordinal data (6 marks)

**(30 marks)**

**C8 Critical Values of Pearson's Product-Moment Correlation Coefficient  $r$**

Degrees of freedom	Significance level (one-tailed)			
	0.05	0.025	0.01	0.005
	Significance level (two-tailed)			
	0.1	0.05	0.02	0.01
1	0.9877	0.9969	0.9995	0.9999
2	0.900	0.950	0.980	0.990
3	0.805	0.878	0.934	0.959
4	0.729	0.811	0.882	0.917
5	0.669	0.755	0.833	0.875
6	0.622	0.707	0.789	0.834
7	0.582	0.666	0.750	0.798
8	0.549	0.632	0.716	0.765
9	0.521	0.602	0.685	0.735
10	0.497	0.576	0.658	0.708
11	0.476	0.553	0.634	0.684
12	0.458	0.532	0.612	0.661
13	0.441	0.514	0.592	0.641
14	0.426	0.497	0.574	0.623
15	0.412	0.482	0.558	0.606
16	0.400	0.468	0.543	0.590
17	0.389	0.456	0.529	0.575
18	0.378	0.444	0.516	0.561
19	0.369	0.433	0.503	0.549
20	0.360	0.423	0.492	0.537
25	0.323	0.381	0.445	0.487
30	0.296	0.349	0.409	0.449
35	0.275	0.325	0.381	0.418
40	0.257	0.304	0.358	0.393
45	0.243	0.288	0.338	0.372
50	0.231	0.273	0.322	0.354
60	0.211	0.250	0.295	0.325
70	0.195	0.232	0.274	0.302
80	0.183	0.217	0.257	0.283
90	0.173	0.205	0.242	0.267
100	0.164	0.195	0.230	0.254

**C7b Critical Values of F at the 0.05 Significance Level**

Degrees of freedom for between samples variance estimate

	1	2	3	4	5	6	7	8	9
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88

Degrees of freedom for within samples variance estimate

	10	12	15	20	24	30	40	60	120	∞
1	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3
2	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50
3	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53
4	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36
6	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
7	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
8	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
9	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71
10	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
11	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
12	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
13	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21
14	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13
15	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
16	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01
17	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
18	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
19	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
21	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
23	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
24	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
25	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
26	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
27	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67
28	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
29	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64
30	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
40	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
60	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
120	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25
∞	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00