

# University of Swaziland

Final Examination December, 2016

## B.A.S.S I

Title of Paper : Elementary Quantitative Techniques I

Course Number : MAT101

Time Allowed : Three (3) Hours

### Instructions

1. This paper consists of TWO sections.
  - a. **SECTION A(COMPULSORY): 40 MARKS**  
Answer ALL QUESTIONS.
  - b. **SECTION B: 60 MARKS**  
Answer ANY THREE questions.  
**Submit solutions to ONLY THREE questions in Section B.**
2. Show all your working.
3. Start each question on a fresh page.
4. Non programmable calculators may be used (unless otherwise stated).
5. A formula sheet is provided on the last page.
6. Special requirements: None.

**THIS PAPER SHOULD NOT BE OPENED UNTIL PERMISSION HAS BEEN GIVEN BY THE INVIGILATOR.**

## SECTION A

2

Answer ALL questions from section A.

A1. (a) Simplify:

i.  $\frac{3}{y+3} + \frac{2}{y+5}$ , [5]

ii.  $5 - \frac{x-1}{7x}$ , [5]

iii.  $\frac{x^2 + 2x - 3}{x^2 + 5x - 6}$ . [8]

(b) Consider the matrices  $M = \begin{pmatrix} 3 & -2 \\ 2 & 4 \end{pmatrix}$  and  $N = \begin{pmatrix} 4 & 6 \\ -1 & 5 \end{pmatrix}$ . Find

i.  $-3M^T$ , [3]

ii.  $N^T - M$ . [3]

(c) i. Use a calculator to compute  $20C_5$ , [2]

ii. Factorize completely  $2t^2 - 72$ . [3]

(d) i. Solve the simultaneous equations

$$3x - 2y = 5,$$

$$4x + 5y = -24.$$

[6]

ii. Use the quadratic formula to solve  $5x^2 = 20x - 4$ . (Give your answer correct to 1 d.p.) [5]

## SECTION B

3

Answer any THREE questions from section B.

**B2.** (a) Consider the AP

$$5, 2, -1, -4, \dots,$$

i. Write down the next two terms. [2]

ii. Find a formula for the  $n$ th term. [3]

iii. Use the formula in ii. to find the 81<sup>st</sup> term. [2]

iv. Find the sum of the first 40 terms. [4]

(b) Find the value of

i.  $1 + 2 + 4 + 8 + \dots + 16384$ . [5]

ii.  $\sum_{n=1}^{40} 4n$ . [4]

**B3.** (a) Consider the matrices

$$A = \begin{pmatrix} -1 & 3 \\ 4 & 2 \end{pmatrix}, B = \begin{pmatrix} 5 & -1 \\ 1 & 3 \\ 5 & -4 \end{pmatrix}, C = \begin{pmatrix} 4 & 1 & 3 \\ -2 & -1 & 8 \end{pmatrix}.$$

Find (where possible);

i.  $|A|$ , [2]

ii.  $AB^T$ , [3]

iii.  $BC$ . [4]

(b) Use Cramer's rule to solve the following linear system of equations.

4

$$\begin{array}{rcl} 4x + 3y - 2z & = & 7, \\ x + y & = & 5, \\ 3x & + & z = 4. \end{array}$$

[11]

**B4.** (a) Expand and simplify term by term  $\left(x - \frac{3}{x^2}\right)^5$ . [8]

(b) Find the 11<sup>th</sup> term in the binomial expansion of  $\left(\frac{2}{x} + x\right)^{15}$ . [6]

(c) Simplify and leave your answers in terms of positive indices.

i.  $\left(\frac{C^{-3}}{3}\right)^2$ . [2]

ii.  $\frac{10m^4n^{-3}}{m^{-1}} \times \frac{2m^2n}{5n}$ . [4]

**B5.** (a) Consider the straight line,  $H$  given by  $18x + 3y = -10$ .

i. State the  $y$ -intercept of  $H$ . [3]

ii. State the gradient (slope) of  $H$ . [3]

iii. Find the equation of a line parallel to  $H$ , passing through the point  $(-2, 1)$ . [4]

(b) Use synthetic division to work out  $\frac{x^3 - x^2 - 5x + 1}{x + 2}$ . [6]

(c) Given that  $x - 2$  is a factor of  $x^3 + Bx^2 - 5x + 4$ , find the value of  $B$ . [4]

B6. (a) Express as a single logarithm  $\log_3(x + 4) - \log_3(2x)$ . [2] 5

(b) Express in terms of logarithms  $3^{-4} = \frac{1}{81}$ . [3]

(c) Solve for  $x$  in each of the following.

i.  $2^{x-5} = 512$ . [3]

ii.  $\log_2 x + \log_2(x - 2) = 3$ . [5]

(d) The population of a city grows according to the formula

$$p(t) = 60000e^{0.028t},$$

where  $t$  is the number of years from year 2000. Find

i. the population in 2012. [2]

ii. the year when the population will reach 100000. [5]

**END OF EXAMINATION**

## Formula Sheet

6

### Arithmetic Progressions:

$$T_n = T_1 + (n-1)d, \quad S_n = \frac{n}{2}[T_1 + T_n], \quad S_n = \frac{n}{2}[2T_1 + (n-1)d].$$

### Geometric Progressions:

$$T_n = T_1 r^{n-1}, \quad S_n = \frac{T_1(1-r^n)}{1-r}.$$

### Binomial Theorem:

$$(a+b)^n = a^n + nC_1 a^{n-1}b + nC_2 a^{n-2}b^2 + nC_3 a^{n-3}b^3 + \dots + b^n.$$

$r$ th term of  $(a+b)^n = nC_{r-1} a^{n-r+1} b^{r-1}$ .

### Matrices:

$$\begin{vmatrix} a & b \\ c & d \end{vmatrix} = ad - bc$$

### logarithms and Exponential Functions:

$$\log_b x = y \Leftrightarrow x = b^y.$$

$$\log_b(AB) = \log_b A + \log_b B.$$

$$\log_b \left( \frac{A}{B} \right) = \log_b A - \log_b B.$$

$$\log_b A^n = n \log_b A.$$

### The Quadratic Formula:

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}.$$