

**UNIVERSITY OF SWAZILAND
FACULTY OF SOCIAL SCIENCE
DEPARTMENT OF ECONOMICS
SUPPLEMENTARY EXAMINATION
JULY 2013**

TITLE OF PAPER: STATISTICS FOR ECONOMISTS

COURSE CODE: ECON 209

TIME ALLOWED: THREE (3) HOURS

- INSTRUCTIONS:**
- 1. ANSWER FOUR (4) QUESTIONS:
QUESTION ONE(1) IS COMPULSORY AND
YOU CAN THEN CHOOSE ANY THREE (3)
QUESTIONS FROM THE REMAINING
FIVE(5) QUESTIONS PROVIDED.**
 - 2. ALL QUESTIONS CARRY 25 MARKS EACH**
 - 3. IN EVERY STAGE OF YOUR
CALCULATIONS ROUND YOUR ANSWER
TO TWO (2) DECIMAL PLACES.**

**THIS PAPER IS NOT SUPPOSED TO BE OPENED UNTIL PERMISSION
HAS BEEN GRANTED BY THE INVIGILATOR**

QUESTION 1 (compulsory)

- a) Mbabane Highlanders has a $\frac{2}{3}$ probability of winning when ever it plays. If the team plays 4 games, find the probability that it wins :
- i) Exactly 3 games, (3)
 - ii) At least 2 game, (3)
 - iii) Less than half of the games. (3)
- b) Let X be a random variable with the standard normal distribution. Determine the value of b if :
- i) $P(b \leq X \leq 2) = 0.10000$ (4)
 - ii) $P(X \leq b) = 0.7967$ (2)
- c) Suppose that 2% of the items made by a factory are defective. Find the probability that there are 3 defective items in a sample of 100 items. (5)
- d) Differentiate between an experiment and a trial. (2)
- e) Outline the axioms of probability. (3)

QUESTION 2

Write short explanatory notes on the following:

(5 marks each)

- i) Correlation coefficient
- ii) Least squares regression line
- iii) Standard error of estimate
- iv) What is a random variable?
- v) Define conditional probability.

QUESTION 3

A company decided to examine bad debts. A random sample of 200 bad debts was taken; the distribution of the length of life of these bad debts is given in the table below:

Number of working days	% of bad debts
1 – 5	22
6 – 10	25
11 – 15	21
16 – 20	14
21 – 25	8
26 – 30	7
31 – 35	3

- i) Calculate the mean and standard deviation of the length of life of bad debts. (10)
- ii) In the previous year the mean length of life of debts was 11.4 working days. Is there any evidence that the mean length of life of bad debts has changed? (15)

QUESTION 4

Let Y be the dependent variable and X be the independent variable

X	Y
3	4
5	7
1	3
3	6

- i) Plot a scatter diagram showing the relationship between the two variables. (4)
- ii) Estimate the regression line. (12)
- iii) Calculate the standard error of estimate. (4)
- iv) Calculate the coefficient of determination and interpret your results. (5)

QUESTION 5

- a) Write short explanatory notes on the following: **(3 marks each)**
- i) Statistical hypotheses
 - ii) Differentiate between type I and type II errors
 - iii) Level of significance
- b) A company is proposing to introduce a new system of production bonuses with the aim of improving productivity. Last year the average production per worker per day was 1,020. Before introducing the bonuses through out the company, the company decides to test the new bonus scheme on a random sample of 60 workers. The mean production per day for the sample was found to be 1,050 with a standard deviation of 120. Is there any evidence that the bonus scheme has improved productivity? **(16)**

QUESTION 6


- a) A factory produces castings whose weights are assumed to be distributed normally. A sample of 10 castings has weights in kilograms which are distributed as follows:

8.4 8.9 9.2 9.7 7.9 8.2 8.7 9.4 9.7 9.9

- i) Find the mean and standard deviation weight of the sample **(10)**
 - ii) Use the information you got in i) to construct a 95% confidence interval for the true mean weight of all the castings. **(8)**
- b) Differentiate between point and interval estimation **(4)**
- c) Define statistical inference **(3)**

GOOD LUCK!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!GOODLUCK!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!GOODLUCK!!!!!!!!!!!!

APPENDIX C




Areas under the Standard Normal Curve from 0 to z

z	0	1	2	3	4	5	6	7	8	9
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
0.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0754
0.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
0.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
0.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
0.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
0.6	.2258	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2518	.2549
0.7	.2580	.2612	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
0.8	.2881	.2910	.2939	.2967	.2996	.3023	.3051	.3078	.3106	.3133
0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990
3.1	.4990	.4991	.4991	.4991	.4992	.4992	.4992	.4992	.4993	.4993
3.2	.4993	.4993	.4994	.4994	.4994	.4994	.4994	.4995	.4995	.4995
3.3	.4995	.4995	.4995	.4996	.4996	.4996	.4996	.4996	.4996	.4997
3.4	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4998
3.5	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998
3.6	.4998	.4998	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999
3.7	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999
3.8	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999
3.9	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000

APPENDIX D

Percentile Values t_p for Student's t Distribution with ν Degrees of Freedom



ν	$t_{.55}$	$t_{.60}$	$t_{.70}$	$t_{.75}$	$t_{.80}$	$t_{.90}$	$t_{.95}$	$t_{.975}$	$t_{.99}$	$t_{.995}$
1	.158	.325	.727	1.000	1.376	3.08	6.31	12.71	31.82	63.66
2	.142	.289	.617	.816	1.061	1.89	2.92	4.30	6.96	9.92
3	.137	.277	.584	.765	.978	1.64	2.35	3.18	4.54	5.84
4	.134	.271	.569	.741	.941	1.53	2.13	2.78	3.75	4.60
5	.132	.267	.559	.727	.920	1.48	2.02	2.57	3.36	4.03
6	.131	.265	.553	.718	.906	1.44	1.94	2.45	3.14	3.71
7	.130	.263	.549	.711	.896	1.42	1.90	2.36	3.00	3.50
8	.130	.262	.546	.706	.889	1.40	1.86	2.31	2.90	3.36
9	.129	.261	.543	.703	.883	1.38	1.83	2.26	2.82	3.25
10	.129	.260	.542	.700	.879	1.37	1.81	2.23	2.76	3.17
11	.129	.260	.540	.697	.876	1.36	1.80	2.20	2.72	3.11
12	.128	.259	.539	.695	.873	1.36	1.78	2.18	2.68	3.06
13	.128	.259	.538	.694	.870	1.35	1.77	2.16	2.65	3.01
14	.128	.258	.537	.692	.868	1.34	1.76	2.14	2.62	2.98
15	.128	.258	.536	.691	.866	1.34	1.75	2.13	2.60	2.95
16	.128	.258	.535	.690	.865	1.34	1.75	2.12	2.58	2.92
17	.128	.257	.534	.689	.863	1.33	1.74	2.11	2.57	2.90
18	.127	.257	.534	.688	.862	1.33	1.73	2.10	2.55	2.88
19	.127	.257	.533	.688	.861	1.33	1.73	2.09	2.54	2.86
20	.127	.257	.533	.687	.860	1.32	1.72	2.09	2.53	2.84
21	.127	.257	.532	.686	.859	1.32	1.72	2.08	2.52	2.83
22	.127	.256	.532	.686	.858	1.32	1.72	2.07	2.51	2.82
23	.127	.256	.532	.685	.858	1.32	1.71	2.07	2.50	2.81
24	.127	.256	.531	.685	.857	1.32	1.71	2.06	2.49	2.80
25	.127	.256	.531	.684	.856	1.32	1.71	2.06	2.48	2.79
26	.127	.256	.531	.684	.856	1.32	1.71	2.06	2.48	2.78
27	.127	.256	.531	.684	.855	1.31	1.70	2.05	2.47	2.77
28	.127	.256	.530	.683	.855	1.31	1.70	2.05	2.47	2.76
29	.127	.256	.530	.683	.854	1.31	1.70	2.04	2.46	2.76
30	.127	.256	.530	.683	.854	1.31	1.70	2.04	2.46	2.75
40	.126	.255	.529	.681	.851	1.30	1.68	2.02	2.42	2.70
60	.126	.254	.527	.679	.848	1.30	1.67	2.00	2.39	2.66
120	.126	.254	.526	.677	.845	1.29	1.66	1.98	2.36	2.62
∞	.126	.253	.524	.674	.842	1.28	1.645	1.96	2.33	2.58

Source: R. A. Fisher and F. Yates, *Statistical Tables for Biological, Agricultural and Medical Research*, published by Longman Group Ltd., London (previously published by Oliver and Boyd, Edinburgh), and by permission of the authors and publishers.