



UNIVERSITY OF ESWATINI

FIRST SEMESTER RESIT EXAMINATION PAPER, JANUARY 2020

FACULTY OF SOCIAL SCIENCES

DEPARTMENT OF ECONOMICS

COURSE CODE: ECO307

TITLE OF PAPER: INTRODUCTION TO ECONOMETRICS

TIME ALLOWED: 2 HOURS

Instructions

1. This paper consists of Section (A) and (B)
2. Section A is compulsory.
3. Answer two questions from Section B.

Special Requirements

- Scientific calculator
- Figures to be rounded to three (3) decimal places

Additional Material (s)

1. Statistical Tables

Candidates may complete the front cover of their answer book when instructed by the Chief Invigilator and sign their examination attendance cards but must NOT write anything else until the start of the examination period is announced.

No electronic devices capable of storing and retrieving text, including electronic dictionaries and any form of foreign material may be used while in the examination room.

DO NOT turn examination paper over until instructed to do so.

QUESTION 1 (Compulsory)**[40 MARKS]**

- a) Differentiate between cross sectional and panel data. [6 Marks]
- b) State the Gauss-Markov theorem. [6 Marks]
- c) The table below shows sample data of CEO salaries (y) in Emalangeneni and the companies' return on equity (ROE) (x) in percentages:

Salary	1095	1001	1122	578	1368	1145	1078	1094	1237	833
ROE	14.1	10.9	23.5	5.9	13.8	20	16.4	16.3	10.5	26.3

- i) Use the data to fit a regression line. (Show working for full marks) [16 Marks]
- ii) Interpret the slope coefficient of the regression. [6 Marks]
- iii) If the calculated coefficient of determination (R^2) for the above data is 0.2052, interpret what it means. [6 Marks]

SECTION B (ANSWER ANY TWO QUESTIONS FROM THE FOLLOWING QUESTIONS)**QUESTION 2****[30 MARKS]**

Consider an estimated model for the number of defective products (*Defect*) per 100 units of production, for a citrus canning factory in Malkerns. *Hrsemp* is the total training hours provided to employees, and *Employ* is the number of workers in a shift.

$$\text{Log}(\widehat{\text{Defect}}) = 11.74 + 0.42\text{Hrsemp} - 0.083 \log(\text{Employ})$$

$$(4.57) \quad (0.019) \quad (0.360)$$

$$n = 43, \quad R^2 = 0.310$$

Note that the values in brackets are standard errors.

- a) Interpret the model. [6 Marks]

- b) Briefly explain whether the signs of the coefficients make sense. [5 Marks]
- c) Using the standard normal table approximation, find the 95% confidence interval for β_{Hrsemp} . [8 Marks]
- d) Are you able to reject the null hypothesis $H_0 : \beta_{Hrsemp} = 0$ at the 5% level of significance? [5 Marks]
- e) What is the p – value that can be attached on coefficient of the log of the number of workers working in a shift ($\beta_{Log(Employ)}$). Furthermore, explain what this p – value means. [6 Marks]

QUESTION 3

[30 MARKS]

The following model based on SAT scores was estimated:

$$\widehat{SAT} = 1,028.10 + 19.30 \text{ hsize} - 45.09 \text{ female} - 169.81 \text{ Black} + 62.31 \text{ female} * \text{Black}$$

(6.29) (3.83) (4.29) (12.71) (18.15)

$n = 4,137$ $R^2 = 0.0858$

Where SAT is the SAT score of a student, $hsize$ is the high school class size of student, $female$ is a gender variable (=1 is student is female), $Black$ is a race variable (=1 for Black and 0 otherwise)

- a) Holding $hsize$ fixed, what is the estimated difference in SAT score between nonblack females and nonblack males? [7 Marks]
- b) Is the estimated difference in (a) above statistically significant? [8 Marks]
- c) What is the estimated difference in SAT score between Black females and nonblack females? [8 Marks]
- d) How would you test for the statistical significance of the difference in (c) above? [7 Marks]

QUESTION 4

a) The following output was obtained from running a model of the following form in Stata :

$$y_i = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + u_i$$

Source	SS	df	MS	Number of Obs = 1388	
Model	17126.21	2	8563.10442	F(3, 522) =	21.27
Residual	557485.5	1385	402.516614	Prob > F =	0.0000
Total	574611.7	1387	414.283864	R - Squared =	
				Root MSE =	20.063

bwght	Coef.	Std. Err.	t	P>t	[95% Conf. Interval]	
cigs	-0.46341	0.091577	-5.06	0.000	-0.64305	-0.283763
faminc	0.092765	0.029188	3.18	0.002	0.035508	0.1500219
Constant	116.9741	1.048984	111.51	0.000	114.9164	119.0319

Where **bwght** – birth weight of child, **cigs** – number of cigarettes smoked per day while pregnant, **faminc** – family income in Thousand Emalangeni.

- i) State the fitted regression line. [3 Marks]
- ii) Interpret the coefficient β_{cigs} [5 Marks]
- iii) Perform the *F – Test* for the above model and clearly state your conclusion. [5 Marks]

- iv) Test the hypothesis that $\beta_{constant} = 0$ against $\beta_{constant} \neq 0$ at the 5% level of significance. [5 Marks]
- v) Does the data provide evidence that *faminc* contributes useful information in the prediction of the birth weight of a child? [6 Marks]
- b) If you estimate the following model $y = \beta_0 + \beta_1x_1 + \beta_2x_2 + u$ is estimated instead of $y = \beta_0 + \beta_1x_1 + \beta_2x_2 + \beta_3x_3 + u$. If x_2 and x_3 are correlated, show that some of the estimated coefficients will be biased. [6 Marks]




TABLE 1
Standard normal curve areas

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641
z	Area									
-3.50	0.00023263									
-4.00	0.00003167									
-4.50	0.00000340									
-5.00	0.00000029									

Source: Computed by M. Longnecker using Splus.

1092 Appendix

TABLE 1
 Standard normal curve areas

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
z	Area									
3.50	0.99976737									
4.00	0.99996833									
4.50	0.99999660									
5.00	0.99999971									




TABLE 2
Percentage points of Student's *t* distribution

$df/\alpha =$.40	.25	.10	.05	.025	.01	.005	.001	.0005
1	0.325	1.000	3.078	6.314	12.706	31.821	63.657	318.309	636.619
2	0.289	0.816	1.886	2.920	4.303	6.965	9.925	22.327	31.599
3	0.277	0.765	1.638	2.353	3.182	4.541	5.841	10.215	12.924
4	0.271	0.741	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	0.267	0.727	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	0.265	0.718	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	0.263	0.711	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	0.262	0.706	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	0.261	0.703	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	0.260	0.700	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	0.260	0.697	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	0.259	0.695	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	0.259	0.694	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	0.258	0.692	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	0.258	0.691	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	0.258	0.690	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	0.257	0.689	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	0.257	0.688	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	0.257	0.688	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	0.257	0.687	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	0.257	0.686	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	0.256	0.686	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	0.256	0.685	1.319	1.714	2.069	2.500	2.807	3.485	3.768
24	0.256	0.685	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	0.256	0.684	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	0.256	0.684	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	0.256	0.684	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	0.256	0.683	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	0.256	0.683	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	0.256	0.683	1.310	1.697	2.042	2.457	2.750	3.385	3.646
35	0.255	0.682	1.306	1.690	2.030	2.438	2.724	3.340	3.591
40	0.255	0.681	1.303	1.684	2.021	2.423	2.704	3.307	3.551
50	0.255	0.679	1.299	1.676	2.009	2.403	2.678	3.261	3.496
60	0.254	0.679	1.296	1.671	2.000	2.390	2.660	3.232	3.460
120	0.254	0.677	1.289	1.658	1.980	2.358	2.617	3.160	3.373
inf.	0.253	0.674	1.282	1.645	1.960	2.326	2.576	3.090	3.291

Source: Computed by M. Longnecker using Splus.