

**UNIVERSITY OF SWAZILAND****SUPPLEMENTARY EXAMINATION PAPER 2005**

**TITLE OF PAPER : STATISTICAL INFERENCE THEORY II**

**COURSE CODE : ST 303**

**TIME ALLOWED : TWO (2) HOURS**

**REQUIREMENTS : CALCULATOR AND STATISTICAL TABLES**

**INSTRUCTIONS : ANSWER QUESTION ONE AND ANY OTHER  
TWO QUESTIONS  
(EACH QUESTION CARRIES 25 MARKS)**

**DO NOT OPEN THIS PAPER UNTIL PERMISSION IS GIVEN BY THE  
INVIGILATOR**

Question 1

Let  $X$  have a binomial distribution  $bi \sim (100, \frac{1}{4})$ . Find the best critical region for testing the simple hypothesis  $H_0 : p = \frac{1}{4}$  against simple hypothesis  $H_1 : p = \frac{1}{2}$  at  $\alpha = 0.05$ . Also derive the power function for this hypothesis test. (25 marks)

Question 2

- a) The random variable  $X$  is distributed with the geometric probability mass function

$$p(x) = q^{x-1}p, \quad x = 1, 2, 3, \dots$$

$$0 < p < 1 \text{ and } q = 1 - p$$

A random sample  $x_1, x_2, \dots, x_n$  is taken from this distribution. Write down the likelihood function  $L(p)$  based on these data, and show that the maximum likelihood estimate of  $p$  is given by

$$\hat{p} = 1/\bar{x} \quad (10 \text{ Marks})$$

- b) The survival time of an individual after diagnosis of a certain fatal illness is  $T$  which is assumed to be exponentially distributed with probability density function

$$f(t) = \lambda e^{-\lambda t} \quad t \geq 0$$

The survival times (in days) of a group of 12 patients recruited into a study of this illness are given in the following table.

1327	1464	241	1027	20	332
308	20	100	71	889	229

Write down the likelihood function and obtain the maximum likelihood estimate of  $\lambda$ . (15 Marks)

### Question 3

- a) Explain the meaning of the following terms used in hypothesis tests.
- Type I error.
  - Type II error.
  - Level of significance.
  - Power.

(10 Marks)

- b) A manufacturer of coffee uses a machine to fill jars. The machine is calibrated so that the amount of coffee dispensed into each jar is Normally distributed with mean ( $\mu$ ) 200 grams and standard deviation ( $\sigma$ ) 15 grams. Each hour, a random sample of 9 jars is taken from the previous hour's output and the sample mean amount ( $\bar{x}$ ) is evaluated. If the sample mean lies in the interval  $190 < \bar{x} < 210$ , the previous hour's output is accepted, otherwise it is rejected and the machine is recalibrated before continuing.

- (i) Calculate the probability of committing a type I error by rejecting the previous hour's output when  $\mu = 200$  grams and  $\sigma = 15$  grams.  
(ii) Calculate the probability that the previous hour's output will be accepted when  $\mu = 216$  grams and  $\sigma = 15$  grams.

(15 Marks)

### Question 4

- a) Prove that  $E(\bar{X}) = \mu$ . (5 marks)  
b) Show the rationale for multiplying the sample sum of squares by the inverse of the degrees of freedom for  $S^2$ . (10 marks)  
c) Explain and illustrate the difference between mean square error for a biased and unbiased estimator for  $\theta$ . (10 marks)





TABLE A.4  
Areas Under the Normal Curve

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-1.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-1.3	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0005	0.0004	0.0004
-1.2	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0006	0.0006
-1.1	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0009	0.0009
-1.0	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0013	0.0012	0.0012
-0.9	0.0019	0.0018	0.0018	0.0017	0.0017	0.0016	0.0016	0.0015	0.0014	0.0014
-0.8	0.0026	0.0025	0.0025	0.0024	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021
-0.7	0.0032	0.0031	0.0031	0.0030	0.0030	0.0029	0.0029	0.0028	0.0027	0.0027
-0.6	0.0039	0.0038	0.0038	0.0037	0.0037	0.0036	0.0036	0.0035	0.0034	0.0034
-0.5	0.0044	0.0044	0.0043	0.0043	0.0042	0.0042	0.0041	0.0041	0.0040	0.0040
-0.4	0.0049	0.0048	0.0048	0.0047	0.0047	0.0046	0.0046	0.0045	0.0044	0.0044
-0.3	0.0054	0.0053	0.0053	0.0052	0.0052	0.0051	0.0051	0.0050	0.0049	0.0049
-0.2	0.0059	0.0058	0.0058	0.0057	0.0057	0.0056	0.0056	0.0055	0.0054	0.0054
-0.1	0.0064	0.0063	0.0063	0.0062	0.0062	0.0061	0.0061	0.0060	0.0059	0.0059
0.0	0.0069	0.0068	0.0068	0.0067	0.0067	0.0066	0.0066	0.0065	0.0064	0.0064
0.1	0.0073	0.0073	0.0072	0.0072	0.0071	0.0071	0.0070	0.0070	0.0069	0.0069
0.2	0.0078	0.0077	0.0077	0.0076	0.0076	0.0075	0.0075	0.0074	0.0073	0.0073
0.3	0.0082	0.0081	0.0081	0.0080	0.0080	0.0079	0.0079	0.0078	0.0077	0.0077
0.4	0.0086	0.0085	0.0085	0.0084	0.0084	0.0083	0.0083	0.0082	0.0081	0.0081
0.5	0.0090	0.0089	0.0089	0.0088	0.0088	0.0087	0.0087	0.0086	0.0085	0.0085
0.6	0.0094	0.0093	0.0093	0.0092	0.0092	0.0091	0.0091	0.0090	0.0089	0.0089
0.7	0.0098	0.0097	0.0097	0.0096	0.0096	0.0095	0.0095	0.0094	0.0093	0.0093
0.8	0.0103	0.0102	0.0102	0.0101	0.0101	0.0100	0.0100	0.0099	0.0098	0.0098
0.9	0.0107	0.0106	0.0106	0.0105	0.0105	0.0104	0.0104	0.0103	0.0102	0.0102
1.0	0.0111	0.0110	0.0110	0.0109	0.0109	0.0108	0.0108	0.0107	0.0106	0.0106
1.1	0.0115	0.0114	0.0114	0.0113	0.0113	0.0112	0.0112	0.0111	0.0110	0.0110
1.2	0.0119	0.0118	0.0118	0.0117	0.0117	0.0116	0.0116	0.0115	0.0114	0.0114
1.3	0.0123	0.0122	0.0122	0.0121	0.0121	0.0120	0.0120	0.0119	0.0118	0.0118
1.4	0.0127	0.0126	0.0126	0.0125	0.0125	0.0124	0.0124	0.0123	0.0122	0.0122
1.5	0.0131	0.0130	0.0130	0.0129	0.0129	0.0128	0.0128	0.0127	0.0126	0.0126
1.6	0.0135	0.0134	0.0134	0.0133	0.0133	0.0132	0.0132	0.0131	0.0130	0.0130
1.7	0.0139	0.0138	0.0138	0.0137	0.0137	0.0136	0.0136	0.0135	0.0134	0.0134
1.8	0.0143	0.0142	0.0142	0.0141	0.0141	0.0140	0.0140	0.0139	0.0138	0.0138
1.9	0.0146	0.0145	0.0145	0.0144	0.0144	0.0143	0.0143	0.0142	0.0141	0.0141
2.0	0.0149	0.0148	0.0148	0.0147	0.0147	0.0146	0.0146	0.0145	0.0144	0.0144
2.1	0.0152	0.0151	0.0151	0.0150	0.0150	0.0149	0.0149	0.0148	0.0147	0.0147
2.2	0.0155	0.0154	0.0154	0.0153	0.0153	0.0152	0.0152	0.0151	0.0150	0.0150
2.3	0.0158	0.0157	0.0157	0.0156	0.0156	0.0155	0.0155	0.0154	0.0153	0.0153
2.4	0.0161	0.0160	0.0160	0.0159	0.0159	0.0158	0.0158	0.0157	0.0156	0.0156
2.5	0.0164	0.0163	0.0163	0.0162	0.0162	0.0161	0.0161	0.0160	0.0159	0.0159
2.6	0.0167	0.0166	0.0166	0.0165	0.0165	0.0164	0.0164	0.0163	0.0162	0.0162
2.7	0.0170	0.0169	0.0169	0.0168	0.0168	0.0167	0.0167	0.0166	0.0165	0.0165
2.8	0.0173	0.0172	0.0172	0.0171	0.0171	0.0170	0.0170	0.0169	0.0168	0.0168
2.9	0.0176	0.0175	0.0175	0.0174	0.0174	0.0173	0.0173	0.0172	0.0171	0.0171
3.0	0.0179	0.0178	0.0178	0.0177	0.0177	0.0176	0.0176	0.0175	0.0174	0.0174
3.1	0.0182	0.0181	0.0181	0.0180	0.0180	0.0179	0.0179	0.0178	0.0177	0.0177
3.2	0.0185	0.0184	0.0184	0.0183	0.0183	0.0182	0.0182	0.0181	0.0180	0.0180
3.3	0.0188	0.0187	0.0187	0.0186	0.0186	0.0185	0.0185	0.0184	0.0183	0.0183
3.4	0.0191	0.0190	0.0190	0.0189	0.0189	0.0188	0.0188	0.0187	0.0186	0.0186
3.5	0.0194	0.0193	0.0193	0.0192	0.0192	0.0191	0.0191	0.0190	0.0189	0.0189
3.6	0.0197	0.0196	0.0196	0.0195	0.0195	0.0194	0.0194	0.0193	0.0192	0.0192
3.7	0.0199	0.0198	0.0198	0.0197	0.0197	0.0196	0.0196	0.0195	0.0194	0.0194
3.8	0.0202	0.0201	0.0201	0.0200	0.0200	0.0199	0.0199	0.0198	0.0197	0.0197
3.9	0.0205	0.0204	0.0204	0.0203	0.0203	0.0202	0.0202	0.0201	0.0200	0.0200
4.0	0.0207	0.0206	0.0206	0.0205	0.0205	0.0204	0.0204	0.0203	0.0202	0.0202
4.1	0.0209	0.0208	0.0208	0.0207	0.0207	0.0206	0.0206	0.0205	0.0204	0.0204
4.2	0.0211	0.0210	0.0210	0.0209	0.0209	0.0208	0.0208	0.0207	0.0206	0.0206
4.3	0.0213	0.0212	0.0212	0.0211	0.0211	0.0210	0.0210	0.0209	0.0208	0.0208
4.4	0.0215	0.0214	0.0214	0.0213	0.0213	0.0212	0.0212	0.0211	0.0210	0.0210
4.5	0.0217	0.0216	0.0216	0.0215	0.0215	0.0214	0.0214	0.0213	0.0212	0.0212
4.6	0.0219	0.0218	0.0218	0.0217	0.0217	0.0216	0.0216	0.0215	0.0214	0.0214
4.7	0.0221	0.0220	0.0220	0.0219	0.0219	0.0218	0.0218	0.0217	0.0216	0.0216
4.8	0.0223	0.0222	0.0222	0.0221	0.0221	0.0220	0.0220	0.0219	0.0218	0.0218
4.9	0.0225	0.0224	0.0224	0.0223	0.0223	0.0222	0.0222	0.0221	0.0220	0.0220
5.0	0.0227	0.0226	0.0226	0.0225	0.0225	0.0224	0.0224	0.0223	0.0222	0.0222

TABLE A.5\*  
Critical Values of the t Distribution




α	α				
	0.10	0.05	0.025	0.01	0.005
1	3.078	6.314	12.706	31.821	63.657
2	1.886	2.920	4.303	6.965	9.925
3	1.638	2.353	3.182	4.541	5.841
4	1.533	2.132	2.776	3.747	4.604
5	1.476	2.015	2.571	3.365	4.032
6	1.440	1.943	2.447	3.143	3.707
7	1.415	1.895	2.365	2.998	3.499
8	1.397	1.860	2.306	2.896	3.355
9	1.385	1.833	2.262	2.821	3.250
10	1.372	1.812	2.228	2.764	3.169
11	1.363	1.796	2.201	2.718	3.106
12	1.356	1.782	2.179	2.681	3.055
13	1.350	1.771	2.160	2.650	3.012
14	1.345	1.761	2.145	2.624	2.977
15	1.341	1.753	2.131	2.602	2.947
16	1.337	1.746	2.120	2.583	2.921
17	1.333	1.740	2.110	2.567	2.898
18	1.330	1.734	2.101	2.552	2.878
19	1.328	1.729	2.093	2.539	2.861
20	1.325	1.725	2.086	2.528	2.845
21	1.323	1.721	2.080	2.518	2.831
22	1.321	1.717	2.074	2.508	2.819
23	1.319	1.714	2.069	2.500	2.807
24	1.318	1.711	2.064	2.492	2.797
25	1.316	1.708	2.060	2.485	2.787
26	1.315	1.706	2.056	2.479	2.779
27	1.314	1.703	2.052	2.473	2.771
28	1.313	1.701	2.048	2.467	2.763
29	1.311	1.699	2.045	2.462	2.756
inf.	1.282	1.645	1.960	2.326	2.576

\*Table A.5 is taken from Table IV of R. A. Fisher, *Statistical Methods for Research Workers*, Oliver & Boyd Ltd., Edinburgh, by permission of the author and publishers.

164


TABLE A.6\*  
Critical Values of the Chi-Square Distribution



v	p									
	0.995	0.99	0.975	0.95	0.05	0.025	0.01	0.005		
1	0.0043	0.0044	0.0046	0.0048	3.841	5.024	6.635	7.879		
2	0.0100	0.0102	0.0106	0.0110	3.991	7.378	9.210	10.597		
3	0.0717	0.0719	0.0726	0.0734	7.815	9.348	11.345	12.838		
4	0.207	0.207	0.208	0.209	9.488	11.143	13.277	14.860		
5	0.412	0.412	0.413	0.414	11.145	12.832	15.086	16.750		
6	0.676	0.676	0.677	0.678	12.592	14.449	16.812	18.548		
7	0.989	0.989	0.990	0.991	14.067	16.013	18.475	20.278		
8	1.344	1.344	1.345	1.346	15.507	17.535	20.090	21.955		
9	1.735	1.735	1.736	1.737	16.919	19.023	21.666	23.589		
10	2.156	2.156	2.157	2.158	18.307	20.483	23.209	25.188		
11	2.603	2.603	2.604	2.605	19.675	21.920	24.725	26.757		
12	3.074	3.074	3.075	3.076	21.026	23.337	26.217	28.300		
13	3.565	3.565	3.566	3.567	22.362	24.736	27.688	29.819		
14	4.075	4.075	4.076	4.077	23.685	26.119	29.141	31.319		
15	4.601	4.601	4.602	4.603	24.996	27.488	30.578	32.801		
16	5.142	5.142	5.143	5.144	26.296	28.845	32.000	34.267		
17	5.697	5.697	5.698	5.699	27.587	30.191	33.409	35.718		
18	6.265	6.265	6.266	6.267	28.869	31.526	34.805	37.156		
19	6.844	6.844	6.845	6.846	30.117	32.852	36.191	38.582		
20	7.434	7.434	7.435	7.436	31.410	34.170	37.566	39.997		
21	8.034	8.034	8.035	8.036	32.671	35.479	38.932	41.401		
22	8.643	8.643	8.644	8.645	33.912	36.781	40.289	42.796		
23	9.260	9.260	9.261	9.262	35.172	38.076	41.638	44.181		
24	9.886	9.886	9.887	9.888	36.415	39.364	42.980	45.558		
25	10.520	10.520	10.521	10.522	37.652	40.646	44.314	46.928		
26	11.160	11.160	11.161	11.162	38.885	41.923	45.642	48.290		
27	11.808	11.808	11.809	11.810	40.113	43.194	46.963	49.645		
28	12.461	12.461	12.462	12.463	41.337	44.461	48.278	50.993		
29	13.121	13.121	13.122	13.123	42.557	45.722	49.588	52.336		
30	13.787	13.787	13.788	13.789	43.773	46.979	50.892	53.672		

\*Abridged from Table 8 of *Biometrika Tables for Statisticians*, Vol. 1, by permission of E. S. Pearson and the Biometrika Trustees.


TABLE A.7\*  
Critical Values of the F Distribution



v <sub>2</sub>	v <sub>1</sub>								
	1	2	3	4	5	6	7	8	9
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
7	5.52	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
8	5.12	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39
9	4.78	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
10	4.46	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
11	4.24	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90
12	4.07	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
13	3.94	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71
14	3.84	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65
15	3.76	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
16	3.69	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54
17	3.63	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49
18	3.58	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46
19	3.54	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42
20	3.50	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
21	3.47	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37
22	3.44	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34
23	3.42	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32
24	3.40	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
25	3.39	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28
26	3.37	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27
27	3.35	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25
28	3.34	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24
29	3.33	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22
30	3.32	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
40	3.23	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12
60	3.15	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
120	3.07	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96
∞	3.00	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88

\*Reproduced from Table 18 of *Biometrika Tables for Statisticians*, Vol. 1, by permission of E. S. Pearson and the Biometrika Trustees.


TABLE A.6\*  
Critical Values of the Chi-Square Distribution



v	α									
	0.995	0.99	0.975	0.95	0.05	0.025	0.01	0.005		
1	0.00193	0.0157	0.03982	0.0793	3.841	5.024	6.635	7.879		
2	0.0100	0.0201	0.0506	0.103	5.991	7.378	9.210	10.597		
3	0.0717	0.115	0.216	0.352	7.815	9.348	11.345	12.838		
4	0.207	0.297	0.484	0.711	9.488	11.143	13.277	14.860		
5	0.412	0.554	0.831	1.145	11.070	12.832	15.086	16.750		
6	0.676	0.872	1.237	1.635	12.592	14.449	16.812	18.548		
7	0.989	1.239	1.690	2.167	14.067	16.013	18.475	20.278		
8	1.344	1.646	2.180	2.733	15.507	17.535	20.090	21.955		
9	1.735	2.088	2.700	3.325	16.919	19.023	21.666	23.589		
10	2.156	2.558	3.247	3.940	18.307	20.483	23.209	25.188		
11	2.603	3.053	3.816	4.575	19.675	21.920	24.725	26.757		
12	3.074	3.571	4.404	5.226	21.026	23.337	26.217	28.300		
13	3.565	4.107	5.009	5.892	22.362	24.736	27.688	29.819		
14	4.075	4.660	5.629	6.571	23.685	26.119	29.141	31.319		
15	4.601	5.229	6.262	7.261	24.996	27.488	30.578	32.801		
16	5.142	5.812	6.908	7.962	26.296	28.845	32.000	34.267		
17	5.697	6.408	7.564	8.672	27.587	30.191	33.409	35.718		
18	6.265	7.015	8.231	9.390	28.869	31.526	34.805	37.156		
19	6.844	7.633	8.907	10.117	30.144	32.852	36.191	38.582		
20	7.434	8.260	9.591	10.851	31.410	34.170	37.566	39.997		
21	8.034	8.897	10.283	11.591	32.671	35.479	38.932	41.401		
22	8.643	9.542	10.982	12.338	33.924	36.781	40.289	42.796		
23	9.260	10.196	11.689	13.091	35.172	38.076	41.638	44.181		
24	9.886	10.856	12.401	13.848	36.415	39.364	42.980	45.558		
25	10.520	11.524	13.120	14.611	37.652	40.646	44.314	46.928		
26	11.160	12.198	13.844	15.379	38.885	41.923	45.642	48.290		
27	11.808	12.879	14.573	16.151	40.113	43.194	46.963	49.645		
28	12.461	13.565	15.308	16.928	41.337	44.461	48.278	50.993		
29	13.121	14.256	16.047	17.708	42.557	45.722	49.588	52.336		
30	13.787	14.953	16.791	18.493	43.773	46.979	50.892	53.672		

\*Abridged from Table 8 of *Biometrika Tables for Statisticians*, Vol. I, by permission of E. S. Pearson and the Biometrika Trustees.

TABLE A.7\*  
Critical Values of the F Distribution



v <sub>2</sub>	v <sub>1</sub>								
	1	2	3	4	5	6	7	8	9
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
8	5.32	4.46	4.07	3.84	3.69	3.58	3.44	3.39	3.34
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88

\*Reproduced from Table 18 of *Biometrika Tables for Statisticians*, Vol. I, by permission of E. S. Pearson and the Biometrika Trustees.

TABLE A.7 (continued)  
Critical Values of the F Distribution  
 $f_{\alpha}(v_1, v_2)$

$v_2$	$v_1$										
	10	12	15	20	24	30	40	60	120	$\infty$	
1	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3	
2	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50	
3	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53	
4	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63	
5	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36	
6	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67	
7	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23	
8	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93	
9	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71	
10	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54	
11	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40	
12	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30	
13	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.29	2.25	2.21	
14	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13	
15	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07	
16	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.10	2.06	2.01	
17	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96	
18	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92	
19	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88	
20	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84	
21	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81	
22	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78	
23	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76	
24	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73	
25	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71	
26	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69	
27	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67	
28	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65	
29	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64	
30	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62	
40	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51	
60	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39	
120	1.91	1.83	1.75	1.66	1.61	1.55	1.49	1.43	1.35	1.25	
$\infty$	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00	

TABLE A.7 (continued)  
Critical Values of the F Distribution  
 $f_{\alpha}(v_1, v_2)$

$v_2$	$v_1$								
	1	2	3	4	5	6	7	8	9
1	4032	4999.5	5403	5625	5764	5859	5928	5981	6022
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35
4	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16
6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91
9	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19
14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56
$\infty$	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41

TABLE A.7 (continued)  
Critical Values of the F Distribution  
 $f_{\alpha}(v_1, v_2)$

$v_2$	$v_1$												
	10	12	15	20	24	30	40	60	120	$\infty$			
1	6056	6106	6157	6209	6235	6261	6287	6313	6339	6366			
2	99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.49	99.50			
3	27.23	27.05	26.87	26.69	26.60	26.50	26.41	26.32	26.22	26.13			
4	14.55	14.37	14.20	14.02	13.93	13.84	13.75	13.65	13.56	13.46			
5	10.05	9.89	9.72	9.55	9.47	9.38	9.29	9.20	9.11	9.02			
6	7.87	7.72	7.56	7.40	7.31	7.23	7.14	7.06	6.97	6.88			
7	6.62	6.47	6.31	6.16	6.07	5.99	5.91	5.82	5.74	5.65			
8	5.81	5.67	5.52	5.36	5.28	5.20	5.12	5.03	4.95	4.86			
9	5.26	5.11	4.96	4.81	4.73	4.65	4.57	4.48	4.40	4.31			
10	4.85	4.71	4.56	4.41	4.33	4.25	4.17	4.08	4.00	3.91			
11	4.54	4.40	4.25	4.10	4.02	3.94	3.86	3.78	3.69	3.60			
12	4.30	4.16	4.01	3.86	3.78	3.70	3.62	3.54	3.45	3.36			
13	4.10	3.96	3.82	3.66	3.59	3.51	3.43	3.34	3.25	3.17			
14	3.94	3.80	3.66	3.51	3.43	3.35	3.27	3.18	3.09	3.00			
15	3.80	3.67	3.52	3.37	3.29	3.21	3.13	3.05	2.96	2.87			
16	3.69	3.55	3.41	3.26	3.18	3.10	3.02	2.93	2.84	2.75			
17	3.59	3.46	3.31	3.16	3.08	3.00	2.92	2.83	2.75	2.65			
18	3.51	3.37	3.23	3.08	3.00	2.92	2.84	2.75	2.66	2.57			
19	3.43	3.30	3.15	3.00	2.92	2.84	2.76	2.67	2.58	2.49			
20	3.37	3.23	3.09	2.94	2.86	2.78	2.69	2.61	2.52	2.42			
21	3.31	3.17	3.03	2.88	2.80	2.72	2.64	2.55	2.46	2.36			
22	3.26	3.12	2.98	2.83	2.75	2.67	2.58	2.50	2.40	2.31			
23	3.21	3.07	2.93	2.78	2.70	2.62	2.54	2.45	2.35	2.26			
24	3.17	3.03	2.89	2.74	2.66	2.58	2.49	2.40	2.31	2.21			
25	3.13	2.99	2.85	2.70	2.62	2.54	2.45	2.36	2.27	2.17			
26	3.09	2.96	2.81	2.66	2.58	2.50	2.42	2.33	2.23	2.13			
27	3.06	2.93	2.78	2.63	2.55	2.47	2.38	2.29	2.20	2.10			
28	3.03	2.90	2.75	2.60	2.52	2.44	2.35	2.26	2.17	2.06			
29	3.00	2.87	2.73	2.57	2.49	2.41	2.33	2.23	2.14	2.03			
30	2.98	2.84	2.70	2.55	2.47	2.39	2.30	2.21	2.11	2.01			
40	2.88	2.66	2.52	2.37	2.29	2.20	2.11	2.02	1.92	1.80			
60	2.63	2.30	2.35	2.20	2.12	2.03	1.94	1.84	1.73	1.60			
120	2.47	2.34	2.19	2.03	1.95	1.86	1.76	1.66	1.53	1.38			
$\infty$	2.32	2.18	2.04	1.88	1.79	1.70	1.59	1.47	1.32	1.00			