

UNIVERSITY OF SWAZILAND

EXAMINATION PAPER 2007

TITLE OF PAPER : SAMPLE SURVEY THEORY

COURSE CODE : ST 306

TIME ALLOWED : TWO (2) HOURS

**REQUIREMENTS : CALCULATOR AND STATISTICAL TABLES
FORMULA SHEET ATTACHED**

**INSTRUCTIONS : ANSWER QUESTION ONE AND ANY OTHER
TWO QUESTIONS**

Question 1

A simple random sample of 500 households was selected from the 10 000 households in a town. The number of adults in the household (x) and the total number of cars owned by these adults (y) were recorded.

		Number of adults (x)					Total
		1	2	3	4	5	
Number of cars (y)	0	18	119	28	11	0	176
	1	21	130	84	8	0	243
	2	1	28	16	15	1	61
	3	0	3	12	4	1	20
	Total	40	280	140	38	2	500

In the most recent census, the proportions of households in the town with 1, 2, 3, 4 and 5 adults were 0.10, 0.50, 0.30, 0.09 and 0.01 respectively.

- i) Calculate the simple random sampling and ratio estimates of the mean number of cars per adult in this town. (10)
- ii) Estimate the relative efficiency of these estimators, and comment. (15)
- iii) Giving your reasons, say which you think is the better of these two estimators, and use it to construct an approximate 95% confidence interval for the total number of cars owned by adults living in this town. (10)

Question 2

A regional council wishes to assess the amount of hazardous waste produced by the 6231 manufacturing companies in its area. They are split into three strata:

- (1) basic metal industries;
- (2) food, textiles and mineral products;
- (3) other manufacturing.

A simple random sample of companies was taken in each stratum, and for each company the total quantity of hazardous waste (in thousands of tonnes) produced in 2003 was measured.

Stratum	Hazardous waste ('000 tonnes)			
	N_h	n_h	\bar{y}_h	s_h
1	92	11	166.6	207.7
2	1612	61	7.7	14.7
3	4527	292	0.3	4.5
Total	6231	364		

- (i) Define the symbols N_h , n_h , \bar{y}_h , s_h as used above.

Show that $\bar{y}_s = \sum \frac{N_h}{N} \bar{y}_h$ is an unbiased estimator for the mean hazardous waste produced per company, and find the variance of \bar{y}_s . [Results from simple random sampling may be assumed without proof.]

(7)

- (ii) Estimate the mean hazardous waste produced per company and obtain an estimate of the standard error of your estimator. Give an approximate 95% confidence interval for the mean hazardous waste per company.

(7)

- (iii) Compute the sample sizes in the strata if proportional allocation had been used for this survey. Give brief reasons why a stratified sample using proportional allocation would be more efficient than a simple random sample of 364 units. Explain briefly whether the allocation actually used has been effective in improving precision compared with a proportional allocation.

(6)

Question 3

An orange grower is to sell a truckload of oranges. The oranges are packed into 140 crates containing 120 oranges each. Before striking the deal, the buyer wants to estimate the quantity of juice in the oranges, and proposes to inspect a sample of oranges.

- (a) *Convenience sampling* chooses the items which are most accessible while sampling is in progress. Suggest reasons why *cluster sampling* might be preferred to convenience sampling for this sampling inspection. How do *one-* and *two-stage* cluster sampling differ in the context of this example? Mention any practical difficulties that might arise in choosing genuinely random samples in this study. (6)
- (b) A simple random sample of 10 crates was selected from the truck, and then 5 oranges from each chosen crate were randomly sampled. The quantity of juice (y) obtained from squeezing each of the selected oranges was recorded, as shown below.

Crate (i)	Juice (in ml)					\bar{y}_i	s_i^2
1	90	103	76	84	89	88.4	97.3
2	107	80	72	110	70	87.8	372.2
3	104	93	83	76	91	89.4	112.3
4	101	81	77	99	109	93.4	188.8
5	97	85	110	101	80	94.6	147.3
6	84	99	106	92	78	91.8	126.2
7	101	100	91	113	108	102.6	70.3
8	109	78	89	91	90	91.4	124.3
9	114	96	108	80	103	100.2	171.2
10	94	90	109	102	84	95.8	97.2

- (i) Treating the crates as clusters and the oranges as the individual sampling units, estimate the mean quantity of juice per orange. Explain whether this estimator is unbiased. (4)

- (ii) In a two-stage sampling procedure with equal-sized clusters, and with equal-sized simple random samples selected from the chosen clusters, an unbiased estimator of the variance of the sample mean can be written as

$$\frac{1-f_1}{n} s_b^2 + f_1 \frac{1-f_2}{nm} s_w^2.$$

Define n, m, f_1, f_2, s_b and s_w as used in this formula.

(3)

- (iii) Use the formula in part (ii) to obtain an estimate of the variance of the sample mean quantity of juice per orange. Give an approximate 95% confidence interval for the true mean quantity of juice per orange. (4)

- (iv) The buyer decides to use a two-stage sample, and wishes to sample no more than 50 oranges in total. Advise the buyer how to choose the number of crates to sample, and how to choose the number of oranges to sample from each of those crates. (3)

Question 4

At an experimental station 100 fields (each of area one hectare) were sown with wheat. Each field was divided into sixteen equal plots. A simple random sample of 10 fields was selected, and from each of these fields a simple random sample of 4 plots was selected. The yields in kg/plot are given below:

Field	Plot within field			
	1	2	3	4
1	4.28	4.36	3.00	3.52
2	4.20	4.66	3.64	5.00
3	4.40	4.72	4.04	3.98
4	5.16	4.24	4.96	3.84
5	4.08	3.96	3.42	3.08
6	4.12	4.68	3.46	4.02
7	4.00	4.84	4.32	3.72
8	3.06	4.24	4.76	3.12
9	4.16	4.36	3.50	5.00
10	4.32	4.84	3.96	4.04

- a) Estimate the wheat yield per hectare for the experimental station and its standard error (note: you may assume that, in standard notation, that

$$\hat{V}(\bar{y}) = \frac{(1-f_1)}{n} S_b^2 + f_1 \frac{(1-f_2)}{nm} S_w^2. \quad (10)$$

- b) Estimate the relative efficiency of this estimator to that obtained from a simple random sample of 40 plots.

(10)

$$s^2 = \sum_{i=1}^n \frac{(y_i - \bar{y})^2}{n-1}$$

$$\hat{\mu}_{srs} = \bar{y}$$

$$\hat{\tau}_{srs} = N \hat{\mu}_{srs}$$

$$\hat{p}_{srs} = \sum_{i=1}^n \frac{y_i}{n}$$

$$\hat{\tau}_{pps} = \frac{1}{n} \sum_{i=1}^n \left(\frac{y_i}{\pi_i} \right)$$

$$\hat{\mu}_{pps} = \frac{1}{N} \hat{\tau}_{pps}$$

$$\hat{\mu}_{sys} = \sum_{i=1}^n \frac{y_i}{n}$$

$$\hat{\tau}_{sys} = N \hat{\mu}_{sys}$$

$$\hat{p}_{sys} = \sum_{i=1}^n \frac{y_i}{n}$$

$$\hat{\mu}_{rsys} = \sum_{i=1}^{ns} \frac{\hat{\mu}_i}{ns}$$

$$\hat{\tau}_{rsys} = N \hat{\mu}_{rsys}$$

$$\hat{\mu}_{str} = \frac{1}{N} \sum_{i=1}^L N_i \bar{y}_i$$

$$\hat{\tau}_{str} = N \hat{\mu}_{str}$$

$$\hat{p}_{str} = \frac{1}{N} \sum_{i=1}^L N_i \hat{p}_i$$

$$\hat{\mu}_{pstr} = \sum_{i=1}^L w_i \bar{y}_i$$

$$\sum_{i=1}^n (y_i - \bar{y})^2 = \sum_{i=1}^n y_i^2 - \frac{(\sum_{i=1}^n y_i)^2}{n}$$

$$\hat{V}(\hat{\mu})_{srs} = \frac{s^2}{n} \left(\frac{N-n}{N} \right)$$

$$\hat{V}(\hat{\tau})_{srs} = N^2 \hat{V}(\hat{\mu})_{srs}$$

$$\hat{V}(\hat{p})_{srs} = \frac{\hat{p}(1-\hat{p})}{(n-1)} \left(\frac{N-n}{N} \right)$$

$$\hat{V}(\hat{\tau})_{pps} = \frac{1}{n(n-1)} \sum_{i=1}^n \left(\frac{y_i}{\pi_i} - \hat{\tau}_{pps} \right)^2$$

$$\hat{V}(\hat{\mu})_{pps} = \frac{1}{N^2} \hat{V}(\hat{\tau})_{pps}$$

$$\hat{V}(\hat{\mu})_{sys} = \frac{s^2}{n} \left(\frac{N-n}{N} \right)$$

$$\hat{V}(\hat{\tau})_{sys} = N^2 \hat{V}(\hat{\mu})_{sys}$$

$$\hat{V}(\hat{p})_{sys} = \frac{\hat{p}(1-\hat{p})}{(n-1)} \left(\frac{N-n}{N} \right)$$

$$\hat{V}(\hat{\mu})_{rsys} = \left(\frac{N-n}{N} \right) \sum_{i=1}^{ns} \frac{(\hat{\mu}_i - \hat{\mu}_{rsys})^2}{ns(ns-1)}$$

$$\hat{V}(\hat{\tau})_{rsys} = N^2 \hat{V}(\hat{\mu})_{rsys}$$

$$\hat{V}(\hat{\mu})_{str} = \frac{1}{N^2} \sum_{i=1}^L N_i^2 \left(\frac{N_i - n_i}{N_i} \right) \frac{s_i^2}{n_i}$$

$$\hat{V}(\hat{\tau})_{str} = N^2 \hat{V}(\hat{\mu})_{str}$$

$$\hat{V}(\hat{p})_{str} = \frac{1}{N^2} \sum_{i=1}^L N_i^2 \left(\frac{N_i - n_i}{N_i} \right) \left(\frac{\hat{p}_i(1-\hat{p}_i)}{n_i-1} \right)$$

$$\hat{V}(\hat{\mu})_{pstr} = \frac{1}{n} \left(\frac{N-n}{N} \right) \sum_{i=1}^L w_i s_i^2 + \frac{1}{n^2} \sum_{i=1}^L (1-w_i) s_i^2$$

$$r = \frac{\sum_{i=1}^n y_i}{\sum_{i=1}^n x_i}$$

$$\hat{\rho} = \frac{cov(x,y)}{s_x s_y}$$

$$\hat{\tau}_{ratio} = r \tau_x$$

$$\hat{\mu}_{ratio} = r \mu_x$$

$$Y_i = \beta_0 + \beta_1(X_i) + \varepsilon_i$$

$$b_0 = \bar{y} - b_1 \bar{x}$$

$$b_1 = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

$$\hat{\mu}_{reg} = \bar{y} + b_1(\mu_x - \bar{x})$$

$$\hat{y}_i = b_0 + b_1(x_i)$$

$$\hat{\mu}_{diff} = \bar{y} + (\mu_x - \bar{x})$$

$$\sum_{i=1}^n (d_i - \bar{d})^2 = \sum_{i=1}^n d_i^2 - n\bar{d}^2$$

$$\hat{\mu}_{ctsl} = \frac{\sum_{i=1}^n y_i}{\sum_{i=1}^n m_i}$$

$$\hat{\tau}_{ctsl(1)} = M \hat{\mu}_{ctsl}$$

$$\hat{V}(\tau) = \left(\frac{N-n}{N}\right) \left(\frac{1}{n\mu_x^2}\right) \frac{\sum_{i=1}^n (y_i - rx_i)^2}{(n-1)}$$

$$\hat{V}(\tau) = \frac{1-(n/N)}{n} \left(\frac{1}{\mu_x^2}\right) (s_y^2 + r^2 s_x^2 - 2r\hat{\rho}s_x s_y)$$

$$\hat{V}(\hat{\tau})_{ratio} = \tau_x^2 \hat{V}(\tau)$$

$$\hat{V}(\hat{\mu})_{ratio} = \mu_x^2 \hat{V}(\tau)$$

$$\sum_{i=1}^n (y_i - rx_i)^2 = \sum_{i=1}^n y_i^2 + r^2 \sum_{i=1}^n x_i^2 - 2r \sum_{i=1}^n y_i x_i$$

$$b_1 = \hat{\rho}(s_y/s_x)$$

$$\hat{\rho} = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{(n-1)s_x s_y}$$

$$\hat{V}(\hat{\mu})_{reg} = \left(\frac{N-n}{N}\right) \frac{\sum_{i=1}^n (y_i - \hat{y}_i)^2}{n(n-1)}$$

$$\hat{V}(\hat{\mu})_{reg} \approx \left(\frac{N-n}{N}\right) \frac{MSE}{n}$$

$$\hat{V}(\hat{\mu})_{diff} = \left(\frac{N-n}{N}\right) \frac{\sum_{i=1}^n (d_i - \bar{d})^2}{n(n-1)}$$

$$RE\left(\frac{E1}{E2}\right) = \frac{\hat{V}(E2)}{\hat{V}(E1)}$$

$$\hat{V}(\hat{\mu})_{ctsl} = \left(\frac{N-n}{N}\right) \frac{\sum_{i=1}^n (y_i - \bar{y} m_i)^2}{nM^2(n-1)}$$

$$\hat{V}(\hat{\mu})_{ctsl} = \left(\frac{N-n}{N}\right) \left(\frac{1}{nM^2}\right) (s_y^2 + \hat{\mu}_{ctsl}^2 s_m^2 - 2\hat{\mu}_{ctsl} \hat{\rho} s_y s_m)$$

$$\hat{V}(\hat{\tau})_{ctsl(1)} = M^2 \hat{V}(\hat{\mu})_{ctsl}$$

$$\hat{\tau}_{cts1(2)} = N\bar{y}_t = N \left(\frac{\sum_{i=1}^n y_i}{n} \right)$$

$$\bar{m} = \frac{\sum_{i=1}^n m_i}{n}$$

$$\hat{p}_{cts1} = \frac{\sum_{i=1}^n a_i}{\sum_{i=1}^n m_i}$$

$$\Pi_i = \frac{m_i}{M}$$

$$\hat{\tau}_{cts1,pps} = \frac{1}{n} \sum_{i=1}^n \frac{y_i}{\Pi_i}$$

$$\hat{\tau}_{cts1,pps} = \frac{M}{n} \sum_{i=1}^n \bar{y}_i$$

$$\hat{\mu}_{cts1,pps} = \frac{1}{n} \sum_{i=1}^n \bar{y}_i$$

$$\hat{\mu}_{cts2} = \left(\frac{N}{M} \right) \frac{\sum_{i=1}^n M_i \bar{y}_i}{n}$$

$$s_b^2 = \frac{\sum_{i=1}^n (M_i \bar{y}_i - M \hat{\mu})^2}{n-1}$$

$$\hat{\tau}_{cts2} = M \hat{\mu}_{cts2}$$

$$\hat{\mu}_{cts2,ratio} = \frac{\sum_{i=1}^n M_i \bar{y}_i}{\sum_{i=1}^n M_i}$$

$$s_r^2 = \frac{\sum_{i=1}^n M_i^2 (\bar{y}_i - \hat{\mu}_{cts2,r})^2}{n-1}$$

$$\hat{p}_{cts2,ratio} = \frac{\sum_{i=1}^n M_i \hat{p}_i}{\sum_{i=1}^n M_i}$$

$$\hat{V}(\hat{\tau})_{cts1(2)} = \left(\frac{N-n}{N} \right) \left(\frac{N^2}{n} \right) \frac{\sum_{i=1}^n (y_i - \bar{y}_t)^2}{(n-1)}$$

$$\sum_{i=1}^n (y_i - \bar{y} m_i)^2 = \sum_{i=1}^n y_i^2 + \bar{y}^2 \sum_{i=1}^n m_i^2 - 2\bar{y} \sum_{i=1}^n y_i m_i$$

$$\hat{V}(\hat{p})_{cts1} = \left(\frac{N-n}{N} \right) \left(\frac{1}{nM^2} \right) \frac{\sum_{i=1}^n (a_i - \hat{p} m_i)^2}{(n-1)}$$

$$\hat{V}(\hat{p})_{cts1} = \left(\frac{N-n}{N} \right) \left(\frac{1}{nM^2} \right) (s_a^2 + \hat{p}^2 s_m^2 - 2\hat{p} s_a s_m)$$

$$\sum_{i=1}^n (a_i - \hat{p} m_i)^2 = \sum_{i=1}^n a_i^2 + \hat{p}^2 \sum_{i=1}^n m_i^2 - 2\hat{p} \sum_{i=1}^n a_i m_i$$

$$\hat{V}(\hat{\tau})_{cts1,pps} = \frac{M^2}{n(n-1)} \sum_{i=1}^n (\bar{y}_i - \hat{\tau})^2$$

$$\hat{V}(\hat{\mu})_{cts1,pps} = \frac{1}{n(n-1)} \sum_{i=1}^n (\bar{y}_i - \hat{\mu})^2$$

$$\hat{V}(\hat{\mu})_{cts2} = \left(\frac{N-n}{N} \right) \left(\frac{1}{nM^2} \right) s_b^2 + \frac{1}{nNM^2} \sum_{i=1}^n M_i^2 \left(\frac{M_i - m_i}{M_i} \right) \left(\frac{s_i^2}{m_i} \right)$$

$$s_i^2 = \frac{\sum_{j=1}^{m_i} (y_{ij} - \bar{y}_i)^2}{m_i - 1}$$

$$\hat{V}(\hat{\tau})_{cts2} = M^2 \hat{V}(\hat{\mu})_{cts2}$$

$$\hat{V}(\hat{\mu})_{cts2,ratio} = \left(\frac{N-n}{N} \right) \left(\frac{1}{nM^2} \right) s_r^2 + \frac{1}{nNM^2} \sum_{i=1}^n M_i^2 \left(\frac{M_i - m_i}{M_i} \right) \left(\frac{s_i^2}{m_i} \right)$$

$$s_r^2 = \frac{\sum_{i=1}^n M_i^2 (\hat{p}_i - \hat{p}_{cts2,r})^2}{n-1}$$

$$\hat{V}(\hat{p})_{cts2,ratio} = \left(\frac{N-n}{N} \right) \left(\frac{1}{nM^2} \right) s_r^2 + \frac{1}{nNM^2} \sum_{i=1}^n M_i^2 \left(\frac{M_i - m_i}{M_i} \right) \left(\frac{\hat{p}_i (1 - \hat{p}_i)}{m_i} \right)$$

$$\hat{\mu}_{cts2,pps} = \frac{1}{n} \sum_{i=1}^n \bar{y}_i$$

$$\hat{V}(\hat{\mu})_{cts2,pps} = \frac{1}{n(n-1)} \sum_{i=1}^n (\bar{y}_i - \hat{\mu}_{cts2,pps})^2$$

$$\hat{\tau}_{cts2,pps} = M \hat{\mu}_{cts2,pps}$$

$$\hat{V}(\hat{\tau}) = M^2 \hat{V}(\hat{\mu})_{cts2,pps}$$

n for μ (SRS):

$$n = \frac{N\sigma^2}{(N-1)(B^2/4) + \sigma^2}$$

n for τ (SRS):

$$n = \frac{N\sigma^2}{(N-1)(B^2/4N^2) + \sigma^2}$$

n for p (SRS):

$$n = \frac{Np(1-p)}{(N-1)(B^2/4) + p(1-p)}$$

n for μ (SYS):

$$n = \frac{N\sigma^2}{(N-1)(B^2/4) + \sigma^2}$$

n for p (SYS):

$$n = \frac{Np(1-p)}{(N-1)(B^2/4) + p(1-p)}$$

$$k \leq \frac{N}{n}$$

$$k' = k(ns)$$

n for μ (STR):

$$n = \frac{\sum_{i=1}^L N_i^2 (\sigma_i^2 / w_i)}{N^2 (B^2/4) + \sum_{i=1}^L N_i \sigma_i^2}$$

n for τ (STR):

$$n = \frac{\sum_{i=1}^L N_i^2 (\sigma_i^2 / w_i)}{N^2 (B^2/4N^2) + \sum_{i=1}^L N_i \sigma_i^2}$$

Allocations for STR μ :

$$n_i = n \left(\frac{N_i \sigma_i / \sqrt{c_i}}{\sum_{k=1}^L N_k \sigma_k / \sqrt{c_k}} \right)$$

$$n = \frac{\left(\sum_{k=1}^L N_k \sigma_k / \sqrt{c_k} \right) \left(\sum_{i=1}^L N_i \sigma_i \sqrt{c_i} \right)}{N^2 (B^2/4) + \sum_{i=1}^L N_i \sigma_i^2}$$

$$n_i = n \left(\frac{N_i \sigma_i}{\sum_{k=1}^L N_k \sigma_k} \right)$$

$$n = \frac{\left(\sum_{i=1}^L N_i \sigma_i \right)^2}{N^2 (B^2/4) + \sum_{i=1}^L N_i \sigma_i^2}$$

$$n_i = n \left(\frac{N_i}{N} \right)$$

$$n = \frac{\sum_{i=1}^L N_i \sigma_i^2}{N^2 (B^2/4) + (1/N) \sum_{i=1}^L N_i \sigma_i^2}$$

Allocations for STR τ :

Allocations for STR p :

$$n_i = n \left(\frac{N_i \sqrt{p_i(1-p_i)/c_i}}{\sum_{k=1}^L N_k \sqrt{p_k(1-p_k)/c_k}} \right)$$

n for μ (ratio):

n for τ (ratio):

n for μ (CTS1):

n for τ (CTS1(1)):

n for τ (CTS1(2)):

$$s_c^2 = \frac{\sum_{i=1}^n (y_i - \bar{y} m_i)^2}{(n-1)} \text{ with } \bar{y} = \frac{\sum_{i=1}^n y_i}{\sum_{i=1}^n m_i}$$

n for p (CTS1):

$$s_c^2 = \frac{\sum_{i=1}^n (a_i - \hat{p} m_i)^2}{(n-1)}$$

change $N^2(B^2/4)$ to $N^2(B^2/4N^2)$

$$n = \frac{\sum_{i=1}^L N_i^2 p_i(1-p_i)/w_i}{N^2(B^2/4) + \sum_{i=1}^L N_i p_i(1-p_i)}$$

$$n = \frac{N\sigma^2}{N(B^2/4) + \sigma^2}$$

$$n = \frac{N\sigma^2}{N(B^2/4N^2) + \sigma^2}$$

$$n = \frac{N\sigma_c^2}{N(B^2M^2/4) + \sigma_c^2}$$

$$n = \frac{N\sigma_c^2}{N(B^2/4N^2) + \sigma_c^2}$$

$$n = \frac{N\sigma_c^2}{N(B^2/4N^2) + \sigma_c^2}$$

$$s_t^2 = \frac{\sum_{i=1}^n (y_i - \bar{y}_t)^2}{(n-1)} \text{ with } \bar{y}_t = \frac{\sum_{i=1}^n y_i}{n}$$

$$n = \frac{N\sigma_c^2}{N(B^2M^2/4) + \sigma_c^2}$$

I. Cumulative Standard Normal Distribution^a

$$\Phi(z) = \int_{-\infty}^z \frac{1}{\sqrt{2\pi}} e^{-u^2/2} du$$

z	.00	.01	.02	.03	.04	z
.0	.50000	.50399	.50798	.51197	.51595	.0
.1	.53983	.54379	.54776	.55172	.55567	.1
.2	.57926	.58317	.58706	.59095	.59483	.2
.3	.61791	.62172	.62551	.62930	.63307	.3
.4	.65542	.65910	.66276	.66640	.67003	.4
.5	.69146	.69497	.69847	.70194	.70540	.5
.6	.72575	.72907	.73237	.73565	.73891	.6
.7	.75803	.76115	.76424	.76730	.77035	.7
.8	.78814	.79103	.79389	.79673	.79954	.8
.9	.81594	.81859	.82121	.82381	.82639	.9
1.0	.84134	.84375	.84613	.84849	.85083	1.0
1.1	.86433	.86650	.86864	.87076	.87285	1.1
1.2	.88493	.88686	.88877	.89065	.89251	1.2
1.3	.90320	.90490	.90658	.90824	.90988	1.3
1.4	.91924	.92073	.92219	.92364	.92506	1.4
1.5	.93319	.93448	.93574	.93699	.93822	1.5
1.6	.94520	.94630	.94738	.94845	.94950	1.6
1.7	.95543	.95637	.95728	.95818	.95907	1.7
1.8	.96407	.96485	.96562	.96637	.96711	1.8
1.9	.97128	.97193	.97257	.97320	.97381	1.9
2.0	.97725	.97778	.97831	.97882	.97932	2.0
2.1	.98214	.98257	.98300	.98341	.98382	2.1
2.2	.98610	.98645	.98679	.98713	.98745	2.2
2.3	.98928	.98956	.98983	.99010	.99036	2.3
2.4	.99180	.99202	.99224	.99245	.99266	2.4
2.5	.99379	.99396	.99413	.99430	.99446	2.5
2.6	.99534	.99547	.99560	.99573	.99585	2.6
2.7	.99653	.99664	.99674	.99683	.99693	2.7
2.8	.99744	.99752	.99760	.99767	.99774	2.8
2.9	.99813	.99819	.99825	.99831	.99836	2.9
3.0	.99865	.99869	.99874	.99878	.99882	3.0
3.1	.99903	.99906	.99910	.99913	.99916	3.1
3.2	.99931	.99934	.99936	.99938	.99940	3.2
3.3	.99952	.99953	.99955	.99957	.99958	3.3
3.4	.99966	.99968	.99969	.99970	.99971	3.4
3.5	.99977	.99978	.99978	.99979	.99980	3.5
3.6	.99984	.99985	.99985	.99986	.99986	3.6
3.7	.99989	.99990	.99990	.99990	.99991	3.7
3.8	.99993	.99993	.99993	.99994	.99994	3.8
3.9	.99995	.99995	.99996	.99996	.99996	3.9

^aReproduced with permission from *Probability and Statistics in Engineering and Management Science*, 3rd edition, by W. W. Hines and D. C. Montgomery, Wiley, New York, 1990.

I. Cumulative Standard Normal Distribution (continued)

$$\Phi(z) = \int_{-\infty}^z \frac{1}{\sqrt{2\pi}} e^{-u^2/2} du$$

z	.05	.06	.07	.08	.09	z
.0	.51994	.52392	.52790	.53188	.53586	.0
.1	.55962	.56356	.56749	.57142	.57534	.1
.2	.59871	.60257	.60642	.61026	.61409	.2
.3	.63683	.64058	.64431	.64803	.65173	.3
.4	.67364	.67724	.68082	.68438	.68793	.4
.5	.70884	.71226	.71566	.71904	.72240	.5
.6	.74215	.74537	.74857	.75175	.75490	.6
.7	.77337	.77637	.77935	.78230	.78523	.7
.8	.80234	.80510	.80785	.81057	.81327	.8
.9	.82894	.83147	.83397	.83646	.83891	.9
1.0	.85314	.85543	.85769	.85993	.86214	1.0
1.1	.87493	.87697	.87900	.88100	.88297	1.1
1.2	.89435	.89616	.89796	.89973	.90147	1.2
1.3	.91149	.91308	.91465	.91621	.91773	1.3
1.4	.92647	.92785	.92922	.93056	.93189	1.4
1.5	.93943	.94062	.94179	.94295	.94408	1.5
1.6	.95053	.95154	.95254	.95352	.95448	1.6
1.7	.95994	.96080	.96164	.96246	.96327	1.7
1.8	.96784	.96856	.96926	.96995	.97062	1.8
1.9	.97441	.97500	.97558	.97615	.97670	1.9
2.0	.97982	.98030	.98077	.98124	.98169	2.0
2.1	.98422	.98461	.98500	.98537	.98574	2.1
2.2	.98778	.98809	.98840	.98870	.98899	2.2
2.3	.99061	.99086	.99111	.99134	.99158	2.3
2.4	.99286	.99305	.99324	.99343	.99361	2.4
2.5	.99461	.99477	.99492	.99506	.99520	2.5
2.6	.99598	.99609	.99621	.99632	.99643	2.6
2.7	.99702	.99711	.99720	.99728	.99736	2.7
2.8	.99781	.99788	.99795	.99801	.99807	2.8
2.9	.99841	.99846	.99851	.99856	.99861	2.9
3.0	.99886	.99889	.99893	.99897	.99900	3.0
3.1	.99918	.99921	.99924	.99926	.99929	3.1
3.2	.99942	.99944	.99946	.99948	.99950	3.2
3.3	.99960	.99961	.99962	.99964	.99965	3.3
3.4	.99972	.99973	.99974	.99975	.99976	3.4
3.5	.99981	.99981	.99982	.99983	.99983	3.5
3.6	.99987	.99987	.99988	.99988	.99989	3.6
3.7	.99991	.99992	.99992	.99992	.99992	3.7
3.8	.99994	.99994	.99995	.99995	.99995	3.8
3.9	.99996	.99996	.99996	.99997	.99997	3.9

II. Percentage Points of the t Distribution*

$\nu \backslash \alpha$.40	.25	.10	.05	.025	.01	.005	.0025	.001	.0005
1	.325	1.000	3.078	6.314	12.706	31.821	63.657	127.32	318.31	636.62
2	.289	.816	1.886	2.920	4.303	6.965	9.925	14.089	23.326	31.598
3	.277	.765	1.638	2.353	3.182	4.541	5.841	7.453	10.213	12.924
4	.271	.741	1.533	2.132	2.776	3.747	4.604	5.598	7.173	8.610
5	.267	.727	1.476	2.015	2.571	3.365	4.032	4.773	5.893	6.869
6	.265	.727	1.440	1.943	2.447	3.143	3.707	4.317	5.208	5.959
7	.263	.711	1.415	1.895	2.365	2.998	3.499	4.019	4.785	5.408
8	.262	.706	1.397	1.860	2.306	2.896	3.355	3.833	4.501	5.041
9	.261	.703	1.383	1.833	2.262	2.821	3.250	3.690	4.297	4.781
10	.260	.700	1.372	1.812	2.228	2.764	3.169	3.581	4.144	4.587
11	.260	.697	1.363	1.796	2.201	2.718	3.106	3.497	4.025	4.437
12	.259	.695	1.356	1.782	2.179	2.681	3.055	3.428	3.930	4.318
13	.259	.694	1.350	1.771	2.160	2.650	3.012	3.372	3.852	4.221
14	.258	.692	1.345	1.761	2.145	2.624	2.977	3.326	3.787	4.140
15	.258	.691	1.341	1.753	2.131	2.602	2.947	3.286	3.733	4.073
16	.258	.690	1.337	1.746	2.120	2.583	2.921	3.252	3.686	4.015
17	.257	.689	1.333	1.740	2.110	2.567	2.898	3.222	3.646	3.965
18	.257	.688	1.330	1.734	2.101	2.552	2.878	3.197	3.610	3.922
19	.257	.688	1.328	1.729	2.093	2.539	2.861	3.174	3.579	3.883
20	.257	.687	1.325	1.725	2.086	2.528	2.845	3.153	3.552	3.850
21	.257	.686	1.323	1.721	2.080	2.518	2.831	3.135	3.527	3.819
22	.256	.686	1.321	1.717	2.074	2.508	2.819	3.119	3.505	3.792
23	.256	.685	1.319	1.714	2.069	2.500	2.807	3.104	3.485	3.767
24	.256	.685	1.318	1.711	2.064	2.492	2.797	3.091	3.467	3.745
25	.256	.684	1.316	1.708	2.060	2.485	2.787	3.078	3.450	3.725
26	.256	.684	1.315	1.706	2.056	2.479	2.779	3.067	3.435	3.707
27	.256	.684	1.314	1.703	2.052	2.473	2.771	3.057	3.421	3.690
28	.256	.683	1.313	1.701	2.048	2.467	2.763	3.047	3.408	3.674
29	.256	.683	1.311	1.699	2.045	2.462	2.756	3.038	3.396	3.659
30	.256	.683	1.310	1.697	2.042	2.457	2.750	3.030	3.385	3.646
40	.255	.681	1.303	1.684	2.021	2.423	2.704	2.971	3.307	3.551
60	.254	.679	1.296	1.671	2.000	2.390	2.660	2.915	3.232	3.460
120	.254	.677	1.289	1.658	1.980	2.358	2.617	2.860	3.160	3.373
∞	.253	.674	1.282	1.645	1.960	2.326	2.576	2.807	3.090	3.291

ν = degrees of freedom.

*Adapted with permission from *Biometrika Tables for Statisticians*, Vol. 1, 3rd edition, by E. S. Pearson and H. O. Hartley, Cambridge University Press, Cambridge, 1966.

III. Percentage Points of the χ^2 Distribution^a

ν \ α	.995	.990	.975	.950	.500	.050	.025	.010	.005
1	0.00 +	0.00 +	0.00 +	0.00 +	0.45	3.84	5.02	6.63	7.88
2	0.01	0.02	0.05	0.10	1.39	5.99	7.38	9.21	10.60
3	0.07	0.11	0.22	0.35	2.37	7.81	9.35	11.34	12.84
4	0.21	0.30	0.48	0.71	3.36	9.49	11.14	13.28	14.86
5	0.41	0.55	0.83	1.15	4.35	11.07	12.38	15.09	16.75
6	0.68	0.87	1.24	1.64	5.35	12.59	14.45	16.81	18.55
7	0.99	1.24	1.69	2.17	6.35	14.07	16.01	18.48	20.28
8	1.34	1.65	2.18	2.73	7.34	15.51	17.53	20.09	21.96
9	1.73	2.09	2.70	3.33	8.34	16.92	19.02	21.67	23.59
10	2.16	2.56	3.25	3.94	9.34	18.31	20.48	23.21	25.19
11	2.60	3.05	3.82	4.57	10.34	19.68	21.92	24.72	26.76
12	3.07	3.57	4.40	5.23	11.34	21.03	23.34	26.22	28.30
13	3.57	4.11	5.01	5.89	12.34	22.36	24.74	27.69	29.82
14	4.07	4.66	5.63	6.57	13.34	23.68	26.12	29.14	31.32
15	4.60	5.23	6.27	7.26	14.34	25.00	27.49	30.58	32.80
16	5.14	5.81	6.91	7.96	15.34	26.30	28.85	32.00	34.27
17	5.70	6.41	7.56	8.67	16.34	27.59	30.19	33.41	35.72
18	6.26	7.01	8.23	9.39	17.34	28.87	31.53	34.81	37.16
19	6.84	7.63	8.91	10.12	18.34	30.14	32.85	36.19	38.58
20	7.43	8.26	9.59	10.85	19.34	31.41	34.17	37.57	40.00
25	10.52	11.52	13.12	14.61	24.34	37.65	40.65	44.31	46.93
30	13.79	14.95	16.79	18.49	29.34	43.77	46.98	50.89	53.67
40	20.71	22.16	24.43	26.51	39.34	55.76	59.34	63.69	66.77
50	27.99	29.71	32.36	34.76	49.33	67.50	71.42	76.15	79.49
60	35.53	37.48	40.48	43.19	59.33	79.08	83.30	88.38	91.95
70	43.28	45.44	48.76	51.74	69.33	90.53	95.02	100.42	104.22
80	51.17	53.54	57.15	60.39	79.33	101.88	106.63	112.33	116.32
90	59.20	61.75	65.65	69.13	89.33	113.14	118.14	124.12	128.30
100	67.33	70.06	74.22	77.93	99.33	124.34	129.56	135.81	140.17

 ν = degrees of freedom^aAdapted with permission from *Biometrika Tables for Statisticians*, Vol. 1, 3rd edition by E. S. Pearson and H. O. Hartley, Cambridge University Press, Cambridge, 1966.

IV. Percentage Points of the F Distribution*

ν_1	Degrees of Freedom for the Numerator (ν_2)																			
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞	
1	5.83	7.50	8.20	8.58	8.82	8.98	9.10	9.19	9.26	9.32	9.41	9.49	9.58	9.63	9.67	9.71	9.76	9.80	9.85	
2	2.57	3.00	3.15	3.23	3.28	3.31	3.34	3.35	3.37	3.38	3.39	3.41	3.43	3.43	3.44	3.45	3.46	3.47	3.48	
3	2.02	2.28	2.36	2.39	2.41	2.42	2.43	2.44	2.44	2.44	2.45	2.46	2.46	2.46	2.47	2.47	2.47	2.47	2.47	
4	1.81	2.00	2.05	2.06	2.07	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	
5	1.69	1.85	1.88	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.88	1.88	1.88	1.88	1.87	1.87	1.87	
6	1.62	1.76	1.78	1.79	1.79	1.78	1.78	1.78	1.77	1.77	1.77	1.76	1.76	1.75	1.75	1.75	1.74	1.74	1.74	
7	1.57	1.70	1.72	1.72	1.71	1.71	1.70	1.70	1.70	1.69	1.68	1.68	1.67	1.67	1.66	1.66	1.65	1.65	1.65	
8	1.54	1.66	1.67	1.66	1.66	1.65	1.64	1.64	1.63	1.63	1.62	1.62	1.61	1.60	1.60	1.59	1.58	1.58	1.58	
9	1.51	1.62	1.63	1.63	1.62	1.61	1.60	1.60	1.59	1.59	1.58	1.57	1.56	1.56	1.55	1.54	1.54	1.53	1.53	
10	1.49	1.60	1.60	1.59	1.59	1.58	1.57	1.56	1.56	1.55	1.54	1.53	1.52	1.52	1.51	1.51	1.50	1.49	1.48	
11	1.47	1.58	1.58	1.57	1.56	1.55	1.54	1.53	1.52	1.51	1.50	1.49	1.48	1.47	1.46	1.45	1.44	1.43	1.42	
12	1.46	1.56	1.56	1.55	1.54	1.53	1.52	1.51	1.50	1.49	1.48	1.47	1.46	1.45	1.44	1.43	1.42	1.41	1.40	
13	1.45	1.55	1.55	1.53	1.52	1.51	1.50	1.49	1.48	1.47	1.46	1.45	1.44	1.43	1.42	1.41	1.40	1.39	1.38	
14	1.44	1.53	1.53	1.52	1.51	1.50	1.49	1.48	1.47	1.46	1.45	1.44	1.43	1.42	1.41	1.40	1.39	1.38	1.37	
15	1.43	1.52	1.52	1.51	1.49	1.48	1.47	1.46	1.45	1.44	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.35	
16	1.42	1.51	1.51	1.50	1.48	1.47	1.46	1.45	1.44	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34	
17	1.42	1.51	1.50	1.49	1.47	1.46	1.45	1.44	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	
18	1.41	1.50	1.49	1.48	1.46	1.45	1.44	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	1.32	
19	1.41	1.49	1.49	1.47	1.46	1.44	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	1.32	1.31	
20	1.40	1.49	1.48	1.47	1.45	1.44	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	1.32	1.31	
21	1.40	1.48	1.48	1.46	1.44	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	1.32	1.31	1.30	
22	1.40	1.48	1.47	1.45	1.44	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	1.32	1.31	1.30	1.29	
23	1.39	1.47	1.47	1.45	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	1.32	1.31	1.30	1.28	
24	1.39	1.47	1.46	1.44	1.43	1.41	1.40	1.39	1.38	1.38	1.36	1.35	1.34	1.33	1.32	1.31	1.30	1.28	1.26	
25	1.39	1.47	1.46	1.44	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.34	1.33	1.32	1.31	1.29	1.28	1.27	1.25	
26	1.38	1.46	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.37	1.35	1.34	1.32	1.31	1.30	1.29	1.28	1.26	1.25	
27	1.38	1.46	1.45	1.43	1.42	1.40	1.39	1.38	1.37	1.36	1.35	1.33	1.32	1.31	1.30	1.28	1.27	1.26	1.24	
28	1.38	1.46	1.45	1.43	1.41	1.40	1.39	1.38	1.37	1.36	1.34	1.33	1.31	1.30	1.29	1.28	1.27	1.25	1.24	
29	1.38	1.45	1.45	1.43	1.41	1.40	1.38	1.37	1.36	1.35	1.34	1.32	1.31	1.30	1.29	1.27	1.26	1.25	1.23	
30	1.38	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.36	1.35	1.34	1.32	1.30	1.29	1.28	1.27	1.26	1.24	1.23	
40	1.36	1.44	1.42	1.40	1.39	1.37	1.36	1.35	1.34	1.33	1.31	1.30	1.28	1.26	1.25	1.24	1.22	1.21	1.19	
60	1.35	1.42	1.41	1.38	1.37	1.35	1.33	1.32	1.31	1.30	1.29	1.27	1.25	1.24	1.22	1.21	1.19	1.17	1.15	
120	1.34	1.40	1.39	1.37	1.35	1.33	1.31	1.30	1.29	1.28	1.26	1.24	1.22	1.21	1.19	1.18	1.16	1.13	1.10	
∞	1.32	1.39	1.37	1.35	1.33	1.31	1.29	1.28	1.27	1.25	1.24	1.22	1.19	1.18	1.16	1.14	1.12	1.08	1.00	

ν = degrees of freedom

*Adapted with permission from *Biometrika Tables for Statisticians*, Vol. 1, 3rd edition by E. S. Pearson and H. O. Hartley, Cambridge University Press, Cambridge, 1966.

IV. Percentage Points of the F Distribution (continued)

$F_{0.10, \nu_1, \nu_2}$		Degrees of Freedom for the Numerator (ν_1)																		
ν_2		1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	39.86	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86	60.19	60.71	61.22	61.74	62.00	62.26	62.53	62.79	63.06	63.33	63.33
2	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38	9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.47	9.48	9.48	9.49
3	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24	5.23	5.22	5.20	5.18	5.18	5.17	5.16	5.15	5.14	5.13	5.13
4	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94	3.92	3.90	3.87	3.84	3.83	3.82	3.80	3.79	3.78	3.78	3.76
5	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	3.30	3.27	3.24	3.21	3.19	3.17	3.16	3.14	3.12	3.12	3.10
6	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	2.94	2.90	2.87	2.84	2.82	2.80	2.78	2.76	2.74	2.74	2.72
7	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	2.70	2.67	2.63	2.59	2.58	2.56	2.54	2.51	2.49	2.47	2.47
8	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	2.54	2.50	2.46	2.42	2.40	2.38	2.36	2.34	2.32	2.32	2.29
9	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44	2.42	2.38	2.34	2.30	2.28	2.25	2.23	2.21	2.18	2.18	2.16
10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32	2.28	2.24	2.20	2.18	2.16	2.13	2.11	2.08	2.08	2.06
11	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25	2.21	2.17	2.12	2.10	2.08	2.05	2.03	2.00	2.00	1.97
12	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19	2.15	2.10	2.06	2.04	2.01	1.99	1.96	1.93	1.93	1.90
13	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	2.14	2.10	2.05	2.01	1.98	1.96	1.93	1.90	1.88	1.85	1.85
14	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10	2.05	2.01	1.96	1.94	1.91	1.89	1.86	1.83	1.83	1.80
15	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06	2.02	1.97	1.92	1.90	1.87	1.85	1.82	1.79	1.79	1.76
16	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	2.03	1.99	1.94	1.89	1.87	1.84	1.81	1.78	1.75	1.75	1.72
17	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	2.00	1.96	1.91	1.86	1.84	1.81	1.78	1.75	1.72	1.72	1.69
18	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.98	1.93	1.89	1.84	1.81	1.78	1.75	1.72	1.69	1.69	1.66
19	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98	1.96	1.91	1.86	1.81	1.79	1.76	1.73	1.70	1.67	1.67	1.63
20	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94	1.89	1.84	1.79	1.77	1.74	1.71	1.68	1.64	1.64	1.61
21	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95	1.92	1.87	1.83	1.78	1.75	1.72	1.69	1.66	1.62	1.62	1.59
22	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	1.90	1.86	1.81	1.76	1.73	1.70	1.67	1.64	1.60	1.60	1.57
23	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.96	1.92	1.89	1.84	1.80	1.74	1.72	1.69	1.66	1.62	1.59	1.59	1.55
24	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	1.88	1.83	1.78	1.73	1.70	1.67	1.64	1.61	1.57	1.57	1.53
25	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89	1.87	1.82	1.77	1.72	1.69	1.66	1.63	1.59	1.56	1.56	1.52
26	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	1.86	1.81	1.76	1.71	1.68	1.65	1.61	1.58	1.54	1.54	1.50
27	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	1.85	1.80	1.75	1.70	1.67	1.64	1.60	1.57	1.53	1.53	1.49
28	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87	1.84	1.79	1.74	1.69	1.66	1.63	1.59	1.56	1.52	1.52	1.48
29	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86	1.83	1.78	1.73	1.68	1.65	1.62	1.58	1.55	1.51	1.51	1.47
30	2.88	2.49	2.28	2.14	2.03	1.98	1.93	1.88	1.85	1.82	1.77	1.72	1.67	1.64	1.61	1.57	1.54	1.50	1.50	1.46
40	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79	1.76	1.71	1.66	1.61	1.57	1.54	1.51	1.47	1.42	1.42	1.38
60	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71	1.66	1.60	1.54	1.51	1.48	1.44	1.40	1.35	1.35	1.29
120	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68	1.65	1.60	1.55	1.48	1.45	1.41	1.37	1.32	1.26	1.26	1.19
∞	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60	1.55	1.49	1.42	1.38	1.34	1.30	1.24	1.17	1.17	1.00

Degrees of Freedom for the Denominator (ν_2)

IV. Percentage Points of the F Distribution (continued)

ν_1	Degrees of Freedom for the Numerator (ν_2)															∞			
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30		40	60	120
2	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3
3	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50
4	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53
5	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
6	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36
7	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
8	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
9	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
10	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71
11	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
12	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
13	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
14	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21
15	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13
16	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
17	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01
18	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
19	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
20	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
21	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
22	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
23	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
24	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
25	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
26	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
27	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
28	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67
29	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
30	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64
40	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
60	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
120	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
∞	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.49	1.43	1.35	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00

Degrees of Freedom for the Denominator (ν_2)

IV. Percentage Points of the F Distribution (continued)

$F_{0.025, \nu_1, \nu_2}$

ν_1	Degrees of Freedom for the Numerator (ν_1)																	∞	
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60		120
1	647.8	799.5	864.2	895.6	921.8	937.1	948.2	956.7	963.3	968.6	976.7	984.9	993.1	997.2	1001	1006	1010	1014	1018
2	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39	39.40	39.41	39.43	39.45	39.46	39.46	39.47	39.48	39.49	39.50
3	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47	14.42	14.34	14.25	14.17	14.12	14.08	14.04	13.99	13.95	13.90
4	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90	8.84	8.75	8.66	8.56	8.51	8.46	8.41	8.36	8.31	8.26
5	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	6.62	6.52	6.43	6.33	6.28	6.23	6.18	6.12	6.07	6.02
6	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	5.46	5.37	5.27	5.17	5.12	5.07	5.01	4.96	4.90	4.85
7	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	4.76	4.67	4.57	4.47	4.42	4.36	4.31	4.25	4.20	4.14
8	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36	4.30	4.20	4.10	4.00	3.95	3.89	3.84	3.78	3.73	3.67
9	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03	3.96	3.87	3.77	3.67	3.61	3.56	3.51	3.45	3.39	3.33
10	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78	3.72	3.62	3.52	3.42	3.37	3.31	3.26	3.20	3.14	3.08
11	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59	3.53	3.43	3.33	3.23	3.17	3.12	3.06	3.00	2.94	2.88
12	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	3.37	3.28	3.18	3.07	3.02	2.96	2.91	2.85	2.79	2.72
13	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31	3.25	3.15	3.05	2.95	2.89	2.84	2.78	2.72	2.66	2.60
14	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21	3.15	3.05	2.95	2.84	2.79	2.73	2.67	2.61	2.55	2.49
15	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	3.06	2.96	2.86	2.76	2.70	2.64	2.59	2.52	2.46	2.40
16	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05	2.99	2.89	2.79	2.68	2.63	2.57	2.51	2.45	2.38	2.32
17	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98	2.92	2.82	2.72	2.62	2.56	2.50	2.44	2.38	2.32	2.25
18	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93	2.87	2.77	2.67	2.56	2.50	2.44	2.38	2.32	2.26	2.19
19	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88	2.82	2.72	2.62	2.51	2.45	2.39	2.33	2.27	2.20	2.13
20	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84	2.77	2.68	2.57	2.46	2.41	2.35	2.29	2.22	2.16	2.09
21	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80	2.73	2.64	2.53	2.42	2.37	2.31	2.25	2.18	2.11	2.04
22	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76	2.70	2.60	2.50	2.39	2.33	2.27	2.21	2.14	2.08	2.00
23	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.73	2.67	2.57	2.47	2.36	2.30	2.24	2.18	2.11	2.04	1.97
24	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70	2.64	2.54	2.44	2.33	2.27	2.21	2.15	2.08	2.01	1.94
25	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68	2.61	2.51	2.41	2.30	2.24	2.18	2.12	2.05	1.98	1.91
26	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65	2.59	2.49	2.39	2.28	2.22	2.16	2.09	2.03	1.95	1.88
27	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.63	2.57	2.47	2.36	2.25	2.19	2.13	2.07	2.00	1.93	1.85
28	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.61	2.55	2.45	2.34	2.23	2.17	2.11	2.05	1.98	1.91	1.83
29	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.59	2.53	2.43	2.32	2.21	2.15	2.09	2.03	1.96	1.89	1.81
30	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57	2.51	2.41	2.31	2.20	2.14	2.07	2.01	1.94	1.87	1.79
40	5.42	4.05	3.46	3.13	2.90	2.74	2.62	2.53	2.45	2.39	2.29	2.18	2.07	2.01	1.94	1.88	1.80	1.72	1.64
60	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33	2.27	2.17	2.06	1.94	1.88	1.82	1.74	1.67	1.58	1.48
120	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22	2.16	2.05	1.94	1.82	1.76	1.69	1.61	1.53	1.43	1.31
∞	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11	2.05	1.94	1.83	1.71	1.64	1.57	1.48	1.39	1.27	1.00

Degrees of Freedom for the Denominator (ν_2)

IV. Percentage Points of the F Distribution (continued)

ν_1	Degrees of Freedom for the Numerator (ν_2)																			∞
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120		
1	4052	4999.5	5403	5625	5764	5859	5928	5982	6022	6056	6106	6157	6209	6235	6261	6287	6313	6339	6366	
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.49	99.50	
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23	27.05	26.87	26.69	26.00	26.50	26.41	26.32	26.22	26.13	
4	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.55	14.37	14.20	14.02	13.93	13.84	13.75	13.65	13.56	13.46	
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.89	9.72	9.55	9.47	9.38	9.29	9.20	9.11	9.02	
6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.56	7.40	7.31	7.23	7.14	7.06	6.97	6.88	
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.31	6.16	6.07	5.99	5.91	5.82	5.74	5.65	
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.52	5.36	5.28	5.20	5.12	5.03	4.95	4.86	
9	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.11	4.96	4.81	4.73	4.65	4.57	4.48	4.40	4.31	
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.71	4.56	4.41	4.33	4.25	4.17	4.08	4.00	3.91	
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.40	4.25	4.10	4.02	3.94	3.86	3.78	3.69	3.60	
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.01	3.86	3.78	3.70	3.62	3.54	3.45	3.36	
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	3.96	3.82	3.66	3.59	3.51	3.43	3.34	3.25	3.17	
14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3.66	3.51	3.43	3.35	3.27	3.18	3.09	3.00	
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.52	3.37	3.29	3.21	3.13	3.05	2.96	2.87	
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.41	3.26	3.18	3.10	3.02	2.93	2.84	2.75	
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.46	3.31	3.16	3.08	3.00	2.92	2.83	2.75	2.65	
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.37	3.23	3.08	3.00	2.92	2.84	2.75	2.66	2.57	
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.30	3.15	3.00	2.92	2.84	2.76	2.67	2.58	2.49	
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.09	2.94	2.86	2.78	2.69	2.61	2.52	2.42	
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31	3.17	3.03	2.88	2.80	2.72	2.64	2.55	2.46	2.36	
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.12	2.98	2.83	2.75	2.67	2.58	2.50	2.40	2.31	
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21	3.07	2.93	2.78	2.70	2.62	2.54	2.45	2.35	2.26	
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.03	2.89	2.74	2.66	2.58	2.49	2.40	2.31	2.21	
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	2.99	2.85	2.70	2.62	2.54	2.45	2.36	2.27	2.17	
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	2.96	2.81	2.66	2.58	2.50	2.42	2.33	2.23	2.13	
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	2.93	2.78	2.63	2.55	2.47	2.38	2.29	2.20	2.10	
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.90	2.75	2.60	2.52	2.44	2.34	2.26	2.17	2.06	
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00	2.87	2.73	2.57	2.49	2.41	2.33	2.23	2.14	2.03	
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.84	2.70	2.55	2.47	2.39	2.30	2.21	2.11	2.01	
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.66	2.52	2.37	2.29	2.20	2.11	2.02	1.92	1.80	
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.35	2.20	2.12	2.03	1.94	1.84	1.73	1.60	
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	2.34	2.19	2.03	1.95	1.86	1.76	1.66	1.53	1.38	
∞	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	2.18	2.04	1.88	1.79	1.70	1.59	1.47	1.32	1.00	

Degrees of Freedom for the Denominator (ν_2)