

**UNIVERSITY OF SWAZILAND**

**SUPPLEMENTARY EXAMINATION PAPER 2010**

**TITLE OF PAPER : PROBABILITY THEORY**

**COURSE CODE : ST 201**

**TIME ALLOWED : THREE (3) HOURS**

**INSTRUCTIONS : ANSWER ANY FIVE QUESTIONS.**

**REQUIREMENTS: SCIENTIFIC CALCULATOR AND STATISTICAL TABLE.**

### Question 1

A Personal Identification Number (PIN) consists of four digits in order, each of which may be any one of 0, 1, 2, ..., 9.

- a) Find the number of PINs satisfying each of the following requirements.
- (i) All four digits are different.
  - (ii) There are exactly three different digits.
  - (iii) There are two different digits, each of which occurs twice.
  - (iv) There are exactly three digits the same.
- (9 Marks)
- b) Two PINs are chosen independently and at random, and you are given that each PIN consists of four different digits. Let  $X$  be the random variable denoting the number of digits that the two PINs have in common.

(i) Explain clearly why  $P(X = k) = \frac{\binom{4}{k} \binom{6}{4-k}}{\binom{10}{4}}$ , for  $k = 0, 1, 2, 3, 4$ .

(4 Marks)

- (ii) Hence write down the values of the probability mass function of  $X$ , and find its mean and variance.

(7 Marks)

### Question 2

The continuous random variable  $X$  has probability density function given by

$$f_X(x) = c(1 - x^2), \quad -1 \leq x \leq 1,$$

where  $c$  is a suitable constant.

- a) Show that  $c = \frac{3}{4}$  and plot the graph of  $f_X(x)$  against  $x$ .
- b) Show that the cumulative distribution function of  $X$  is given by

$$F_X(x) = \begin{cases} 0 & , x < -1, \\ \frac{2 + 3x + x^3}{4} & , -1 \leq x < 1, \\ 1 & , x \geq 1. \end{cases}$$

Also find  $P(-1/2 \leq X \leq 1/2)$

(6 Marks)

- c) Obtain the mean and variance of  $X$ , giving your answer correct to 3 significant figures.

(8 Marks)

### Question 3

- a) Consider the sample space

$$\{(a, b, c), (a, c, b), (b, a, c), (b, c, a), (c, a, b), (c, b, a), (a, a, a), (b, b, b), (c, c, c)\}$$

Assign the probability of  $1/9$  to each sample point. Let  $A_i$  be the event that the  $i^{\text{th}}$  place in a sample point is occupied by the letter a. Show that the events  $A_1, A_2, A_3$  are pairwise independent but not completely independent.

(8 Marks)

- b) Suppose a rare disease occurs by chance in 1 per 10,000 people. Suppose there is a diagnostic test with the following properties : if a person has the disease, the test will diagnose this correctly with probability 0.95; if a person does not have the disease, the test will diagnose this correctly with probability 0.995.

If the test says that a person has the disease, calculate the probability that this is a correct diagnosis.

(12 Marks)

### Question 4

- a) Consider a study in which scientists are interested in finding out the number of children with side effects after a vaccine, out of 200 children. Assume that the probability of having side effect is 5%. Suppose that scientists consider the vaccine "successful" if the number of children affected by side effects is no more than 15. What is the (approximate) probability that the vaccine will be successful?

(4 Marks)

- b) Researchers in Great Britain studied the incidence of childhood leukaemia over a 16-year period and determined that the rate was (approximately) 1.50 children per square mile area and that the numbers followed an approximate Poisson process. What is the probability that more than 3 leukaemia cases will be observed?

(4 Marks)

- c) A firm that produces certain toys and has a demand represented by the function

$$X = \alpha I/P,$$

where  $P$  is the unit price,  $\alpha$  is a preference parameter equal to 0.5, and  $I$  stands for the consumer's income which is uniformly distributed between E1,000 and E2,000 per week.

- i) If total costs (TC) are fixed and equal to E1,000, find the expected profits of this firm.

(5 Marks)

- ii) Find the standard deviation of the Firm's profits.

(7 Marks)

### Question 5

- a) The continuous random variable  $X$  has probability density function

$$f_X(x) = \frac{1}{\sqrt{2\pi x}} \exp\left\{-\frac{x}{2}\right\}, \quad x > 0.$$

Show that  $X$  has moment generating function (mgf)

$$M_X(t) = \frac{1}{\sqrt{(1-2t)}}, \quad t < \frac{1}{2}.$$

Hence find the expected value and variance of  $X$ .

(10 Marks)

- b) Suppose that the discrete random variable  $X$  has the probability function

$$P(X=x) = (1-\theta)^{x-1} \theta, \quad x = 1, 2, \dots$$

Show that  $X$  has moment generating function (mgf)

$$M_X(t) = \frac{e^{t\theta}}{1 - e^{t(1-\theta)}}, \quad t < -\ln(1-\theta).$$

Hence find the expected value and variance of  $X$ .

(10 Marks)

### Question 6

Suppose the random variables  $X$  and  $Y$  are independent and are Gamma distributed with parameters  $(\alpha, \lambda)$  and  $(\beta, \lambda)$  respectively

$$\text{i.e. } f_X(x) = \frac{\lambda^\alpha x^{\alpha-1} \exp(-\lambda x)}{\Gamma(\alpha)}, \quad x \geq 0; \quad \alpha, \lambda > 0,$$

with a similar expression for  $f_Y(y)$ .

By calculating the joint probability density function of  $X+Y$  and  $X/Y$ , show that these random variables are independent and that  $X+Y$  has the Gamma  $(\alpha + \beta, \lambda)$  distribution. Find the probability density function of  $X/Y$ . Why are  $X+Y$  and  $Y/X$  independent? What is the probability density function of  $Y/X$ ?

(20 marks)

### Question 7

The continuous random variables X and Y have the joint probability density function

$$\frac{\Gamma(\alpha + \beta + \gamma)}{\Gamma(\alpha)\Gamma(\beta)\Gamma(\gamma)} x^{\alpha-1} y^{\beta-1} (1-x-y)^{\gamma-1}, \quad 0 < x < 1, 0 < y < 1, 0 < x+y < 1,$$

where  $\alpha > 0$ ,  $\beta > 0$ ,  $\gamma > 0$  and  $\Gamma(\cdot)$  is the gamma function.

- a) Let  $r$  and  $s$  be non-negative integers. Show that the expected value of  $X^r Y^s$  is

$$E(X^r Y^s) = \frac{\Gamma(\alpha + r)}{\Gamma(\alpha)} \cdot \frac{\Gamma(\beta + s)}{\Gamma(\beta)} \cdot \frac{\Gamma(\alpha + \beta + \gamma)}{\Gamma(\alpha + \beta + \gamma + r + s)}$$

(8 Marks)

- b) Hence determine the expected value and variance of X..

(6 Marks)

- c) Find the correlation between X and Y.

(6 Marks)


# STATISTICAL TABLES

Cumulative normal distribution  
 Critical values of the *t* distribution  
 Critical values of the *F* distribution  
 Critical values of the chi-squared distribution

STATISTICAL TABLES

Table A.1

Cumulative Standardized Normal Distribution



$A(z)$  is the integral of the standardized normal distribution from  $-\infty$  to  $z$  (in other words, the area under the curve to the left of  $z$ ). It gives the probability of a normal random variable not being more than  $z$  standard deviations above its mean. Values of  $z$  of particular importance:

$z$	$A(z)$
1.645	Lower limit of right 5% tail
1.960	Lower limit of right 2.5% tail
2.326	Lower limit of right 1% tail
2.576	Lower limit of right 0.5% tail
3.090	Lower limit of right 0.1% tail
3.291	Lower limit of right 0.05% tail

<i>z</i>	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.8004	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8314	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9113	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9494	0.9503	0.9513	0.9523	0.9533	0.9543
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9874	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9903	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9924	0.9925	0.9927	0.9928	0.9929	0.9931	0.9932
2.5	0.9934	0.9935	0.9936	0.9937	0.9938	0.9939	0.9940	0.9941	0.9942	0.9943
2.6	0.9944	0.9945	0.9946	0.9946	0.9947	0.9948	0.9948	0.9949	0.9949	0.9950
2.7	0.9951	0.9952	0.9952	0.9953	0.9953	0.9954	0.9954	0.9955	0.9955	0.9956
2.8	0.9956	0.9956	0.9957	0.9957	0.9958	0.9958	0.9959	0.9959	0.9960	0.9960
2.9	0.9961	0.9961	0.9962	0.9962	0.9963	0.9963	0.9964	0.9964	0.9965	0.9965
3.0	0.9965	0.9966	0.9966	0.9967	0.9967	0.9968	0.9968	0.9969	0.9969	0.9970
3.1	0.9970	0.9971	0.9971	0.9972	0.9972	0.9973	0.9973	0.9974	0.9974	0.9975
3.2	0.9975	0.9976	0.9976	0.9977	0.9977	0.9978	0.9978	0.9979	0.9979	0.9980
3.3	0.9980	0.9981	0.9981	0.9982	0.9982	0.9983	0.9983	0.9984	0.9984	0.9985
3.4	0.9985	0.9986	0.9986	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9990
3.5	0.9990	0.9991	0.9991	0.9992	0.9992	0.9993	0.9993	0.9994	0.9994	0.9995
3.6	0.9995	0.9996	0.9996	0.9997	0.9997	0.9998	0.9998	0.9998	0.9999	0.9999

© C. Dougherty 2011, 2002. All rights reserved. These tables have been compiled by reformatting the text C. Dougherty, *Handbook of Econometrics* (second edition 2002). Oxford University Press, Oxford. They may be reproduced freely provided that the attribution is retained.

Table A.2

**t-Distribution: Critical Values of t**

Degrees of Freedom	Two-tailed test:	Significance level				
		10%	5%	2%	1%	0.5%
1	6.314	12.706	31.821	63.657	318.309	
2	2.920	4.303	6.965	9.925	22.327	
3	2.353	3.182	4.941	5.841	10.215	
4	2.132	2.776	3.747	4.604	7.172	
5	2.015	2.571	3.463	4.032	5.883	
6	1.943	2.447	3.143	3.707	5.208	
7	1.894	2.365	2.998	3.499	4.785	
8	1.860	2.306	2.896	3.335	4.501	
9	1.833	2.282	2.821	3.260	4.287	
10	1.812	2.258	2.764	3.169	4.144	
11	1.796	2.239	2.718	3.106	4.025	
12	1.782	2.224	2.681	3.055	3.930	
13	1.771	2.210	2.650	3.012	3.852	
14	1.761	2.197	2.624	2.977	3.787	
15	1.753	2.186	2.602	2.947	3.733	
16	1.746	2.176	2.583	2.921	3.686	
17	1.740	2.167	2.567	2.898	3.646	
18	1.734	2.159	2.552	2.878	3.610	
19	1.729	2.152	2.539	2.861	3.579	
20	1.725	2.146	2.528	2.844	3.552	
21	1.721	2.140	2.518	2.831	3.527	
22	1.717	2.135	2.508	2.819	3.505	
23	1.714	2.130	2.500	2.807	3.485	
24	1.711	2.125	2.492	2.797	3.467	
25	1.708	2.121	2.485	2.787	3.450	
26	1.706	2.117	2.479	2.779	3.435	
27	1.703	2.113	2.473	2.771	3.421	
28	1.701	2.110	2.467	2.764	3.408	
29	1.699	2.106	2.462	2.756	3.396	
30	1.697	2.102	2.457	2.750	3.385	
31	1.694	2.100	2.449	2.748	3.376	
32	1.691	2.097	2.441	2.728	3.368	
34	1.688	2.092	2.434	2.719	3.333	
36	1.686	2.088	2.429	2.712	3.319	
38	1.684	2.084	2.423	2.704	3.307	
40	1.682	2.081	2.418	2.698	3.296	
42	1.680	2.078	2.414	2.692	3.286	
44	1.679	2.075	2.410	2.687	3.277	
46	1.677	2.071	2.407	2.682	3.269	
48	1.675	2.068	2.403	2.678	3.261	
50	1.674	2.066	2.399	2.660	3.232	
60	1.671	2.060	2.390	2.660	3.232	
70	1.667	2.054	2.381	2.648	3.211	
80	1.664	2.049	2.374	2.639	3.195	
90	1.662	2.045	2.368	2.632	3.183	
100	1.660	2.041	2.364	2.628	3.174	
120	1.658	2.036	2.358	2.617	3.160	
150	1.655	2.031	2.351	2.609	3.145	
200	1.653	2.026	2.344	2.601	3.131	
300	1.650	2.021	2.339	2.592	3.118	
400	1.649	2.019	2.336	2.588	3.111	
500	1.648	2.018	2.334	2.586	3.107	
600	1.647	2.017	2.333	2.584	3.104	
∞	1.645	2.016	2.332	2.584	3.090	

Table A.3

**F-Distribution: Critical Values of F (5% significance level)**

v <sub>1</sub>	v <sub>2</sub>																			
	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20					
1	161.45	199.50	215.57	224.58	230.16	233.99	236.77	238.88	240.54	241.88	242.91	243.76	244.46	245.03	245.51					
2	18.51	19.00	19.36	19.62	19.82	19.98	20.12	20.24	20.34	20.43	20.51	20.58	20.64	20.70	20.75					
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.78	8.74	8.71	8.68	8.66	8.64					
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.06	6.01	5.96	5.91	5.87	5.84	5.82	5.80					
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.70	4.66	4.64	4.60	4.56					
6	5.99	5.14	4.76	4.53	4.39	4.29	4.21	4.15	4.10	4.06	4.00	3.96	3.92	3.90	3.87					
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.53	3.49	3.47	3.44					
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.24	3.20	3.17	3.15					
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.03	2.99	2.96	2.94					
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.86	2.83	2.80	2.77					
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.74	2.70	2.67	2.64					
12	4.75	3.89	3.49	3.26	3.10	2.99	2.91	2.85	2.80	2.75	2.69	2.64	2.60	2.57	2.54					
13	4.67	3.81	3.41	3.18	3.02	2.91	2.83	2.77	2.71	2.67	2.62	2.57	2.54	2.51	2.48					
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.55	2.48	2.45	2.41	2.39					
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.43	2.38	2.35	2.33					
16	4.49	3.63	3.24	3.01	2.84	2.74	2.66	2.59	2.54	2.49	2.42	2.37	2.33	2.30	2.28					
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.33	2.29	2.26	2.23					
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.29	2.25	2.22	2.19					
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.26	2.21	2.18	2.16					
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.22	2.18	2.15	2.12					
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.43	2.37	2.32	2.26	2.21	2.16	2.13	2.10					
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.17	2.13	2.10	2.07					
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.31	2.27	2.20	2.15	2.11	2.08	2.04					
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.19	2.13	2.09	2.05	2.02					
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.11	2.07	2.04	2.01					
26	4.22	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.09	2.05	2.02	1.99					
27	4.21	3.35	2.96	2.73	2.57	2.45	2.37	2.31	2.25	2.20	2.13	2.08	2.04	2.00	1.97					
28	4.20	3.34	2.95	2.71	2.56	2.44	2.36	2.29	2.24	2.19	2.12	2.06	2.02	1.99	1.96					
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.17	2.10	2.05	2.01	1.97	1.94					
30	4.17	3.32	2.92	2.69	2.53	2.41	2.33	2.27	2.21	2.16	2.09	2.04	1.99	1.96	1.93					
35	4.12	3.27	2.87	2.64	2.49	2.37	2.29	2.22	2.16	2.11	2.04	1.99	1.94	1.91	1.88					
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.95	1.90	1.87	1.84					
45	4.03	3.18	2.79	2.56	2.40	2.29	2.20	2.13	2.07	2.03	1.95	1.89	1.85	1.81	1.78					
50	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.86	1.82	1.78	1.75					
60	3.98	3.13	2.74	2.50	2.33	2.23	2.14	2.07	2.02	1.97	1.89	1.84	1.79	1.75	1.72					
80	3.96	3.11	2.72	2.49	2.33	2.21	2.13	2.06	2.00	1.95	1.88	1.82	1.77	1.73	1.70					
90	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	1.86	1.80	1.76	1.72	1.69					
100	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97	1.93	1.85	1.79	1.75	1.71	1.68					
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.83	1.77	1.73	1.69	1.66					
150	3.90	3.06	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.82	1.76	1.71	1.67	1.64					
200	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93	1.88	1.80	1.74	1.69	1.66	1.62					
300	3.88	3.03	2.64	2.41	2.24	2.13	2.05	1.98	1.92	1.87	1.79	1.73	1.68	1.65	1.61					
400	3.87	3.02	2.63	2.40	2.24	2.13	2.04	1.97	1.91	1.86	1.78	1.72	1.68	1.64	1.61					
500	3.86	3.01	2.62	2.39	2.23	2.12	2.03	1.96	1.90	1.85	1.77	1.71	1.67	1.63	1.60					
600	3.85	3.01	2.62	2.39	2.23	2.12	2.02	1.95	1.90	1.85	1.77	1.71	1.66	1.62	1.59					
750	3.85	3.01	2.62	2.38	2.22	2.11	2.02	1.95	1.89	1.84	1.77	1.71	1.66	1.62	1.59					
1000	3.85	3.00	2.61	2.38	2.22	2.11	2.02	1.95	1.89	1.84	1.77	1.71	1.66	1.62	1.59					

Table A.3 (continued)
F Distribution: Critical Values of F (5% significance level)

Table with 10 columns (v1-v10) and 20 rows of F distribution critical values for 5% significance level.

Table A.3 (continued)
F Distribution: Critical Values of F (1% significance level)

Table with 10 columns (v1-v10) and 20 rows of F distribution critical values for 1% significance level.



STATISTICAL TABLES

Table A.3 (continued)  
F Distribution: Critical Values of F (1% significance level)

Table with 20 columns (v1, 25, 30, 35, 40, 50, 60, 75, 100, 150, 200) and 20 rows of numerical data representing critical values for an F distribution at the 1% significance level.

STATISTICAL TABLES

Table A.3 (continued)  
F Distribution: Critical Values of F (0.1% significance level)

Table with 20 columns (v1, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 13, 14, 16, 18, 20) and 20 rows of numerical data representing critical values for an F distribution at the 0.1% significance level.

Table A.3 (continued)  
F Distribution: Critical Values of F (0.1% significance level)

v <sub>1</sub>	v <sub>2</sub>									
	15	20	25	30	40	50	60	75	100	200
1	6.240	6.340	6.400	6.440	6.470	6.490	6.500	6.510	6.520	6.530
2	9.99	10.09	10.15	10.19	10.22	10.24	10.25	10.26	10.27	10.28
3	12.58	12.68	12.74	12.78	12.81	12.83	12.84	12.85	12.86	12.87
4	14.70	14.80	14.86	14.90	14.93	14.95	14.96	14.97	14.98	14.99
5	15.98	16.08	16.14	16.18	16.21	16.23	16.24	16.25	16.26	16.27
6	16.85	16.95	17.01	17.05	17.08	17.10	17.11	17.12	17.13	17.14
7	17.46	17.56	17.62	17.66	17.69	17.71	17.72	17.73	17.74	17.75
8	17.89	17.99	18.05	18.09	18.12	18.14	18.15	18.16	18.17	18.18
9	18.26	18.36	18.42	18.46	18.49	18.51	18.52	18.53	18.54	18.55
10	18.46	18.56	18.62	18.66	18.69	18.71	18.72	18.73	18.74	18.75
11	18.51	18.61	18.67	18.71	18.74	18.76	18.77	18.78	18.79	18.80
12	18.58	18.68	18.74	18.78	18.81	18.83	18.84	18.85	18.86	18.87
13	18.63	18.73	18.79	18.83	18.86	18.88	18.89	18.90	18.91	18.92
14	18.68	18.78	18.84	18.88	18.91	18.93	18.94	18.95	18.96	18.97
15	18.72	18.82	18.88	18.92	18.95	18.97	18.98	18.99	19.00	19.01
16	18.76	18.86	18.92	18.96	18.99	19.01	19.02	19.03	19.04	19.05
17	18.79	18.89	18.95	18.99	19.02	19.04	19.05	19.06	19.07	19.08
18	18.82	18.92	18.98	19.02	19.05	19.07	19.08	19.09	19.10	19.11
19	18.85	18.95	19.01	19.05	19.08	19.10	19.11	19.12	19.13	19.14
20	18.87	18.97	19.03	19.07	19.10	19.12	19.13	19.14	19.15	19.16
21	18.90	18.99	19.05	19.09	19.12	19.14	19.15	19.16	19.17	19.18
22	18.92	19.02	19.08	19.12	19.15	19.17	19.18	19.19	19.20	19.21
23	18.94	19.04	19.10	19.14	19.17	19.19	19.20	19.21	19.22	19.23
24	18.96	19.06	19.12	19.16	19.19	19.21	19.22	19.23	19.24	19.25
25	18.98	19.08	19.14	19.18	19.21	19.23	19.24	19.25	19.26	19.27
26	18.99	19.09	19.15	19.19	19.22	19.24	19.25	19.26	19.27	19.28
27	19.01	19.11	19.17	19.21	19.24	19.26	19.27	19.28	19.29	19.30
28	19.02	19.12	19.18	19.22	19.25	19.27	19.28	19.29	19.30	19.31
29	19.03	19.13	19.19	19.23	19.26	19.28	19.29	19.30	19.31	19.32
30	19.04	19.14	19.20	19.24	19.27	19.29	19.30	19.31	19.32	19.33
35	19.08	19.18	19.24	19.28	19.31	19.33	19.34	19.35	19.36	19.37
40	19.11	19.21	19.27	19.31	19.34	19.36	19.37	19.38	19.39	19.40
45	19.14	19.24	19.30	19.34	19.37	19.39	19.40	19.41	19.42	19.43
50	19.16	19.26	19.32	19.36	19.39	19.41	19.42	19.43	19.44	19.45
60	19.20	19.30	19.36	19.40	19.43	19.45	19.46	19.47	19.48	19.49
70	19.23	19.33	19.39	19.43	19.46	19.48	19.49	19.50	19.51	19.52
80	19.25	19.35	19.41	19.45	19.48	19.50	19.51	19.52	19.53	19.54
90	19.27	19.37	19.43	19.47	19.50	19.52	19.53	19.54	19.55	19.56
100	19.29	19.39	19.45	19.49	19.52	19.54	19.55	19.56	19.57	19.58
120	19.33	19.43	19.49	19.53	19.56	19.58	19.59	19.60	19.61	19.62
150	19.38	19.48	19.54	19.58	19.61	19.63	19.64	19.65	19.66	19.67
200	19.44	19.54	19.60	19.64	19.67	19.69	19.70	19.71	19.72	19.73
250	19.48	19.58	19.64	19.68	19.71	19.73	19.74	19.75	19.76	19.77
300	19.51	19.61	19.67	19.71	19.74	19.76	19.77	19.78	19.79	19.80
400	19.55	19.65	19.71	19.75	19.78	19.80	19.81	19.82	19.83	19.84
500	19.57	19.67	19.73	19.77	19.80	19.82	19.83	19.84	19.85	19.86
600	19.59	19.69	19.75	19.79	19.82	19.84	19.85	19.86	19.87	19.88
750	19.62	19.72	19.78	19.82	19.85	19.87	19.88	19.89	19.90	19.91
1000	19.65	19.75	19.81	19.85	19.88	19.90	19.91	19.92	19.93	19.94

Table A.4  
 $\chi^2$  (Chi-Square) Distribution: Critical Values of  $\chi^2$

Degrees of Freedom	Significance level		
	5%	1%	0.1%
1	3.841	6.635	10.828
2	5.991	9.210	13.816
3	7.879	11.345	16.266
4	9.488	13.277	18.467
5	11.070	15.086	20.515
6	12.592	16.812	22.458
7	14.067	18.475	24.322
8	15.507	20.090	26.124
9	16.919	21.666	27.877
10	18.307	23.209	29.588