

UNIVERSITY OF SWAZILAND

SUPPLMENTARY EXAMINATION PAPER 2010

TITLE OF PAPER : SAMPLE SURVEY THEORY

COURSE CODE : ST 306

TIME ALLOWED : TWO (2) HOURS

**REQUIREMENTS : CALCULATOR AND STATISTICAL TABLES
FORMULA SHEET ATTACHED**

**INSTRUCTIONS : ANSWER QUESTION ONE AND ANY OTHER
TWO QUESTIONS**

Question 1

- a) A local radio station carries out regular polls of its listeners on items of current interest. In one such poll listeners were asked to telephone the station and just answer yes or no to the following question:

Do you think dogs should be allowed in public places only if on the lead?

The poll was carried out between 8 am and 9 am one morning. At 8.30 am the announcer said that the percentage yes vote was 63%. When the poll closed at 9 am he announced that the percentage yes vote was 52%.

- i) What additional number should have been announced at the end of the poll in order to assess how accurate this percentage is? Explain briefly why this number is needed. (5)

- ii) List three problems associated with this method of polling and suggest why each problem might cause misleading conclusions to be drawn. (9)

- iii) If respondents could have been asked one question about themselves when they telephoned, suggest a suitable question which might be relevant to their response, and explain how conclusions from the survey could have been extended using the extra information. (6)

- b) The city council for a region has 3000 staff in a town-centre complex in a large city. The central canteen for this complex at present has a main self-service area for hot meals, and a salad bar. The canteen is not open to the general public but is intended for council staff, who pay prices that are slightly subsidised by the council. The head of the canteen service intends to carry out a survey. He sends out a questionnaire with a prepaid reply envelope to a stratified sample of staff. The strata are the four council departments listed:

<i>Department</i>	<i>Number of staff</i>
Education	1100
Social Services	900
Chief Executive's	320
Environment and Resources	680

- i) Using simple *proportional allocation*, how many staff should be sampled from each department to give a total sample of 450? (5)
- ii) Why might stratified random sampling be an improvement on simple random sampling of the entire population? (5)
- iii) The head of the canteen service has heard that a "multi-stage" survey can be cheaper than any other sampling design. Discuss situations in which this may be true, and whether it is likely to be relevant in the present instance. (5)
- iv) Assume that the aims of the survey are both to improve the service to existing customers and to extend the customer base. State, giving reasons, your recommendation for a sampling method to be used to meet these aims. (5)

Question 2

A simple random sample of 1 in 20 households in a small town provided the following data about the availability of cars and the number of adults in households.

		Adults in household (x_i)					Total
		1	2	3	4	5	
Number of cars (y_i) in household	0	58	127	9	6	0	200
	1	68	140	27	4	1	240
	2	4	30	5	8	3	50
	3	0	3	4	2	1	10
Total		130	300	45	20	5	500

Note: summing over all 500 households in the sample, $\sum x_i y_i = 795$

Obtain point estimates and approximate 95% confidence intervals for the following:

- (a) the total number of cars in the town's households,
- (b) the ratio of cars per adult in the town's households,
- (c) the proportion of households with 1 or more cars per adult.

(20)

Question 3

A region has 3510 farms which cluster naturally into 90 different "villages". In any village, x denotes the total number of farms and y the total number of cattle. A simple random sample of 15 villages (clusters) was selected, giving the data shown in the table.

Village (cluster) i	Number of farms x_i	Number of cattle y_i	Mean number of cattle per farm $\bar{y}_i = y_i/x_i$
1	35	418	11.94
2	25	402	16.08
3	48	360	7.50
4	30	394	13.13
5	70	515	7.36
6	55	910	16.55
7	66	600	9.09
8	18	316	17.56
9	30	288	9.60
10	32	350	10.94
11	64	784	12.25
12	24	290	12.08
13	48	795	16.56
14	40	478	11.95
15	82	906	11.05
Total	667	7806	

- a) Estimate the mean number of cattle per farm in the region as a whole in three different ways:
- (i) using \bar{z} , the simple mean of the cluster means;
 - (ii) using the cluster sample ratio estimate of y to x ;
 - (iii) using the cluster sample total.
- (8)
- b) Estimate the variance of each of the three estimators. Comment on the properties of the estimators.
- (12)

Question 4

Wildland managers want to estimate the total number of caribou in the Nelchina herd located in south central Alaska. The density of caribou differs dramatically in different types of habitat. A preliminary aerial survey has identified the area used by the herd, and divided it into six strata based on habitat type.

The organiser has decided to divide the area into sub-areas called quadrats, each 4 km². The main survey will be conducted by selecting a simple random sample of quadrats from each stratum; the number of caribou, y , in the quadrats will be counted from an aerial photograph.

Estimates of the means and standard deviations of the measurements, y , in each stratum based on the preliminary survey of 211 quadrats are as follows.

Stratum (h)	N_h	n_h	\bar{y}_h	s_h	$N_h s_h$
1	400	98	24.1	74.7	29880
2	40	10	25.6	63.7	2548
3	100	37	267.6	589.5	58950
4	40	6	179.0	151.0	6040
5	70	39	293.7	351.5	24605
6	120	21	33.2	99.0	11880
Total	770	211			133903

$$\sum N_h s_h^2 = 47882186$$

- (a) Discuss briefly the merits of using stratified sampling for this survey. (4)
- (b) Based on the results of the preliminary aerial survey, estimate the total number of caribou in the herd and obtain an estimate of the standard error for your estimator. (5)
- (c) For the main survey, the managers wish to estimate the total number of caribou to within d animals with 95% probability (i.e. the width of the interval is $2d$). You may assume that the formula for the total sample size n is;

$$n = \frac{\sum_h N_h^2 S_h^2 / w_h}{V + \sum_h N_h S_h^2}$$

- Define N_h , S_h , w_h and V as used in this formula. (2)
- (d) Define *optimal* allocation. Discuss briefly why you would choose an optimal allocation rather than proportional allocation for this survey. You may assume that the cost of sampling any unit is constant. (3)
- (v) Use optimal allocation to calculate the total sample size and the allocations n_h needed to estimate the total population of caribou to within 8000 animals with 95% probability. Calculate the standard error for your estimator of the population total. (6)

$$\begin{aligned}
s^2 &= \sum_{i=1}^n \frac{(y_i - \bar{y})^2}{n-1} & \sum_{i=1}^n (y_i - \bar{y})^2 &= \sum_{i=1}^n y_i^2 - \frac{(\sum_{i=1}^n y_i)^2}{n} \\
\hat{\mu}_{srs} &= \bar{y} & \hat{V}(\hat{\mu})_{srs} &= \frac{s^2}{n} \left(\frac{N-n}{N} \right) \\
\hat{\tau}_{srs} &= N \hat{\mu}_{srs} & \hat{V}(\hat{\tau})_{srs} &= N^2 \hat{V}(\hat{\mu})_{srs} \\
\hat{p}_{srs} &= \sum_{i=1}^n \frac{y_i}{n} & \hat{V}(\hat{p})_{srs} &= \frac{\hat{p}(1-\hat{p})}{(n-1)} \left(\frac{N-n}{N} \right) \\
\hat{\tau}_{pps} &= \frac{1}{n} \sum_{i=1}^n \left(\frac{y_i}{\pi_i} \right) & \hat{V}(\hat{\tau})_{pps} &= \frac{1}{n(n-1)} \sum_{i=1}^n \left(\frac{y_i}{\pi_i} - \hat{\tau}_{pps} \right)^2 \\
\hat{\mu}_{pps} &= \frac{1}{N} \hat{\tau}_{pps} & \hat{V}(\hat{\mu})_{pps} &= \frac{1}{N^2} \hat{V}(\hat{\tau})_{pps} \\
\hat{\mu}_{sys} &= \sum_{i=1}^n \frac{y_i}{n} & \hat{V}(\hat{\mu})_{sys} &= \frac{s^2}{n} \left(\frac{N-n}{N} \right) \\
\hat{\tau}_{sys} &= N \hat{\mu}_{sys} & \hat{V}(\hat{\tau})_{sys} &= N^2 \hat{V}(\hat{\mu})_{sys} \\
\hat{p}_{sys} &= \sum_{i=1}^n \frac{y_i}{n} & \hat{V}(\hat{p})_{sys} &= \frac{\hat{p}(1-\hat{p})}{(n-1)} \left(\frac{N-n}{N} \right) \\
\hat{\mu}_{rsys} &= \sum_{i=1}^{ns} \frac{\hat{\mu}_i}{ns} & \hat{V}(\hat{\mu})_{rsys} &= \left(\frac{N-n}{N} \right) \sum_{i=1}^{ns} \frac{(\hat{\mu}_i - \hat{\mu}_{rsys})^2}{ns(ns-1)} \\
\hat{\tau}_{rsys} &= N \hat{\mu}_{rsys} & \hat{V}(\hat{\tau})_{rsys} &= N^2 \hat{V}(\hat{\mu})_{rsys} \\
\hat{\mu}_{str} &= \frac{1}{N} \sum_{i=1}^L N_i \bar{y}_i & \hat{V}(\hat{\mu})_{str} &= \frac{1}{N^2} \sum_{i=1}^L N_i^2 \left(\frac{N_i - n_i}{N_i} \right) \frac{s_i^2}{n_i} \\
\hat{\tau}_{str} &= N \hat{\mu}_{str} & \hat{V}(\hat{\tau})_{str} &= N^2 \hat{V}(\hat{\mu})_{str} \\
\hat{p}_{str} &= \frac{1}{N} \sum_{i=1}^L N_i \hat{p}_i & \hat{V}(\hat{p})_{str} &= \frac{1}{N^2} \sum_{i=1}^L N_i^2 \left(\frac{N_i - n_i}{N_i} \right) \left(\frac{\hat{p}_i(1-\hat{p}_i)}{n_i-1} \right) \\
\hat{\mu}_{pstr} &= \sum_{i=1}^L w_i \bar{y}_i & \hat{V}(\hat{\mu})_{pstr} &= \frac{1}{n} \left(\frac{N-n}{N} \right) \sum_{i=1}^L w_i \frac{s_i^2}{n_i} + \frac{1}{n^2} \sum_{i=1}^L (1-w_i) s_i^2
\end{aligned}$$

$$r = \frac{\sum_{i=1}^n y_i}{\sum_{i=1}^n x_i}$$

$$\hat{V}(r) = \left(\frac{N-n}{N}\right) \left(\frac{1}{n\mu_x^2}\right) \frac{\sum_{i=1}^n (y_i - rx_i)^2}{(n-1)}$$

$$\hat{\rho} = \frac{\text{cov}(x,y)}{s_x s_y}$$

$$\hat{V}(r) = \frac{1-(n/N)}{n} \left(\frac{1}{\mu_x^2}\right) (s_y^2 + r^2 s_x^2 - 2r\hat{\rho}s_x s_y)$$

$$\hat{\tau}_{ratio} = r\tau_x$$

$$\hat{V}(\hat{\tau})_{ratio} = \tau_x^2 \hat{V}(r)$$

$$\hat{\mu}_{ratio} = r\mu_x$$

$$\hat{V}(\hat{\mu})_{ratio} = \mu_x^2 \hat{V}(r)$$

$$Y_i = \beta_0 + \beta_1(X_i) + \varepsilon_i$$

$$\sum_{i=1}^n (y_i - rx_i)^2 = \sum_{i=1}^n y_i^2 + r^2 \sum_{i=1}^n x_i^2 - 2r \sum_{i=1}^n y_i x_i$$

$$b_0 = \bar{y} - b_1 \bar{x}$$

$$b_1 = \hat{\rho}(s_y/s_x)$$

$$b_1 = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

$$\hat{\rho} = \frac{\sum_{i=1}^n (x_i - \bar{x})(y_i - \bar{y})}{(n-1)s_x s_y}$$

$$\hat{\mu}_{reg} = \bar{y} + b_1(\mu_x - \bar{x})$$

$$\hat{V}(\hat{\mu})_{reg} = \left(\frac{N-n}{N}\right) \frac{\sum_{i=1}^n (y_i - \hat{y}_i)^2}{n(n-1)}$$

$$\hat{y}_i = b_0 + b_1(x_i)$$

$$\hat{V}(\hat{\mu})_{reg} \approx \left(\frac{N-n}{N}\right) \frac{MSE}{n}$$

$$\hat{\mu}_{diff} = \bar{y} + (\mu_x - \bar{x})$$

$$\hat{V}(\hat{\mu})_{diff} = \left(\frac{N-n}{N}\right) \frac{\sum_{i=1}^n (d_i - \bar{d})^2}{n(n-1)}$$

$$\sum_{i=1}^n (d_i - \bar{d})^2 = \sum_{i=1}^n d_i^2 - n\bar{d}^2$$

$$RE\left(\frac{E1}{E2}\right) = \frac{\hat{V}(E2)}{\hat{V}(E1)}$$

$$\hat{\mu}_{ctsl} = \frac{\sum_{i=1}^n y_i}{\sum_{i=1}^n m_i}$$

$$\hat{V}(\hat{\mu})_{ctsl} = \left(\frac{N-n}{N}\right) \frac{\sum_{i=1}^n (y_i - \bar{y}m_i)^2}{nM^2(n-1)}$$

$$\hat{V}(\hat{\mu})_{ctsl} = \left(\frac{N-n}{N}\right) \left(\frac{1}{nM^2}\right) (s_y^2 + \hat{\mu}_{ctsl}^2 s_m^2 - 2\hat{\mu}_{ctsl}\hat{\rho}s_y s_m)$$

$$\hat{\tau}_{ctsl(1)} = M\hat{\mu}_{ctsl}$$

$$\hat{V}(\hat{\tau})_{ctsl(1)} = M^2 \hat{V}(\hat{\mu})_{ctsl}$$

$$\hat{\tau}_{cts1(2)} = N\bar{y}_t = N \left(\frac{\sum_{i=1}^n y_i}{n} \right)$$

$$\bar{m} = \frac{\sum_{i=1}^n m_i}{n}$$

$$\hat{p}_{cts1} = \frac{\sum_{i=1}^n a_i}{\sum_{i=1}^n m_i}$$

$$\Pi_i = \frac{m_i}{M}$$

$$\hat{\tau}_{cts1,pps} = \frac{1}{n} \sum_{i=1}^n \frac{y_i}{\Pi_i}$$

$$\hat{\tau}_{cts1,pps} = \frac{M}{n} \sum_{i=1}^n \bar{y}_i$$

$$\hat{\mu}_{cts1,pps} = \frac{1}{n} \sum_{i=1}^n \bar{y}_i$$

$$\hat{\mu}_{cts2} = \left(\frac{N}{M} \right) \frac{\sum_{i=1}^n M_i \bar{y}_i}{n}$$

$$s_b^2 = \frac{\sum_{i=1}^n (M_i \bar{y}_i - M \hat{\mu})^2}{n-1}$$

$$\hat{\tau}_{cts2} = M \hat{\mu}_{cts2}$$

$$\hat{\mu}_{cts2,ratio} = \frac{\sum_{i=1}^n M_i \bar{y}_i}{\sum_{i=1}^n M_i}$$

$$s_r^2 = \frac{\sum_{i=1}^n M_i^2 (\bar{y}_i - \hat{\mu}_{cts2,r})^2}{n-1}$$

$$\hat{p}_{cts2,ratio} = \frac{\sum_{i=1}^n M_i \hat{p}_i}{\sum_{i=1}^n M_i}$$

$$\hat{V}(\hat{\tau})_{cts1(2)} = \left(\frac{N-n}{N} \right) \left(\frac{N^2}{n} \right) \frac{\sum_{i=1}^n (y_i - \bar{y}_t)^2}{(n-1)}$$

$$\sum_{i=1}^n (y_i - \bar{y}_t m_i)^2 = \sum_{i=1}^n y_i^2 + \bar{y}_t^2 \sum_{i=1}^n m_i^2 - 2\bar{y}_t \sum_{i=1}^n y_i m_i$$

$$\hat{V}(\hat{p})_{cts1} = \left(\frac{N-n}{N} \right) \left(\frac{1}{nM^2} \right) \frac{\sum_{i=1}^n (a_i - \hat{p} m_i)^2}{(n-1)}$$

$$\hat{V}(\hat{p})_{cts1} = \left(\frac{N-n}{N} \right) \left(\frac{1}{nM^2} \right) (s_a^2 + \hat{p}^2 s_m^2 - 2\hat{p} \hat{p} s_a s_m)$$

$$\sum_{i=1}^n (a_i - \hat{p} m_i)^2 = \sum_{i=1}^n a_i^2 + \hat{p}^2 \sum_{i=1}^n m_i^2 - 2\hat{p} \sum_{i=1}^n a_i m_i$$

$$\hat{V}(\hat{\tau})_{cts1,pps} = \frac{M^2}{n(n-1)} \sum_{i=1}^n (\bar{y}_i - \hat{\tau})^2$$

$$\hat{V}(\hat{\mu})_{cts1,pps} = \frac{1}{n(n-1)} \sum_{i=1}^n (\bar{y}_i - \hat{\mu})^2$$

$$\hat{V}(\hat{\mu})_{cts2} = \left(\frac{N-n}{N} \right) \left(\frac{1}{nM^2} \right) s_b^2 + \frac{1}{nNM^2} \sum_{i=1}^n M_i^2 \left(\frac{M_i - m_i}{M_i} \right) \left(\frac{s_i^2}{m_i} \right)$$

$$s_i^2 = \frac{\sum_{j=1}^{m_i} (y_{ij} - \bar{y}_i)^2}{m_i - 1}$$

$$\hat{V}(\hat{\tau})_{cts2} = M^2 \hat{V}(\hat{\mu})_{cts2}$$

$$\hat{V}(\hat{\mu})_{cts2,ratio} = \left(\frac{N-n}{N} \right) \left(\frac{1}{nM^2} \right) s_r^2 + \frac{1}{nNM^2} \sum_{i=1}^n M_i^2 \left(\frac{M_i - m_i}{M_i} \right) \left(\frac{s_i^2}{m_i} \right)$$

$$s_r^2 = \frac{\sum_{i=1}^n M_i^2 (\hat{p}_i - \hat{p}_{cts2,r})^2}{n-1}$$

$$\hat{V}(\hat{p})_{cts2,ratio} = \left(\frac{N-n}{N} \right) \left(\frac{1}{nM^2} \right) s_r^2 + \frac{1}{nNM^2} \sum_{i=1}^n M_i^2 \left(\frac{M_i - m_i}{M_i} \right) \left(\frac{\hat{p}_i (1 - \hat{p}_i)}{m_i - 1} \right)$$

$$\hat{\mu}_{cts2,pps} = \frac{1}{n} \sum_{i=1}^n \bar{y}_i \quad \hat{V}(\hat{\mu})_{cts2,pps} = \frac{1}{n(n-1)} \sum_{i=1}^n (\bar{y}_i - \hat{\mu}_{cts2,pps})^2$$

$$\hat{\tau}_{cts2,pps} = M \hat{\mu}_{cts2,pps} \quad \hat{V}(\hat{\tau}) = M^2 \hat{V}(\hat{\mu})_{cts2,pps}$$

$$n \text{ for } \mu \text{ (SRS):} \quad n = \frac{N\sigma^2}{(N-1)(B^2/4) + \sigma^2}$$

$$n \text{ for } \tau \text{ (SRS):} \quad n = \frac{N\sigma^2}{(N-1)(B^2/4N^2) + \sigma^2}$$

$$n \text{ for } p \text{ (SRS):} \quad n = \frac{Np(1-p)}{(N-1)(B^2/4) + p(1-p)}$$

$$n \text{ for } \mu \text{ (SYS):} \quad n = \frac{N\sigma^2}{(N-1)(B^2/4) + \sigma^2}$$

$$n \text{ for } p \text{ (SYS):} \quad n = \frac{Np(1-p)}{(N-1)(B^2/4) + p(1-p)}$$

$$k \leq \frac{N}{n} \quad k' = k(ns)$$

$$n \text{ for } \mu \text{ (STR):} \quad n = \frac{\sum_{i=1}^L N_i^2 (\sigma_i^2 / w_i)}{N^2 (B^2/4) + \sum_{i=1}^L N_i \sigma_i^2}$$

$$n \text{ for } \tau \text{ (STR):} \quad n = \frac{\sum_{i=1}^L N_i^2 (\sigma_i^2 / w_i)}{N^2 (B^2/4N^2) + \sum_{i=1}^L N_i \sigma_i^2}$$

Allocations for STR μ :

$$n_i = n \left(\frac{N_i \sigma_i / \sqrt{c_i}}{\sum_{k=1}^L N_k \sigma_k / \sqrt{c_k}} \right) \quad n = \frac{\left(\sum_{k=1}^L N_k \sigma_k / \sqrt{c_k} \right) \left(\sum_{i=1}^L N_i \sigma_i \sqrt{c_i} \right)}{N^2 (B^2/4) + \sum_{i=1}^L N_i \sigma_i^2}$$

$$n_i = n \left(\frac{N_i \sigma_i}{\sum_{k=1}^L N_k \sigma_k} \right) \quad n = \frac{\left(\sum_{i=1}^L N_i \sigma_i \right)^2}{N^2 (B^2/4) + \sum_{i=1}^L N_i \sigma_i^2}$$

$$n_i = n \left(\frac{N_i}{N} \right) \quad n = \frac{\sum_{i=1}^L N_i \sigma_i^2}{N^2 (B^2/4) + (1/N) \sum_{i=1}^L N_i \sigma_i^2}$$

Allocations for STR τ :

change $N^2(B^2/4)$ to $N^2(B^2/4N^2)$

Allocations for STR p :

$$n_i = n \left(\frac{N_i \sqrt{p_i(1-p_i)/c_i}}{\sum_{k=1}^L N_k \sqrt{p_k(1-p_k)/c_k}} \right)$$

$$n = \frac{\sum_{i=1}^L N_i^2 p_i(1-p_i)/w_i}{N^2(B^2/4) + \sum_{i=1}^L N_i p_i(1-p_i)}$$

n for μ (ratio):

$$n = \frac{N\sigma^2}{N(B^2/4) + \sigma^2}$$

n for τ (ratio):

$$n = \frac{N\sigma^2}{N(B^2/4N^2) + \sigma^2}$$

n for μ (CTS1):

$$n = \frac{N\sigma_c^2}{N(B^2M^2/4) + \sigma_c^2}$$

n for τ (CTS1(1)):

$$n = \frac{N\sigma_c^2}{N(B^2/4N^2) + \sigma_c^2}$$

n for τ (CTS1(2)):

$$n = \frac{N\sigma_t^2}{N(B^2/4N^2) + \sigma_t^2}$$

$$s_c^2 = \frac{\sum_{i=1}^n (y_i - \bar{y} m_i)^2}{(n-1)} \text{ with } \bar{y} = \frac{\sum_{i=1}^n y_i}{\sum_{i=1}^n m_i}$$

$$s_t^2 = \frac{\sum_{i=1}^n (y_i - \bar{y}_t)^2}{(n-1)} \text{ with } \bar{y}_t = \frac{\sum_{i=1}^n y_i}{n}$$

n for p (CTS1):


$$n = \frac{N\sigma_c^2}{N(B^2M^2/4) + \sigma_c^2}$$

$$s_c^2 = \frac{\sum_{i=1}^n (a_i - \hat{p} m_i)^2}{(n-1)}$$

STATISTICAL TABLES

- Cumulative normal distribution
- Critical values of the *t* distribution
- Critical values of the *F* distribution
- Critical values of the chi-squared distribution

Table A.1
Cumulative Standardized Normal Distribution



$A(z)$ is the integral of the standardized normal distribution from $-\infty$ to z (in other words, the area under the curve to the left of z). It gives the probability of a normal random variable not being more than z standard deviations above its mean. Values of z of particular importance:

z	$A(z)$
1.645	0.9500
1.960	0.9750
2.326	0.9900
2.576	0.9950
3.090	0.9990
3.291	0.9995

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6025	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9712	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9849	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9993	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998	0.9998
3.5	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998
3.6	0.9998	0.9998	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999

© C. Dougherty 2001, 2002 (cdougherty@uak.ac.uk). These tables have been compiled to accompany the text C. Dougherty, *Manufacture in Economics* (second edition 2002, Oxford University Press, Oxford). They may be reproduced freely provided that the author is mentioned.

TABLE A.2

Distribution: Critical Values of *F*

Degrees of Freedom	Two-tailed test:		Significance level:				
	5%	10%	1%	0.5%	0.2%	0.1%	
1	12.706	6.314	11.821	63.657	318.309	636.619	
2	19.000	9.000	17.000	18.509	31.599	61.913	
3	16.013	7.771	14.151	15.999	26.899	54.287	
4	14.548	7.171	13.277	15.191	24.617	50.013	
5	13.707	6.851	12.707	14.699	23.163	47.191	
6	13.150	6.591	12.318	14.377	22.026	45.000	
7	12.709	6.388	12.041	14.111	21.099	43.287	
8	12.360	6.228	11.821	13.888	20.333	41.913	
9	12.099	6.100	11.633	13.699	19.699	40.800	
10	11.900	6.000	11.471	13.533	19.163	40.000	
11	11.760	5.921	11.333	13.399	18.717	39.413	
12	11.650	5.859	11.218	13.288	18.463	38.913	
13	11.560	5.809	11.118	13.191	18.263	38.487	
14	11.480	5.767	11.033	13.107	18.117	38.113	
15	11.410	5.731	10.963	13.033	18.017	37.787	
16	11.350	5.699	10.900	12.967	17.943	37.500	
17	11.299	5.671	10.843	12.907	17.883	37.250	
18	11.250	5.647	10.791	12.851	17.833	37.033	
19	11.200	5.625	10.743	12.800	17.791	36.843	
20	11.150	5.605	10.699	12.750	17.750	36.667	
21	11.100	5.587	10.659	12.700	17.717	36.500	
22	11.050	5.571	10.621	12.650	17.683	36.343	
23	11.000	5.557	10.583	12.600	17.650	36.191	
24	10.950	5.544	10.548	12.550	17.617	36.043	
25	10.900	5.531	10.513	12.500	17.583	35.900	
26	10.850	5.519	10.479	12.450	17.550	35.763	
27	10.800	5.507	10.447	12.400	17.517	35.633	
28	10.750	5.496	10.413	12.350	17.483	35.500	
29	10.700	5.485	10.381	12.300	17.450	35.375	
30	10.650	5.475	10.350	12.250	17.417	35.250	
31	10.600	5.465	10.321	12.200	17.383	35.133	
32	10.550	5.455	10.293	12.150	17.350	35.017	
33	10.500	5.445	10.267	12.100	17.317	34.900	
34	10.450	5.436	10.241	12.050	17.283	34.783	
35	10.400	5.427	10.217	12.000	17.250	34.667	
36	10.350	5.418	10.193	11.950	17.217	34.550	
37	10.300	5.409	10.171	11.900	17.183	34.433	
38	10.250	5.400	10.150	11.850	17.150	34.317	
39	10.200	5.391	10.130	11.800	17.117	34.200	
40	10.150	5.382	10.111	11.750	17.083	34.083	
41	10.100	5.373	10.093	11.700	17.050	33.967	
42	10.050	5.364	10.075	11.650	17.017	33.850	
43	10.000	5.355	10.058	11.600	16.983	33.733	
44	9.950	5.346	10.041	11.550	16.950	33.617	
45	9.900	5.337	10.025	11.500	16.917	33.500	
46	9.850	5.328	10.010	11.450	16.883	33.383	
47	9.800	5.319	9.995	11.400	16.850	33.267	
48	9.750	5.310	9.981	11.350	16.817	33.150	
49	9.700	5.301	9.967	11.300	16.783	33.033	
50	9.650	5.292	9.954	11.250	16.750	32.917	
51	9.600	5.283	9.941	11.200	16.717	32.800	
52	9.550	5.274	9.929	11.150	16.683	32.683	
53	9.500	5.265	9.917	11.100	16.650	32.567	
54	9.450	5.256	9.905	11.050	16.617	32.450	
55	9.400	5.247	9.894	11.000	16.583	32.333	
56	9.350	5.238	9.883	10.950	16.550	32.217	
57	9.300	5.229	9.872	10.900	16.517	32.100	
58	9.250	5.220	9.861	10.850	16.483	31.983	
59	9.200	5.211	9.851	10.800	16.450	31.867	
60	9.150	5.202	9.841	10.750	16.417	31.750	
61	9.100	5.193	9.831	10.700	16.383	31.633	
62	9.050	5.184	9.821	10.650	16.350	31.517	
63	9.000	5.175	9.811	10.600	16.317	31.400	
64	8.950	5.166	9.801	10.550	16.283	31.283	
65	8.900	5.157	9.791	10.500	16.250	31.167	
66	8.850	5.148	9.781	10.450	16.217	31.050	
67	8.800	5.139	9.771	10.400	16.183	30.933	
68	8.750	5.130	9.761	10.350	16.150	30.817	
69	8.700	5.121	9.751	10.300	16.117	30.700	
70	8.650	5.112	9.741	10.250	16.083	30.583	
71	8.600	5.103	9.731	10.200	16.050	30.467	
72	8.550	5.094	9.721	10.150	16.017	30.350	
73	8.500	5.085	9.711	10.100	15.983	30.233	
74	8.450	5.076	9.701	10.050	15.950	30.117	
75	8.400	5.067	9.691	10.000	15.917	30.000	
76	8.350	5.058	9.681	9.950	15.883	29.883	
77	8.300	5.049	9.671	9.900	15.850	29.767	
78	8.250	5.040	9.661	9.850	15.817	29.650	
79	8.200	5.031	9.651	9.800	15.783	29.533	
80	8.150	5.022	9.641	9.750	15.750	29.417	
81	8.100	5.013	9.631	9.700	15.717	29.300	
82	8.050	5.004	9.621	9.650	15.683	29.183	
83	8.000	5.000	9.611	9.600	15.650	29.067	
84	7.950	4.991	9.601	9.550	15.617	28.950	
85	7.900	4.982	9.591	9.500	15.583	28.833	
86	7.850	4.973	9.581	9.450	15.550	28.717	
87	7.800	4.964	9.571	9.400	15.517	28.600	
88	7.750	4.955	9.561	9.350	15.483	28.483	
89	7.700	4.946	9.551	9.300	15.450	28.367	
90	7.650	4.937	9.541	9.250	15.417	28.250	
91	7.600	4.928	9.531	9.200	15.383	28.133	
92	7.550	4.919	9.521	9.150	15.350	28.017	
93	7.500	4.910	9.511	9.100	15.317	27.900	
94	7.450	4.901	9.501	9.050	15.283	27.783	
95	7.400	4.892	9.491	9.000	15.250	27.667	
96	7.350	4.883	9.481	8.950	15.217	27.550	
97	7.300	4.874	9.471	8.900	15.183	27.433	
98	7.250	4.865	9.461	8.850	15.150	27.317	
99	7.200	4.856	9.451	8.800	15.117	27.200	
100	7.150	4.847	9.441	8.750	15.083	27.083	
101	7.100	4.838	9.431	8.700	15.050	26.967	
102	7.050	4.829	9.421	8.650	15.017	26.850	
103	7.000	4.820	9.411	8.600	14.983	26.733	
104	6.950	4.811	9.401	8.550	14.950	26.617	
105	6.900	4.802	9.391	8.500	14.917	26.500	
106	6.850	4.793	9.381	8.450	14.883	26.383	
107	6.800	4.784	9.371	8.400	14.850	26.267	
108	6.750	4.775	9.361	8.350	14.817	26.150	
109	6.700	4.766	9.351	8.300	14.783	26.033	
110	6.650	4.757	9.341	8.250	14.750	25.917	
111	6.600	4.748	9.331	8.200	14.717	25.800	
112	6.550	4.739	9.321	8.150	14.683	25.683	
113	6.500	4.730	9.311	8.100	14.650	25.567	
114	6.450	4.721	9.301	8.050	14.617	25.450	
115	6.400	4.712	9.291	8.000	14.583	25.333	
116	6.350	4.703	9.281	7.950	14.550	25.217	
117	6.300	4.694	9.271	7.900	14.517	25.100	
118	6.250	4.685	9.261	7.850	14.483	24.983	
119	6.200	4.676	9.251	7.800	14.450	24.867	
120	6.150	4.667	9.241	7.750	14.417	24.750	
121	6.100	4.658	9.231	7.700	14.383	24.633	
122	6.050	4.649	9.221	7.650	14.350	24.517	
123	6.000	4.640	9.211	7.600	14.317	24.400	
124	5.950	4.631	9.201	7.550	14.283	24.283	
125	5.900	4.622	9.191	7.500	14.250	24.167	
126	5.850	4.613	9.181	7.450	14.217	24.050	
127	5.800	4.604	9.171	7.400	14.183	23.933	
128	5.750	4.595	9.161	7.350	14.150	23.817	
129	5.700	4.586	9.151	7.300	14.117	23.700	
130	5.650	4.577	9.141	7.250	14.083	23.583	
131	5.600	4.568	9.131	7.200	14.050	23.467	
132	5.550	4.559	9.121	7.150	14.017	23.350	
133	5.500	4.550	9.111	7.100	13.983	23.233	
134	5.450	4.541	9.101	7.050	13.950	23.117	
135	5.400	4.532	9.091	7.000	13.917	23.000	
136	5.350	4.523	9.081	6.950	13.883	22.883	
137	5.300	4.514	9.071	6.900	13.850	22.767	
138	5.250	4.505	9.061	6.850	13.817	22.650	
139	5.200	4.496	9.051	6.800	13.783	22.533	
140	5.150	4.487	9.041	6.750	13.750	22.417	
141	5.100	4.478	9.031	6.700	13.717	22.300	
142	5.050	4.469	9.021	6.650	13.683	22.183	
143	5.000	4.460	9.011	6.600	13.650	22.067	
144	4.950	4.451	9.001	6.550	13.617	21.950	
145	4.900	4.442	8.991	6.500	13.583	21.833	
146	4.850	4.433	8.981	6.450	13.550	21.717	
147	4.800	4.424	8.971	6.400	13.517	21.600	
148	4.750	4.415	8.961	6.350	13.483	21.483	
149	4.700	4.406	8.951	6.300	13.450	21.367	
150	4.650	4.397	8.941	6.250	13.417	21.250	
151	4.600	4.388	8.931	6.200	13.383	21.133	
152	4.550	4.379	8.921	6.150	13.350	21.017	
153	4.500	4.370	8.911	6.100	13.317	20.900	
154	4.450	4.361	8.901	6.050	13.283	20.783	
155	4.400	4.352	8.891	6.000	13.250	20.667	
156	4.350	4.343	8.881	5.950	13.217	20.550	
157	4.300	4.334	8.871	5.900	13.183	20.433	
158	4.250	4.325	8.861	5.850	13.150	20.317	
159	4.200	4.316	8.851	5.800	13.117	20.200	
160	4.150	4.307	8.841	5.750	13.083	20.083	
161							

Table A.3 (continued)

F Distribution: Critical Values of F (5% significance level)

ν_1	25	30	35	40	50	60	75	100	150	200
1	1.9516	1.9010	1.8609	1.8314	1.8177	1.8120	1.8122	1.8104	1.8146	1.8168
2	1.8481	1.7946	1.7547	1.7252	1.7115	1.7058	1.7060	1.7042	1.7084	1.7106
3	1.7633	1.7088	1.6690	1.6404	1.6267	1.6210	1.6212	1.6194	1.6236	1.6258
4	1.6927	1.6382	1.5984	1.5708	1.5571	1.5514	1.5516	1.5498	1.5540	1.5562
5	1.6312	1.5767	1.5369	1.5093	1.4956	1.4899	1.4901	1.4883	1.4925	1.4947
6	1.5763	1.5218	1.4820	1.4544	1.4407	1.4350	1.4352	1.4334	1.4376	1.4398
7	1.5271	1.4726	1.4328	1.4052	1.3915	1.3858	1.3860	1.3842	1.3884	1.3906
8	1.4828	1.4283	1.3885	1.3609	1.3472	1.3415	1.3417	1.3399	1.3441	1.3463
9	1.4428	1.3883	1.3485	1.3209	1.3072	1.3015	1.3017	1.2999	1.3041	1.3063
10	1.4068	1.3523	1.3125	1.2849	1.2712	1.2655	1.2657	1.2639	1.2681	1.2703
11	1.3736	1.3191	1.2793	1.2517	1.2380	1.2323	1.2325	1.2307	1.2349	1.2371
12	1.3428	1.2883	1.2485	1.2209	1.2072	1.2015	1.2017	1.1999	1.2041	1.2063
13	1.3140	1.2595	1.2197	1.1921	1.1784	1.1727	1.1729	1.1711	1.1753	1.1775
14	1.2870	1.2325	1.1927	1.1651	1.1514	1.1457	1.1459	1.1441	1.1483	1.1505
15	1.2616	1.2071	1.1673	1.1397	1.1260	1.1203	1.1205	1.1187	1.1229	1.1251
16	1.2376	1.1831	1.1433	1.1157	1.1020	1.0963	1.0965	1.0947	1.0989	1.1011
17	1.2148	1.1603	1.1205	1.0929	1.0792	1.0735	1.0737	1.0719	1.0761	1.0783
18	1.1931	1.1386	1.0988	1.0712	1.0575	1.0518	1.0520	1.0502	1.0544	1.0566
19	1.1724	1.1179	1.0781	1.0505	1.0368	1.0311	1.0313	1.0295	1.0337	1.0359
20	1.1525	1.0980	1.0582	1.0306	1.0169	1.0112	1.0114	1.0096	1.0138	1.0160
21	1.1333	1.0788	1.0390	1.0114	0.9977	0.9920	0.9922	0.9904	0.9946	0.9968
22	1.1147	1.0602	1.0204	0.9928	0.9791	0.9734	0.9736	0.9718	0.9760	0.9782
23	1.0966	1.0421	1.0023	0.9747	0.9610	0.9553	0.9555	0.9537	0.9579	0.9601
24	1.0790	1.0245	0.9847	0.9571	0.9434	0.9377	0.9379	0.9361	0.9403	0.9425
25	1.0618	1.0073	0.9675	0.9399	0.9262	0.9205	0.9207	0.9189	0.9231	0.9253
26	1.0450	0.9905	0.9507	0.9231	0.9094	0.9037	0.9039	0.9021	0.9063	0.9085
27	1.0286	0.9741	0.9343	0.9067	0.8930	0.8873	0.8875	0.8857	0.8899	0.8921
28	1.0126	0.9581	0.9183	0.8907	0.8770	0.8713	0.8715	0.8697	0.8739	0.8761
29	0.9969	0.9424	0.9026	0.8750	0.8613	0.8556	0.8558	0.8540	0.8582	0.8604
30	0.9815	0.9270	0.8872	0.8596	0.8459	0.8402	0.8404	0.8386	0.8428	0.8450
35	0.9418	0.8873	0.8475	0.8199	0.8062	0.8005	0.8007	0.7989	0.8031	0.8053
40	0.9071	0.8526	0.8128	0.7852	0.7715	0.7658	0.7660	0.7642	0.7684	0.7706
45	0.8763	0.8218	0.7820	0.7544	0.7407	0.7350	0.7352	0.7334	0.7376	0.7398
50	0.8490	0.7945	0.7547	0.7271	0.7134	0.7077	0.7079	0.7061	0.7103	0.7125
60	0.8081	0.7536	0.7138	0.6862	0.6725	0.6668	0.6670	0.6652	0.6694	0.6716
70	0.7734	0.7189	0.6791	0.6515	0.6378	0.6321	0.6323	0.6305	0.6347	0.6369
80	0.7437	0.6892	0.6494	0.6218	0.6081	0.6024	0.6026	0.6008	0.6050	0.6072
90	0.7181	0.6636	0.6238	0.5962	0.5825	0.5768	0.5770	0.5752	0.5794	0.5816
100	0.6956	0.6411	0.6013	0.5737	0.5600	0.5543	0.5545	0.5527	0.5569	0.5591
150	0.6250	0.5705	0.5307	0.5031	0.4894	0.4837	0.4839	0.4821	0.4863	0.4885
200	0.5812	0.5267	0.4869	0.4593	0.4456	0.4399	0.4401	0.4383	0.4425	0.4447
250	0.5473	0.4928	0.4530	0.4254	0.4117	0.4060	0.4062	0.4044	0.4086	0.4108
300	0.5198	0.4653	0.4255	0.3979	0.3842	0.3785	0.3787	0.3769	0.3811	0.3833
400	0.4812	0.4267	0.3869	0.3593	0.3456	0.3399	0.3401	0.3383	0.3425	0.3447
500	0.4518	0.3973	0.3575	0.3299	0.3162	0.3105	0.3107	0.3089	0.3131	0.3153
600	0.4281	0.3736	0.3338	0.3062	0.2925	0.2868	0.2870	0.2852	0.2894	0.2916
700	0.4081	0.3536	0.3138	0.2862	0.2725	0.2668	0.2670	0.2652	0.2694	0.2716
800	0.3918	0.3373	0.2975	0.2699	0.2562	0.2505	0.2507	0.2489	0.2531	0.2553
900	0.3781	0.3236	0.2838	0.2562	0.2425	0.2368	0.2370	0.2352	0.2394	0.2416
1000	0.3663	0.3118	0.2720	0.2444	0.2307	0.2250	0.2252	0.2234	0.2276	0.2298

F Distribution: Critical Values of F (1% significance level)

ν_1	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20
1	16.0137	10.0000	8.0100	7.0000	6.5909	6.3501	6.2139	6.1370	6.0901	6.0557	6.0312	6.0137	6.0019	5.9935	5.9877
2	19.0000	9.0000	7.1071	6.3889	6.1903	6.0783	6.0354	6.0044	5.9809	5.9625	5.9487	5.9393	5.9335	5.9298	5.9273
3	21.0000	8.0000	6.3771	5.8095	5.6539	5.5826	5.5437	5.5169	5.4974	5.4821	5.4703	5.4617	5.4559	5.4522	5.4497
4	22.0000	7.0000	6.0000	5.5727	5.4583	5.4026	5.3687	5.3430	5.3235	5.3091	5.2996	5.2938	5.2899	5.2869	5.2845
5	23.0000	6.0000	5.7143	5.3370	5.2553	5.2137	5.1847	5.1630	5.1474	5.1356	5.1270	5.1212	5.1173	5.1143	5.1119
6	24.0000	5.0000	5.4817	5.1453	5.0888	5.0526	5.0287	5.0119	4.9991	4.9895	4.9837	4.9798	4.9768	4.9744	4.9720
7	25.0000	4.0000	5.2832	4.9879	4.9463	4.9154	4.8947	4.8800	4.8693	4.8617	4.8568	4.8529	4.8499	4.8475	4.8451
8	26.0000	3.0000	5.1171	4.8535	4.8261	4.8009	4.7821	4.7684	4.7597	4.7539	4.7499	4.7469	4.7445	4.7421	4.7397
9	27.0000	2.0000	4.9801	4.7475	4.7251	4.7047	4.6900	4.6803	4.6745	4.6705	4.6675	4.6651	4.6627	4.6603	4.6579
10	28.0000	1.0000	4.8671	4.6845	4.6671	4.6524	4.6437	4.6379	4.6339	4.6309	4.6285	4.6261	4.6237	4.6213	4.6189
11	29.0000	0.5000	4.7721	4.6119	4.6005	4.5928	4.5888	4.5858	4.5834	4.5819	4.5805	4.5791	4.5777	4.5763	4.5749
12	30.0000	0.2000	4.6933	4.5593	4.5535	4.5495	4.5465	4.5441	4.5426	4.5412	4.5408	4.5404	4.5400	4.5396	4.5392
13	31.0000	0.1000	4.6277	4.5095	4.5097	4.5099	4.5101	4.5103	4.5105	4.5107	4.5109	4.5111	4.5113	4.5115	4.5117
14	32.0000	0.0500	4.5729	4.4693	4.4721	4.4723	4.4725	4.4727	4.4729	4.4731	4.4733	4.4735	4.4737	4.4739	4.4741
15	33.0000	0.0200	4.5271	4.4335	4.4383	4.4385	4.4387	4.4389	4.4391	4.4393	4.4395	4.4397	4.4399	4.4401	4.4403
16	34.0000	0.0100	4.4893	4.4057	4.4125	4.4127	4.4129	4.4131	4.4133	4.4135	4.4137	4.4139	4.4141	4.4143	4.4145
17	35.0000	0.0050	4.4575	4.3839	4.3927	4.3929	4.3931	4.3933	4.3935	4.3937	4.3939	4.3941	4.3943	4.3945	4.3947
18	36.0000	0.0020	4.4301	4.3665	4.3773	4.3775	4.3777	4.3779	4.3781	4.3783	4.3785	4.3787	4.3789	4.3791	4.3793
19	37.0000	0.0010	4.4063	4.3527	4.3655	4.3657	4.3659	4.3661	4.3663	4.3665	4.3667	4.3669	4.3671	4.3673	4.3675
20	38.0000	0.0005	4.3853	4.3411	4.3559	4.3561	4.3563	4.3565	4.3567	4.3569	4.3571	4.3573	4.3575	4.3577	4.3579
21	39.0000	0.0002	4.3663	4.3319	4.3487	4.3489	4.3491	4.3493	4.3495	4.3497	4.3499	4.3501	4.3503	4.3505	4.3507
22	40.0000	0.0001	4.3491	4.3247	4.3435	4.3437	4.3439	4.3441	4.3443	4.3445	4.3447	4.3449	4.3451	4.3453	4.3455
23	41.0000	0.0000	4.3335	4.3191	4.3399	4.3401	4.3403	4.3405	4.3407	4.3409	4.3411	4.3413	4.3415	4.3417	4.3419
24	42.0000	0.0000	4.3193	4.3149	4.3377	4.3379	4.3381	4.3383	4.3385	4.3387	4.3389	4.3391	4.3393	4.3395	4.3397
25	43.0000	0.0000	4.3063	4.3119	4.3367	4.3369	4.3371	4.3373	4.3375	4.3377	4.3379	4.3381	4.3383	4.3385	4.3387
26	44.0000	0.0000	4.2943	4.3099	4.3367	4.3369	4.3371	4.3373	4.3375	4.3377	4.3379	4.3381	4.3383	4.3385	4.3387
27	45.0000	0.0000	4.2833	4.3089	4.3377	4.3379	4.3381	4.3383	4.3385	4.3387	4.3389	4.3391	4.3393	4.3395	4.3397
28	46.0000	0.0000	4.2733	4.3089	4.3387	4.3389	4.3391	4.3393	4.3395	4.3397	4.3399	4.3401	4.3403	4.3405	4.3407
29	47.0000	0.0000	4.2643	4.3089	4.3407	4.3409	4.3411	4.3413	4.3415	4.3417	4.3419	4.3421	4.3423	4.3425	4.3427
30	48.0000	0.0000	4.2563	4.3089	4.3437	4.3439	4.3441	4.3443	4.3445	4.3447	4.3449	4.3451	4.3453	4.3455	4.3457
35	49.0000	0.0000	4.2413	4.3089	4.3507	4.3509	4.3511	4.3513	4.3515	4.3517	4.3519	4.3521	4.3523	4.3525	4.3527
40	50.0000	0.0000	4.2273	4.3089	4.3597	4.3599	4.3601	4.3603	4.3605	4.3607	4.3609	4.3611	4.3613	4.3615	4.3617
45	51.0000	0.0000	4.2												

Table A.3 (continued)
F Distribution: Critical Values of F (0.1% significance level)

v ₁	v ₂									
	25	30	35	40	50	60	75	100	150	200
1	6.599	6.245	6.040	5.890	5.680	5.540	5.410	5.290	5.190	5.110
2	9.999	9.499	9.249	9.049	8.749	8.549	8.419	8.299	8.199	8.119
3	12.599	11.999	11.699	11.499	11.149	10.949	10.819	10.699	10.599	10.519
4	15.199	14.499	14.149	13.899	13.499	13.249	13.119	13.049	12.949	12.869
5	17.799	16.999	16.599	16.299	15.849	15.599	15.469	15.399	15.299	15.219
6	20.399	19.499	19.049	18.699	18.199	17.899	17.769	17.699	17.599	17.519
7	22.999	21.999	21.499	21.099	20.499	19.999	19.869	19.799	19.699	19.619
8	25.599	24.499	23.949	23.499	22.799	22.299	22.169	22.099	21.999	21.919
9	28.199	26.999	26.399	25.899	25.099	24.499	24.369	24.299	24.199	24.119
10	30.799	29.499	28.849	28.299	27.399	26.699	26.569	26.499	26.399	26.319
11	33.399	31.999	31.299	30.699	29.699	28.899	28.769	28.699	28.599	28.519
12	35.999	34.499	33.699	33.049	31.999	31.099	30.969	30.899	30.799	30.719
13	38.599	36.999	36.099	35.399	34.299	33.299	33.169	33.099	32.999	32.919
14	41.199	39.399	38.449	37.699	36.499	35.399	35.269	35.199	35.099	35.019
15	43.799	41.599	40.599	39.799	38.499	37.299	37.169	37.099	36.999	36.919
16	46.399	43.799	42.699	41.849	40.499	39.199	39.069	38.999	38.899	38.819
17	48.999	45.899	44.699	43.799	42.399	40.999	40.869	40.799	40.699	40.619
18	51.599	47.899	46.599	45.649	44.199	42.699	42.569	42.499	42.399	42.319
19	54.199	49.799	48.399	47.399	45.799	44.199	44.069	43.999	43.899	43.819
20	56.799	51.699	50.199	49.099	47.399	45.699	45.569	45.499	45.399	45.319
21	59.399	53.499	51.899	50.749	48.999	47.199	47.069	46.999	46.899	46.819
22	61.999	55.299	53.599	52.399	50.599	48.699	48.569	48.499	48.399	48.319
23	64.599	56.999	55.199	53.949	51.999	49.999	49.869	49.799	49.699	49.619
24	67.199	58.699	56.799	55.599	53.499	51.399	51.269	51.199	51.099	51.019
25	69.799	60.399	58.399	57.199	54.999	52.799	52.669	52.599	52.499	52.419
26	72.399	62.099	59.999	58.699	56.499	54.199	54.069	53.999	53.899	53.819
27	74.999	63.799	61.599	60.299	57.999	55.599	55.469	55.399	55.299	55.219
28	77.599	65.499	63.199	61.849	59.499	56.999	56.869	56.799	56.699	56.619
29	80.199	67.199	64.799	63.399	60.999	58.499	58.369	58.299	58.199	58.119
30	82.799	68.899	66.399	64.899	62.499	60.099	59.969	59.899	59.799	59.719
35	91.399	74.299	71.699	70.199	67.499	64.799	64.669	64.599	64.499	64.419
40	99.799	79.499	76.799	75.199	72.299	69.499	69.369	69.299	69.199	69.119
50	113.799	89.499	86.599	84.899	81.699	78.699	78.569	78.499	78.399	78.319
60	125.799	97.499	94.399	92.599	89.199	85.999	85.869	85.799	85.699	85.619
70	136.799	104.499	101.199	99.299	95.699	92.299	92.169	92.099	91.999	91.919
80	146.799	110.499	106.999	104.999	101.199	97.599	97.469	97.399	97.299	97.219
90	155.799	115.499	111.799	109.699	105.699	101.999	101.869	101.799	101.699	101.619
100	163.799	120.499	116.599	114.399	110.199	106.299	106.169	106.099	105.999	105.919

Table A.4
 χ^2 (Chi-Square) Distribution: Critical Values of χ^2

Degrees of freedom	Significance level		
	5%	1%	0.1%
1	3.841	6.635	10.828
2	5.991	9.210	13.816
3	7.879	11.345	16.266
4	9.488	13.277	18.467
5	11.070	15.086	20.515
6	12.592	16.812	22.458
7	14.067	18.475	24.322
8	15.507	20.090	26.124
9	16.919	21.666	27.877
10	18.307	23.209	29.588