UNIVERSITY OF SWAZILAND

#### **SUPPLEMENTARY EXAMINATION PAPER 2013**

TITLE OF PAPER:DESCRIPTIVE STATISTICSCOURSE CODE:ST 132TIME ALLOWED:TWO (2) HOURSREQUIREMENTS:CALCULATORINSTRUCTIONS:THIS PAPER HAS FIVE (5) QUESTIONS. AN-<br/>SWER ANY FOUR (4) QUESTIONS.

1

## **Question 1**

# [25 marks, 14+6+5]

(a) The table below shows the numbers of units sold of a company's products quarter by quarter over a three-and-a-half years.

<u></u>	Sales in SZL'000						
Year	Q1	Q2	Q3	Q4			
1987	100	125	127	102			
1988	104	128	130	107			
1989	110	131	133	107			
1990	109	132					

Use the method of moving averages to construct a deseasonalised series.

- (b) The following are the average weekly wages of part-time legal office employees in a large city for the years 1985 through 1990: 187.55, 196.92, 203.82, 217.88, 239.67, and 252.85 emalangeni.
  - (i) Construct an index showing the changes in these wages from the base year 1987.
  - (ii) If a consumer price index for this city showed an increase of 10 percent from 1988 to 1990 how much did these employees earn in 1990 in real wages (constant 1988 emalangeni).

### **Question 2**

## [25 marks, 6+6+8+5]

(a) A company wishes to measure the change in its performance using an index calculated from the data given below on numbers of times sold and their prices in 1990 and 1991.

	1990		1	991	
ltem	Price Number		Price	Number	
A	2.50	90	2.70	200	
В	3.80	150	4.00	160	
С	4.10	180	4.50	120	

Use 1990 as base and calculate for 1991:

- (i) the Laspeyres quantity index;
- (ii) the simple aggregate quantity index.
- (b) The number of senior civil servants (a random sample) who joined work before 8:45 am, almost every day, was recorded as follows:

17	17	18	18	18	19	20	21	22	24
24	25	25	26	26	27	27	27	27	28

- (i) Calculate the coefficient of skewness.
- (ii) Estimate the interquartile range.

## **Question 3**

# [25 marks, 8+6+6+5]

(a) It is believed that the price of a house in a certain city may be related to its distance from the centre of the city. These distances (in kilometres) can easily be obtained from a map and are given below for the 12 houses in the sample.

House	A	В	C	D	E	F	G	H	1	J	K	L
Price (SZL 000)	63	75	59	75	100	108	100	90	70	96	84	100
Distance	5.5	5.7	5.2	4.9	3.3	2.1	2.2	3.1	4.2	3.1	3.5	2.8

- (i) Using least squares, find the regression coefficients of house price on distance from the city centre. Explain to a manager, with no statistical knowledge the meaning of the terms: slope, intercept and coefficient of determination.
- (ii) The overall average distance from the city centre is 4.5 kilometres. Use this information to estimate the population mean house price..
- (iii) Comment on the advantages of using linear regression for forecasting and the limitations of the technique.
- (b) The summary statistics for two data sets are as follows:

	Sample size	Sample mean
X data	19	7.0
Y data	25	5.1

Compute the mean of the combined data sets.

### **Question 4**

## [25 marks, 8+6+5+6]

(a) The Wall Street Journal Stock Market Data Bank reports the numbers of shares traded on the New York Stock Exchange in half-hourly intervals. Following are the combined numbers of shares traded (in millions of shares) at half-hourly intervals for three recent days.

Shares traded (in millions)	Number of half-hourly periods		
1	1		
2-4	3		
10-14	17		
15-19	8		
20-24	3		
25-29	2		
30-34	1		
5-9	8		

- (i) Calculate the coefficient of skewness.
- (ii) Estimate the interquartile range.

- (b) In the UK Index of Retail Prices for December 1986 (January 1974=100) the approximate index for beer was around 500 and that for cheese was 400. Consider the following statements about December 1986:
  - (i) The price of beer was lower than the price of cheese.
  - (ii) The price of beer was higher than the price of cheese.
  - (iii) The change in the price of beer was 20 percent greater than the change in the price of cheese since January 1974.

Which of the statement(s) is/are true?

- (c) For a certain product, data is available on last quarter's sales, by value, and on current quarter's prices and sales volume. Which of the following index number types can be calculated, using the last quarter as base?
  - (i) Laspeyres price index;
  - (ii) Laspeyres quantity (volume) index;
  - (iii) Paasche price index;
  - (iv) Paasche quantity (volume) index; and
  - (v) Sales value index.

#### **Question 5**

### [25 marks, 5+5+5+5+5]

A police officer classifies a total of 150 reported crimes in 2009 by age (in years) of the criminal and whether the crime is violent or non-violent.

	Age (in years)					
Type of crime	Under 20	20 to 40	Over 40			
Violent	27	41	14			
Non-violent	12	34	22			

You must define the respective event(s) in each case and must use one of the probability rules to compute the following probabilities:

- (a) What is the probability of selecting a case to analyse and finding it involved a violent crime?
- (b) What is the probability of selecting a case to analyse and finding the crime was committed by some one 40 or less than 40 years old?
- (c) What is the probability of selecting a case that involved a violent crime or an offender less than 20 years old?
- (d) Given that a violent crime is selected for analysis, what is the probability the crime was committed by a person under 20 years old?
- (e) Two crimes are selected for review by a Judge. What is the probability that both are violent crime?