

DEPARTMENT OF STATISTICS AND DEMOGRAPHY

MAIN EXAMINATION, 2013/14

COURSE TITLE: STATISTICAL INFERENCE I

COURSE CODE: ST 232

TIME ALLOWED: THREE (3) HOURS

INSTRUCTION: ANSWER ANY FOUR QUESTIONS. EACH QUESTION CARRIES 25 MARKS.

SPECIAL REQUIREMENTS: SCIENTIFIC CALCULATORS AND STATISTICAL TABLES

DO NOT OPEN THIS PAGE UNTIL PERMISSION HAS BEEN GRANTED BY THE INVIGILATOR

Question 1

(A) The breaking strength of a fibre is required to be at least 150 psi. Past experience has indicated that the standard deviation of breaking strength is $\sigma = 3$. A random sample of four specimens is tested, and the results are $y_1 = 145$, $y_2 = 153$, $y_3 = 150$ and $y_4 = 147$.

- (a) State the hypotheses that you think should be tested in this experiment and test these hypotheses using $\alpha = 0.05$. What are your conclusions? **(9 marks)**
 (b) Find the P-value for the test in part (a) **(3 marks)**
 (c) Construct a 95 per cent confidence interval on the mean breaking strength. **(4 marks)**

(B) (i) Many cardiac patients wear implanted pacemakers to control their heartbeat. A plastic connector module mounts on the top of the pacemaker. Assuming a standard deviation of 0.0015 and an approximate normal distribution, find a 95% confidence interval for the mean of all connector modules made by a certain manufacturing company. A random sample of 75 modules has an average of 0.310 inch. **(5 marks)**

(ii) How large a sample is needed if we wish to be 95% confident that our sample mean will be within 0.0005 inch of the true mean? **(4 marks)**

Question 2

(a) A taxi company is trying to decide whether to purchase Brand A or brand B tyres for its fleet of taxis. To estimate the difference in the two brands, an experiment was conducted using 12 of each brand. The tyres were run until worn out. The results were:

Brand A: $\bar{x}_1 = 36,300$ kilometres,
 $s_1 = 5000$ kilometres.

Brand B: $\bar{x}_2 = 38,100$ kilometres,
 $s_2 = 6100$ kilometres.

Construct a 94% confidence interval for $\mu_A - \mu_B$ assuming the populations to be approximately normally distributed. You may not assume that the variances are equal. **(15 marks)**

(b) Construct a 90% confidence interval for σ_1^2 / σ_2^2 for question (a) above. Were we justified in assuming that $\sigma_1^2 \neq \sigma_2^2$ when we constructed our confidence interval for $\mu_A - \mu_B$? **(10 marks)**

Question 3

A criminologist conducted a survey to determine whether the incidence of certain types of crimes varied from one part of a large city to another. The particular crimes of interest were assault, burglary, larceny and homicide. The following table shows the numbers of crimes committed in four areas of the city during the past year.

District	Type of crime			
	Assault	Burglary	Larceny	Homicide
1	162	118	451	18
2	310	196	996	25
3	258	193	458	10
4	280	175	390	19

Can we conclude from these data at 0.01 level of significance that the occurrence of these types of crimes is dependent on the city district? **(25 marks)**

Question 4

Six model kitchens were rated for style and convenience by independent interior designers and by potential customers. The scale ran from 1 to 100 points. The data are as follows;

Kitchen	A	B	C	D	E	F
Designer	48	76	30	88	61	93
Customer	35	44	28	50	75	85

At 5% level of significance, is there a significant relationship between the two ratings? **(25 marks)**

Question 5

(a) A large chain retailer purchases a certain kind of electronic device from a manufacturer. The manufacturer indicates that the defective rate of the device is 3%. The inspector of the retailer randomly picks 20 items from the shipment. What is the probability that there will be at least one defective item among these 20? **(5 marks)**

(b) An electrical firm manufactures light bulbs that have a length of life that is approximately normally distributed, with mean equal to 800 hours and a standard deviation of 40 hours. Find the probability that a random sample of 16 bulbs will have an average life of less than 775 hours. **(6 marks)**

(c) The probability that a patient recovers from a rare disease is 0.4. If 100 people are known to have contracted this disease, what is the probability that less than 30 survive? Use the Normal approximation to the Binomial to answer this question. **(7 marks)**

(d) Among 5000 marriage license applications chosen at random in a given year, there were 48 in which the woman was at least one year older than the man and among 400 marriage license applications chosen at random six years later, there were 68 in which the woman was at least one year older than the man. Construct a 99% confidence interval for the difference between the corresponding true proportions of marriage license applications in which the woman was at least one year older than the man. **(7 marks)**

END OF EXAM!!




TABLE 4
Critical Values
of t

df	$t_{.100}$	$t_{.050}$	$t_{.025}$	$t_{.010}$	$t_{.005}$	df
1	3.078	6.314	12.706	31.821	63.657	1
2	1.886	2.920	4.303	6.965	9.925	2
3	1.638	2.353	3.182	4.541	5.841	3
4	1.533	2.132	2.776	3.747	4.604	4
5	1.476	2.015	2.571	3.365	4.032	5
6	1.440	1.943	2.447	3.143	3.707	6
7	1.415	1.895	2.365	2.998	3.499	7
8	1.397	1.860	2.306	2.896	3.355	8
9	1.383	1.833	2.262	2.821	3.250	9
10	1.372	1.812	2.228	2.764	3.169	10
11	1.363	1.796	2.201	2.718	3.106	11
12	1.356	1.782	2.179	2.681	3.055	12
13	1.350	1.771	2.160	2.650	3.012	13
14	1.345	1.761	2.145	2.624	2.977	14
15	1.341	1.753	2.131	2.602	2.947	15
16	1.337	1.746	2.120	2.583	2.921	16
17	1.333	1.740	2.110	2.567	2.898	17
18	1.330	1.734	2.101	2.552	2.878	18
19	1.328	1.729	2.093	2.539	2.861	19
20	1.325	1.725	2.086	2.528	2.845	20
21	1.323	1.721	2.080	2.518	2.831	21
22	1.321	1.717	2.074	2.508	2.819	22
23	1.319	1.714	2.069	2.500	2.807	23
24	1.318	1.711	2.064	2.492	2.797	24
25	1.316	1.708	2.060	2.485	2.787	25
26	1.315	1.706	2.056	2.479	2.779	26
27	1.314	1.703	2.052	2.473	2.771	27
28	1.313	1.701	2.048	2.467	2.763	28
29	1.311	1.699	2.045	2.462	2.756	29
∞	1.282	1.645	1.960	2.326	2.576	∞

Source: From "Table of Percentage Points of the t -Distribution," *Biometrika* 32 (1941):300. Reproduced by permission of the *Biometrika* Trustees.




TABLE 5
Critical Values
of Chi-Square

df	$\chi^2_{.995}$	$\chi^2_{.990}$	$\chi^2_{.975}$	$\chi^2_{.950}$	$\chi^2_{.900}$
1	.0000393	.0001571	.0009821	.0039321	.0157908
2	.0100251	.0201007	.0506356	.102587	.210720
3	.0717212	.114832	.215795	.351846	.584375
4	.206990	.297110	.484419	.710721	1.063623
5	.411740	.554300	.831211	1.145476	1.61031
6	.675727	.872085	1.237347	1.63539	2.20413
7	.989265	1.239043	1.68987	2.16735	2.83311
8	1.344419	1.646482	2.17973	2.73264	3.48954
9	1.734926	2.087912	2.70039	3.32511	4.16816
10	2.15585	2.55821	3.24697	3.94030	4.86518
11	2.60321	3.05347	3.81575	4.57481	5.57779
12	3.07382	3.57056	4.40379	5.22603	6.30380
13	3.56503	4.10691	5.00874	5.89186	7.04150
14	4.07468	4.66043	5.62872	6.57063	7.78953
15	4.60094	5.22935	6.26214	7.26094	8.54675
16	5.14224	5.81221	6.90766	7.96164	9.31223
17	5.69724	6.40776	7.56418	8.67176	10.0852
18	6.26481	7.01491	8.23075	9.39046	10.8649
19	6.84398	7.63273	8.90655	10.1170	11.6509
20	7.43386	8.26040	9.59083	10.8508	12.4426
21	8.03366	8.89720	10.28293	11.5913	13.2396
22	8.64272	9.54249	10.9823	12.3380	14.0415
23	9.26042	10.19567	11.6885	13.0905	14.8479
24	9.88623	10.8564	12.4011	13.8484	15.6587
25	10.5197	11.5240	13.1197	14.6114	16.4734
26	11.1603	12.1981	13.8439	15.3791	17.2919
27	11.8076	12.8786	14.5733	16.1513	18.1138
28	12.4613	13.5648	15.3079	16.9279	18.9392
29	13.1211	14.2565	16.0471	17.7083	19.7677
30	13.7867	14.9535	16.7908	18.4926	20.5992
40	20.7065	22.1643	24.4331	26.5093	29.0505
50	27.9907	29.7067	32.3574	34.7642	37.6886
60	35.5346	37.4848	40.4817	43.1879	46.4589
70	43.2752	45.4418	48.7576	51.7393	55.3290
80	51.1720	53.5400	57.1532	60.3915	64.2778
90	59.1963	61.7541	65.6466	69.1260	73.2912
100	67.3276	70.0648	74.2219	77.9295	82.3581

SOURCE: From "Tables of the Percentage Points of the χ^2 -Distribution," *Biometrika Tables for Statisticians*, Vol. 1, 3rd ed. (1966). Reproduced by permission of the *Biometrika Trustees*.

TABLE 5
(continued)

$\chi^2_{.100}$	$\chi^2_{.050}$	$\chi^2_{.025}$	$\chi^2_{.010}$	$\chi^2_{.005}$	df
2.70554	3.84146	5.02389	6.63490	7.87944	1
4.60517	5.99147	7.37776	9.21034	10.5966	2
6.25139	7.81473	9.34840	11.3449	12.8381	3
7.77944	9.48773	11.1433	13.2767	14.8602	4
9.23635	11.0705	12.8325	15.0863	16.7496	5
10.6446	12.5916	14.4494	16.8119	18.5476	6
12.0170	14.0671	16.0128	18.4753	20.2777	7
13.3616	15.5073	17.5346	20.0902	21.9550	8
14.6837	16.9190	19.0228	21.6660	23.5893	9
15.9871	18.3070	20.4831	23.2093	25.1882	10
17.2750	19.6751	21.9200	24.7250	26.7569	11
18.5494	21.0261	23.3367	26.2170	28.2995	12
19.8119	22.3621	24.7356	27.6883	29.8194	13
21.0642	23.6848	26.1190	29.1413	31.3193	14
22.3072	24.9958	27.4884	30.5779	32.8013	15
23.5418	26.2962	28.8485	31.9999	34.2672	16
24.7690	27.5871	30.1910	33.4087	35.7185	17
25.9894	28.8693	31.5264	34.8053	37.1564	18
27.2036	30.1435	32.8523	36.1908	38.5822	19
28.4120	31.4104	34.1696	37.5662	39.9968	20
29.6151	32.6705	35.4789	38.9321	41.4010	21
30.8133	33.9244	36.7807	40.2894	42.7956	22
32.0069	35.1725	38.0757	41.6384	44.1813	23
33.1963	36.4151	39.3641	42.9798	45.5585	24
34.3816	37.6525	40.6465	44.3141	46.9278	25
35.5631	38.8852	41.9232	45.6417	48.2899	26
36.7412	40.1133	43.1944	46.9630	49.6449	27
37.9159	41.3372	44.4607	48.2782	50.9933	28
39.0875	42.5569	45.7222	49.5879	52.3356	29
40.2560	43.7729	46.9792	50.8922	53.6720	30
51.8050	55.7585	59.3417	63.6907	66.7659	40
63.1671	67.5048	71.4202	76.1539	79.4900	50
74.3970	79.0819	83.2976	88.3794	91.9517	60
85.5271	90.5312	95.0231	100.425	104.215	70
96.5782	101.879	106.629	112.329	116.321	80
107.565	113.145	118.136	124.116	128.299	90
118.498	124.342	129.561	135.807	140.169	100

TABLE 8 (continued)

df ₂	α	df ₁								
		1	2	3	4	5	6	7	8	9
10	.100	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35
	.050	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
	.025	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78
	.010	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94
	.005	12.83	9.43	8.08	7.34	6.87	6.54	6.30	6.12	5.97
11	.100	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27
	.050	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90
	.025	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59
	.010	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63
	.005	12.23	8.91	7.60	6.88	6.42	6.10	5.86	5.68	5.54
12	.100	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21
	.050	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
	.025	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44
	.010	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39
	.005	11.75	8.51	7.23	6.52	6.07	5.76	5.52	5.35	5.20
13	.100	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16
	.050	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71
	.025	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31
	.010	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19
	.005	11.37	8.19	6.93	6.23	5.79	5.48	5.25	5.08	4.94
14	.100	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12
	.050	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65
	.025	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21
	.010	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03
	.005	11.06	7.92	6.68	6.00	5.56	5.26	5.03	4.86	4.72
15	.100	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09
	.050	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
	.025	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12
	.010	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89
	.005	10.80	7.70	6.48	5.80	5.37	5.07	4.85	4.67	4.54
16	.100	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06
	.050	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54
	.025	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05
	.010	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78
	.005	10.58	7.51	6.30	5.64	5.21	4.91	4.69	4.52	4.38
17	.100	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03
	.050	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49
	.025	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98
	.010	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68
	.005	10.38	7.35	6.16	5.50	5.07	4.78	4.56	4.39	4.25
18	.100	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00
	.050	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46
	.025	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93
	.010	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60
	.005	10.22	7.21	6.03	5.37	4.96	4.66	4.44	4.28	4.14
19	.100	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98
	.050	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42
	.025	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88
	.010	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52
	.005	10.07	7.09	5.92	5.27	4.85	4.56	4.34	4.18	4.04
20	.100	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96
	.050	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
	.025	5.87	4.46	3.85	3.51	3.29	3.13	3.01	2.91	2.84
	.010	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46
	.005	9.94	6.99	5.82	5.17	4.76	4.47	4.26	4.09	3.96

TABLE 6 (continued)

df ₂	α	df ₁											
		10	12	15	20	24	30	40	60	120	∞		
10	.100	2.32	2.28	2.24	2.20	2.18	2.16	2.13	2.11	2.08	2.06	.100	10
	.050	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54	.050	
	.025	3.72	3.62	3.52	3.42	3.37	3.31	3.26	3.20	3.14	3.08	.025	
	.010	4.85	4.71	4.56	4.41	4.33	4.25	4.17	4.08	4.00	3.91	.010	
	.005	5.85	5.66	5.47	5.27	5.17	5.07	4.97	4.86	4.75	4.64	.005	
11	.100	2.25	2.21	2.17	2.12	2.10	2.08	2.05	2.03	2.00	1.97	.100	11
	.050	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40	.050	
	.025	3.53	3.43	3.33	3.23	3.17	3.12	3.06	3.00	2.94	2.88	.025	
	.010	4.54	4.40	4.25	4.10	4.02	3.94	3.86	3.78	3.69	3.60	.010	
	.005	5.42	5.24	5.05	4.86	4.76	4.65	4.55	4.44	4.34	4.23	.005	
12	.100	2.19	2.15	2.10	2.06	2.04	2.01	1.99	1.96	1.93	1.90	.100	12
	.050	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30	.050	
	.025	3.37	3.28	3.18	3.07	3.02	2.96	2.91	2.85	2.79	2.72	.025	
	.010	4.30	4.16	4.01	3.86	3.78	3.70	3.62	3.54	3.45	3.36	.010	
	.005	5.09	4.91	4.72	4.53	4.43	4.33	4.23	4.12	4.01	3.90	.005	
13	.100	2.14	2.10	2.05	2.01	1.98	1.96	1.93	1.90	1.88	1.85	.100	13
	.050	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21	.050	
	.025	3.25	3.15	3.05	2.95	2.89	2.84	2.78	2.72	2.66	2.60	.025	
	.010	4.10	3.96	3.82	3.66	3.59	3.51	3.43	3.34	3.25	3.17	.010	
	.005	4.82	4.64	4.46	4.27	4.17	4.07	3.97	3.87	3.76	3.65	.005	
14	.100	2.10	2.05	2.01	1.96	1.94	1.91	1.89	1.86	1.83	1.80	.100	14
	.050	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13	.050	
	.025	3.15	3.05	2.95	2.84	2.79	2.73	2.67	2.61	2.55	2.49	.025	
	.010	3.94	3.80	3.66	3.51	3.43	3.35	3.27	3.18	3.09	3.00	.010	
	.005	4.60	4.43	4.25	4.06	3.96	3.86	3.76	3.66	3.55	3.44	.005	
15	.100	2.06	2.02	1.97	1.92	1.90	1.87	1.85	1.82	1.79	1.76	.100	15
	.050	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07	.050	
	.025	3.06	2.96	2.86	2.76	2.70	2.64	2.59	2.52	2.46	2.40	.025	
	.010	3.80	3.67	3.52	3.37	3.29	3.21	3.13	3.05	2.96	2.87	.010	
	.005	4.42	4.25	4.07	3.88	3.79	3.69	3.58	3.48	3.37	3.26	.005	
16	.100	2.03	1.99	1.94	1.89	1.87	1.84	1.81	1.78	1.75	1.72	.100	16
	.050	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01	.050	
	.025	2.99	2.89	2.79	2.68	2.63	2.57	2.51	2.45	2.38	2.32	.025	
	.010	3.69	3.55	3.41	3.26	3.18	3.10	3.02	2.93	2.84	2.75	.010	
	.005	4.27	4.10	3.92	3.73	3.64	3.54	3.44	3.33	3.22	3.11	.005	
17	.100	2.00	1.96	1.91	1.86	1.84	1.81	1.78	1.75	1.72	1.69	.100	17
	.050	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96	.050	
	.025	2.92	2.82	2.72	2.62	2.56	2.50	2.44	2.38	2.32	2.25	.025	
	.010	3.59	3.46	3.31	3.16	3.08	3.00	2.92	2.83	2.75	2.65	.010	
	.005	4.14	3.97	3.79	3.61	3.51	3.41	3.31	3.21	3.10	2.98	.005	
18	.100	1.98	1.93	1.89	1.84	1.81	1.78	1.75	1.72	1.69	1.66	.100	18
	.050	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92	.050	
	.025	2.87	2.77	2.67	2.56	2.50	2.44	2.38	2.32	2.26	2.19	.025	
	.010	3.51	3.37	3.23	3.08	3.00	2.92	2.84	2.75	2.66	2.57	.010	
	.005	4.03	3.86	3.68	3.50	3.40	3.30	3.20	3.10	2.99	2.87	.005	
19	.100	1.96	1.91	1.86	1.81	1.79	1.76	1.73	1.70	1.67	1.63	.100	19
	.050	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88	.050	
	.025	2.82	2.72	2.62	2.51	2.45	2.39	2.33	2.27	2.20	2.13	.025	
	.010	3.43	3.30	3.15	3.00	2.92	2.84	2.76	2.67	2.58	2.49	.010	
	.005	3.93	3.76	3.59	3.40	3.31	3.21	3.11	3.00	2.89	2.78	.005	
20	.100	1.94	1.89	1.84	1.79	1.77	1.74	1.71	1.68	1.64	1.61	.100	20
	.050	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84	.050	
	.025	2.77	2.68	2.57	2.46	2.41	2.35	2.29	2.22	2.16	2.09	.025	
	.010	3.37	3.23	3.09	2.94	2.86	2.78	2.69	2.61	2.52	2.42	.010	
	.005	3.85	3.68	3.50	3.32	3.22	3.12	3.02	2.92	2.81	2.69	.005	

TABLE 6 (continued)

df ₂	a	df ₁								
		1	2	3	4	5	6	7	8	9
21	.100	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95
	.050	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37
	.025	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80
	.010	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40
	.005	9.83	6.89	5.73	5.09	4.68	4.39	4.18	4.01	3.88
22	.100	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93
	.050	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34
	.025	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76
	.010	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35
	.005	9.73	6.81	5.65	5.02	4.61	4.32	4.11	3.94	3.81
23	.100	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92
	.050	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32
	.025	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.73
	.010	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30
	.005	9.63	6.73	5.58	4.95	4.54	4.26	4.05	3.88	3.75
24	.100	2.93	2.54	2.33	2.20	2.10	2.04	1.98	1.94	1.91
	.050	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
	.025	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70
	.010	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26
	.005	9.55	6.66	5.52	4.89	4.49	4.20	3.99	3.83	3.69
25	.100	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89
	.050	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28
	.025	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68
	.010	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22
	.005	9.48	6.60	5.46	4.84	4.43	4.15	3.94	3.78	3.64
26	.100	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88
	.050	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27
	.025	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65
	.010	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18
	.005	9.41	6.54	5.41	4.79	4.38	4.10	3.89	3.73	3.60
27	.100	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87
	.050	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25
	.025	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.63
	.010	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15
	.005	9.34	6.49	5.36	4.74	4.34	4.06	3.85	3.69	3.56
28	.100	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87
	.050	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24
	.025	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.61
	.010	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12
	.005	9.28	6.44	5.32	4.70	4.30	4.02	3.81	3.65	3.52
29	.100	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.85
	.050	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22
	.025	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.59
	.010	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09
	.005	9.23	6.40	5.28	4.66	4.26	3.98	3.77	3.61	3.48
30	.100	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85
	.050	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
	.025	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57
	.010	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07
	.005	9.18	6.35	5.24	4.62	4.23	3.95	3.74	3.58	3.45

TABLE 6 (continued)

df ₂	a	df ₁											
		10	12	15	20	24	30	40	60	120	∞		
21	.100	1.92	1.87	1.83	1.78	1.75	1.72	1.69	1.66	1.62	1.59	.100	21
	.050	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81	.050	
	.025	2.73	2.64	2.53	2.42	2.37	2.31	2.25	2.18	2.11	2.04	.025	
	.010	3.31	3.17	3.03	2.88	2.80	2.72	2.64	2.55	2.46	2.36	.010	
	.005	3.77	3.60	3.43	3.24	3.15	3.05	2.95	2.84	2.73	2.61	.005	
22	.100	1.90	1.86	1.81	1.76	1.73	1.70	1.67	1.64	1.60	1.57	.100	22
	.050	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78	.050	
	.025	2.70	2.60	2.50	2.39	2.33	2.27	2.21	2.14	2.08	2.00	.025	
	.010	3.26	3.12	2.98	2.83	2.75	2.67	2.58	2.50	2.40	2.31	.010	
	.005	3.70	3.54	3.36	3.18	3.08	2.98	2.88	2.77	2.66	2.55	.005	
23	.100	1.89	1.84	1.80	1.74	1.72	1.69	1.66	1.62	1.59	1.55	.100	23
	.050	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76	.050	
	.025	2.67	2.57	2.47	2.36	2.30	2.24	2.18	2.11	2.04	1.97	.025	
	.010	3.21	3.07	2.93	2.78	2.70	2.62	2.54	2.45	2.35	2.26	.010	
	.005	3.64	3.47	3.30	3.12	3.02	2.92	2.82	2.71	2.60	2.48	.005	
24	.100	1.88	1.83	1.78	1.73	1.70	1.67	1.64	1.61	1.57	1.53	.100	24
	.050	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73	.050	
	.025	2.64	2.54	2.44	2.33	2.27	2.21	2.15	2.08	2.01	1.94	.025	
	.010	3.17	3.03	2.89	2.74	2.66	2.58	2.49	2.40	2.31	2.21	.010	
	.005	3.59	3.42	3.25	3.06	2.97	2.87	2.77	2.66	2.55	2.43	.005	
25	.100	1.87	1.82	1.77	1.72	1.69	1.66	1.63	1.59	1.56	1.52	.100	25
	.050	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71	.050	
	.025	2.61	2.51	2.41	2.30	2.24	2.18	2.12	2.05	1.98	1.91	.025	
	.010	3.13	2.99	2.85	2.70	2.62	2.54	2.45	2.36	2.27	2.17	.010	
	.005	3.54	3.37	3.20	3.01	2.92	2.82	2.72	2.61	2.50	2.38	.005	
26	.100	1.86	1.81	1.76	1.71	1.68	1.65	1.61	1.58	1.54	1.50	.100	26
	.050	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69	.050	
	.025	2.59	2.49	2.39	2.28	2.22	2.16	2.09	2.03	1.95	1.88	.025	
	.010	3.09	2.96	2.81	2.66	2.58	2.50	2.42	2.33	2.23	2.13	.010	
	.005	3.49	3.33	3.15	2.97	2.87	2.77	2.67	2.56	2.45	2.33	.005	
27	.100	1.85	1.80	1.75	1.70	1.67	1.64	1.60	1.57	1.53	1.49	.100	27
	.050	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67	.050	
	.025	2.57	2.47	2.36	2.25	2.19	2.13	2.07	2.00	1.93	1.85	.025	
	.010	3.06	2.93	2.78	2.63	2.55	2.47	2.38	2.29	2.20	2.10	.010	
	.005	3.45	3.28	3.11	2.93	2.83	2.73	2.63	2.52	2.41	2.29	.005	
28	.100	1.84	1.79	1.74	1.69	1.66	1.63	1.59	1.56	1.52	1.48	.100	28
	.050	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65	.050	
	.025	2.55	2.45	2.34	2.23	2.17	2.11	2.05	1.98	1.91	1.83	.025	
	.010	3.03	2.90	2.75	2.60	2.52	2.44	2.35	2.26	2.17	2.06	.010	
	.005	3.41	3.25	3.07	2.89	2.79	2.69	2.59	2.48	2.37	2.25	.005	
29	.100	1.83	1.78	1.73	1.68	1.65	1.62	1.58	1.55	1.51	1.47	.100	29
	.050	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64	.050	
	.025	2.53	2.43	2.32	2.21	2.15	2.09	2.03	1.96	1.89	1.81	.025	
	.010	3.00	2.87	2.73	2.57	2.49	2.41	2.33	2.23	2.14	2.03	.010	
	.005	3.38	3.21	3.04	2.86	2.76	2.66	2.56	2.45	2.33	2.21	.005	
30	.100	1.82	1.77	1.72	1.67	1.64	1.61	1.57	1.54	1.50	1.46	.100	30
	.050	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62	.050	
	.025	2.51	2.41	2.31	2.20	2.14	2.07	2.01	1.94	1.87	1.79	.025	
	.010	2.98	2.84	2.70	2.55	2.47	2.39	2.30	2.21	2.11	2.01	.010	
	.005	3.34	3.18	3.01	2.82	2.73	2.63	2.52	2.42	2.30	2.18	.005	

TABLE 6 (continued)

df ₂	df ₁									
	a	1	2	3	4	5	6	7	8	9
40	.100	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79
	.050	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12
	.025	5.42	4.05	3.46	3.13	2.90	2.74	2.62	2.53	2.45
	.010	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89
	.005	8.83	6.07	4.98	4.37	3.99	3.71	3.51	3.35	3.22
60	.100	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74
	.050	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
	.025	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33
	.010	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72
	.005	8.49	5.79	4.73	4.14	3.76	3.49	3.29	3.13	3.01
120	.100	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68
	.050	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96
	.025	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22
	.010	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56
	.005	8.18	5.54	4.50	3.92	3.55	3.28	3.09	2.93	2.81
∞	.100	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63
	.050	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.89
	.025	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11
	.010	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41
	.005	7.88	5.30	4.28	3.72	3.35	3.09	2.90	2.74	2.62

TABLE 6 (continued)

df ₂	df ₁										a	df ₂
	10	12	15	20	24	30	40	60	120	∞		
40	1.76	1.71	1.66	1.61	1.57	1.54	1.51	1.47	1.42	1.38	.100	40
	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51	.050	
	2.39	2.29	2.18	2.07	2.01	1.94	1.88	1.80	1.72	1.64	.025	
	2.80	2.66	2.52	2.37	2.29	2.20	2.11	2.02	1.92	1.80	.010	
	3.12	2.95	2.78	2.60	2.50	2.40	2.30	2.18	2.06	1.93	.005	
60	1.71	1.66	1.60	1.54	1.51	1.48	1.44	1.40	1.35	1.29	.100	60
	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39	.050	
	2.27	2.17	2.06	1.94	1.88	1.82	1.74	1.67	1.58	1.48	.025	
	2.63	2.50	2.35	2.20	2.12	2.03	1.94	1.84	1.73	1.60	.010	
	2.90	2.74	2.57	2.39	2.29	2.19	2.08	1.96	1.83	1.69	.005	
120	1.65	1.60	1.55	1.48	1.45	1.41	1.37	1.32	1.26	1.19	.100	120
	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25	.050	
	2.16	2.05	1.94	1.82	1.76	1.69	1.61	1.53	1.43	1.31	.025	
	2.47	2.34	2.19	2.03	1.95	1.86	1.76	1.66	1.53	1.38	.010	
	2.71	2.54	2.37	2.19	2.09	1.98	1.87	1.75	1.61	1.43	.005	
∞	1.60	1.55	1.49	1.42	1.38	1.34	1.30	1.24	1.17	1.00	.100	∞
	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00	.050	
	2.05	1.94	1.83	1.71	1.64	1.57	1.48	1.39	1.27	1.00	.025	
	2.32	2.18	2.04	1.88	1.79	1.70	1.59	1.47	1.32	1.00	.010	
	2.52	2.36	2.19	2.00	1.90	1.79	1.67	1.53	1.36	1.00	.005	

TABLE 7 Critical Values of T for the Wilcoxon Rank Sum Test, $n_1 \leq n_2$

**TABLE 7(a)
5% Left-Tailed
Critical Values**

n_2	n_1														
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
3	—	6													
4	—	6	11												
5	3	7	12	19											
6	3	8	13	20	28										
7	3	8	14	21	29	39									
8	4	9	15	23	31	41	51								
9	4	10	16	24	33	43	54	66							
10	4	10	17	26	35	45	56	69	82						
11	4	11	18	27	37	47	59	72	86	100					
12	5	11	19	28	38	49	62	75	89	104	120				
13	5	12	20	30	40	52	64	78	92	108	125	142			
14	6	13	21	31	42	54	67	81	96	112	129	147	166		
15	6	13	22	33	44	56	69	84	99	116	133	152	171	192	

**TABLE 7(b)
2.5% Left-Tailed
Critical Values**

n_2	n_1														
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
4	—	—	10												
5	—	6	11	17											
6	—	7	12	18	26										
7	—	7	13	20	27	36									
8	3	8	14	21	29	38	49								
9	3	8	14	22	31	40	51	62							
10	3	9	15	23	32	42	53	65	78						
11	3	9	16	24	34	44	55	68	81	96					
12	4	10	17	26	35	46	58	71	84	99	115				
13	4	10	18	27	37	48	60	73	88	103	119	136			
14	4	11	19	28	38	50	62	76	91	106	123	141	160		
15	4	11	20	29	40	52	65	79	94	110	127	145	164	184	

Source: Data from "An Extended Table of Critical Values for the Mann-Whitney (Wilcoxon) Two-Sample Statistic" by Roy C. Milton, pp. 925-934 in the *Journal of the American Statistical Association*, Volume 59, No. 307, Sept. 1964. Reprinted with permission from the *Journal of the American Statistical Association*. Copyright 1964 by the American Statistical Association. All rights reserved.

**TABLE 7(c)
1% Left-Tailed
Critical Values**

n_2	n_1														
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
3	—	—													
4	—	—	—												
5	—	—	10	16											
6	—	—	11	17	24										
7	—	6	11	18	25	34									
8	—	6	12	19	27	35	45								
9	—	7	13	20	28	37	47	59							
10	—	7	13	21	29	39	49	61	74						
11	—	7	14	22	30	40	51	63	77	91					
12	—	8	15	23	32	42	53	66	79	94	109				
13	3	8	15	24	33	44	56	68	82	97	113	130			
14	3	8	16	25	34	45	58	71	85	100	116	134	152		
15	3	9	17	26	36	47	60	73	88	103	120	138	156	176	

**TABLE 7(d)
.5% Left-Tailed
Critical Values**

n_2	n_1														
	3	4	5	6	7	8	9	10	11	12	13	14	15		
3	—														
4	—	—													
5	—	—	15												
6	—	10	16	23											
7	—	10	16	24	32										
8	—	11	17	25	34	42									
9	6	11	18	26	35	45	56								
10	6	12	19	27	37	47	58	71							
11	6	12	20	28	38	49	61	73	87						
12	7	13	21	30	40	51	63	76	90	105					
13	7	13	22	31	41	53	65	79	93	109	125				
14	7	14	22	32	43	54	67	81	96	112	129	147			
15	8	15	23	33	44	56	69	84	99	115	133	151	171		

TABLE 8
Critical Values
of *T* for the
Wilcoxon
Signed-Rank
Test, *n* = 5(1)50

One-Sided	Two-Sided	<i>n</i> = 5	<i>n</i> = 6	<i>n</i> = 7	<i>n</i> = 8	<i>n</i> = 9	<i>n</i> = 10
$\alpha = .050$	$\alpha = .10$	1	2	4	6	8	11
$\alpha = .025$	$\alpha = .05$		1	2	4	6	8
$\alpha = .010$	$\alpha = .02$			0	2	3	5
$\alpha = .005$	$\alpha = .01$				0	2	3

One-Sided	Two-Sided	<i>n</i> = 11	<i>n</i> = 12	<i>n</i> = 13	<i>n</i> = 14	<i>n</i> = 15	<i>n</i> = 16
$\alpha = .050$	$\alpha = .10$	14	17	21	26	30	36
$\alpha = .025$	$\alpha = .05$	11	14	17	21	25	30
$\alpha = .010$	$\alpha = .02$	7	10	13	16	20	24
$\alpha = .005$	$\alpha = .01$	5	7	10	13	16	19

One-Sided	Two-Sided	<i>n</i> = 17	<i>n</i> = 18	<i>n</i> = 19	<i>n</i> = 20	<i>n</i> = 21	<i>n</i> = 22
$\alpha = .050$	$\alpha = .10$	41	47	54	60	68	75
$\alpha = .025$	$\alpha = .05$	35	40	46	52	59	66
$\alpha = .010$	$\alpha = .02$	28	33	38	43	49	56
$\alpha = .005$	$\alpha = .01$	23	28	32 *	37	43	49

One-Sided	Two-Sided	<i>n</i> = 23	<i>n</i> = 24	<i>n</i> = 25	<i>n</i> = 26	<i>n</i> = 27	<i>n</i> = 28
$\alpha = .050$	$\alpha = .10$	83	92	101	110	120	130
$\alpha = .025$	$\alpha = .05$	73	81	90	98	107	117
$\alpha = .010$	$\alpha = .02$	62	69	77	85	93	102
$\alpha = .005$	$\alpha = .01$	55	68	68	76	84	92

One-Sided	Two-Sided	<i>n</i> = 29	<i>n</i> = 30	<i>n</i> = 31	<i>n</i> = 32	<i>n</i> = 33	<i>n</i> = 34
$\alpha = .050$	$\alpha = .10$	141	152	163	175	188	201
$\alpha = .025$	$\alpha = .05$	127	137	148	159	171	183
$\alpha = .010$	$\alpha = .02$	111	120	130	141	151	162
$\alpha = .005$	$\alpha = .01$	100	109	118	128	138	149

One-Sided	Two-Sided	<i>n</i> = 35	<i>n</i> = 36	<i>n</i> = 37	<i>n</i> = 38	<i>n</i> = 39
$\alpha = .050$	$\alpha = .10$	214	228	242	256	271
$\alpha = .025$	$\alpha = .05$	195	208	222	235	250
$\alpha = .010$	$\alpha = .02$	174	186	198	211	224
$\alpha = .005$	$\alpha = .01$	160	171	183	195	208

One-Sided	Two-Sided	<i>n</i> = 40	<i>n</i> = 41	<i>n</i> = 42	<i>n</i> = 43	<i>n</i> = 44	<i>n</i> = 45
$\alpha = .050$	$\alpha = .10$	287	303	319	336	353	371
$\alpha = .025$	$\alpha = .05$	264	279	295	311	327	344
$\alpha = .010$	$\alpha = .02$	238	252	267	281	297	313
$\alpha = .005$	$\alpha = .01$	221	234	248	262	277	292

One-Sided	Two-Sided	<i>n</i> = 46	<i>n</i> = 47	<i>n</i> = 48	<i>n</i> = 49	<i>n</i> = 50
$\alpha = .050$	$\alpha = .10$	389	408	427	446	466
$\alpha = .025$	$\alpha = .05$	361	379	397	415	434
$\alpha = .010$	$\alpha = .02$	329	345	362	380	398
$\alpha = .005$	$\alpha = .01$	307	323	339	356	373

Source: From "Some Rapid Approximate Statistical Procedures" (1964) 28, by F. Wilcoxon and R.A. Wilcox. Reproduced with the kind permission of Lederle Laboratories, a division of American Cyanamid Company.

TABLE 9
Critical Values
of Spearman's
Rank
Correlation
Coefficient for
a One-Tailed
Test

<i>n</i>	$\alpha = .05$	$\alpha = .025$	$\alpha = .01$	$\alpha = .005$
5	.900	—	—	—
6	.829	.886	.943	—
7	.714	.786	.893	—
8	.643	.738	.833	.881
9	.600	.683	.783	.833
10	.564	.648	.745	.794
11	.523	.623	.736	.781
12	.497	.591	.703	.780
13	.475	.566	.673	.745
14	.457	.545	.646	.716
15	.441	.525	.623	.689
16	.425	.507	.601	.666
17	.412	.490	.582	.645
18	.399	.476	.564	.625
19	.388	.462	.549	.608
20	.377	.450	.534	.591
21	.368	.438	.521	.576
22	.359	.428	.508	.562
23	.351	.418	.496	.549
24	.343	.409	.485	.537
25	.336	.400	.475	.526
26	.329	.392	.465	.515
27	.323	.385	.456	.505
28	.317	.377	.448	.496
29	.311	.370	.440	.487
30	.305	.364	.432	.478

Source: From "Distribution of Sums of Squares of Rank Differences for Small Samples" by E.G. Olds, *Annals of Mathematical Statistics* 9 (1938). Reproduced with the permission of the editor, *Annals of Mathematical Statistics*.