

DEPARTMENT OF STATISTICS AND DEMOGRAPHY

SUPPLEMENTARY EXAMINATION, 2013/14

**COURSE TITLE:** DESIGN AND ANALYSIS OF EXPERIMENTS

**COURSE CODE:** ST 404

**TIME ALLOWED:** THREE (3) HOURS

**INSTRUCTION:**

1. ANSWER ANY FOUR QUESTIONS
2. EACH QUESTION CARRIES 20 MARKS

**SPECIAL REQUIREMENTS:** SCIENTIFIC CALCULATORS AND STATISTICAL TABLES

**DO NOT OPEN THIS PAGE UNTIL PERMISSION HAS BEEN GRANTED BY THE CHIEF INVIGILATOR**

**Question 1**

A field trial on soya bean was conducted to compare four seed treatments with treatment control. The data are the number of plants, which failed to emerge out of 100 planted on each plot.

Treatment	Blocks				
	I	II	III	IV	V
Control	8	10	12	13	11
Arason	2	6	7	11	5
Spargon	4	10	9	8	10
Sameson	3	5	9	10	6
Fermate	9	7	5	5	3

Construct an ANOVA table and carryout an appropriate hypothesis test, multiple comparisons and draw up conclusions about this study. Use 5% level of significance. (20 marks)

**Question 2**

Suppose that a manufacturer of electronic golf carts is interested in the resistance to wear of four brands of ball bearings. He decides to test the bearings under actual conditions of use, rather than in laboratory simulation. Four golf carts are used in the experiment. Wear is measured by decrease in weight of the ball bearing after 50 hours of use. One ball bearing is required for each wheel of a golf cart; 16 ball bearings (4 of each brand) are used in the experiment. Suppose that the data were obtained using the Latin Square Design with rows representing wheel positions (in the order right front, left front, right rear, left rear), columns representing golf carts and treatments representing brands of ball bearings. Is there any evidence that the brands of ball bearing differ in resistance to wear? Use  $\alpha = 0.05$ .

Wheel Position	Golf Carts			
	I	II	III	IV
1	B = 3	C = 1	D = -2	A = 1
2	A = 2	B = -1	C = -3	D = -3
3	D = 0	A = 4	B = -2	C = -4
4	C = 1	D = -1	A = 1	B = -5

(20 marks)

**Question 3**

The following data represent the final grades obtained by 5 students in Mathematics, English, French and Biology:

Student	Subject			
	Mathematics	English	French	Biology
1	68	57	73	61
2	83	94	91	86
3	72	81	63	59
4	55	73	77	66
5	92	68	75	87

At 5 per cent level of significance, test the hypothesis that the courses are of equal difficulty. Discuss your findings. **(20 marks)**

**Question 4**

- (a) What is confounding? Explain the difference between a completely confounded and partially confounded experiment. **(6 marks)**
- (b) When we say the higher-order interaction, say ABCDE is confounded with blocks, what do we mean? **(4 marks)**
- (c) Use the linear combination method to construct two blocks of the  $2^3$  design with ABC confounded with blocks. Specify clearly the defining contrast corresponding to ABC. Which is the principal block? **(10 marks)**

**Question 5**

- (a) List the effects that can be estimated with a  $2^4$  factorial experiment. **(4 marks)**
- (b) An engineer wants to run a  $2^5$  factorial experiment in four blocks. Suppose that both ABCD and ACE are confounded with blocks.
- (i) Determine the generalized interaction **(2 marks)**
- (ii) Write down the treatment combinations for each of the four blocks. **(8 marks)**
- (c) In a  $2^5$  design with four blocks, the treatment combinations in the principal block are:
- (1) bc ae abd bde cde acd abce
- Write out the treatment combinations in the other three blocks. **(6 marks)**

**END OF EXAM!!**

II. Percentage Points of the *t* Distribution\*

<i>v</i>	$\alpha$	.40	.25	.10	.05	.025	.01	.005	.0025	.001	.0005
1		.325	1.000	3.078	6.314	12.706	31.821	63.657	127.32	318.31	636.62
2		.289	.816	1.886	2.920	4.303	6.965	9.925	14.089	23.326	31.598
3		.277	.765	1.638	2.353	3.182	4.541	5.841	7.453	10.213	12.924
4		.271	.741	1.533	2.132	2.776	3.747	4.604	5.598	7.173	8.610
5		.267	.727	1.476	2.015	2.571	3.365	4.032	4.773	5.893	6.869
6		.265	.727	1.440	1.943	2.447	3.143	3.707	4.317	5.208	5.959
7		.263	.711	1.415	1.895	2.365	2.998	3.499	4.019	4.785	5.408
8		.262	.706	1.397	1.860	2.306	2.896	3.355	3.833	4.501	5.041
9		.261	.703	1.383	1.833	2.262	2.821	3.250	3.690	4.297	4.781
10		.260	.700	1.372	1.812	2.228	2.764	3.169	3.581	4.144	4.587
11		.260	.697	1.363	1.796	2.201	2.718	3.106	3.497	4.025	4.437
12		.259	.695	1.356	1.782	2.179	2.681	3.055	3.428	3.930	4.318
13		.259	.694	1.350	1.771	2.160	2.650	3.012	3.372	3.852	4.221
14		.258	.692	1.345	1.761	2.145	2.624	2.977	3.326	3.787	4.140
15		.258	.691	1.341	1.753	2.131	2.602	2.947	3.286	3.733	4.073
16		.258	.690	1.337	1.746	2.120	2.583	2.921	3.252	3.686	4.015
17		.257	.689	1.333	1.740	2.110	2.567	2.898	3.222	3.646	3.965
18		.257	.688	1.330	1.734	2.101	2.552	2.878	3.197	3.610	3.922
19		.257	.688	1.328	1.729	2.093	2.539	2.861	3.174	3.579	3.883
20		.257	.687	1.325	1.725	2.086	2.528	2.845	3.153	3.552	3.850
21		.257	.686	1.323	1.721	2.080	2.518	2.831	3.135	3.527	3.819
22		.256	.686	1.321	1.717	2.074	2.508	2.819	3.119	3.505	3.792
23		.256	.685	1.319	1.714	2.069	2.500	2.807	3.104	3.485	3.767
24		.256	.685	1.318	1.711	2.064	2.492	2.797	3.091	3.467	3.745
25		.256	.684	1.316	1.708	2.060	2.485	2.787	3.078	3.450	3.725
26		.256	.684	1.315	1.706	2.056	2.479	2.779	3.067	3.435	3.707
27		.256	.684	1.314	1.703	2.052	2.473	2.771	3.057	3.421	3.690
28		.256	.683	1.313	1.701	2.048	2.467	2.763	3.047	3.408	3.674
29		.256	.683	1.311	1.699	2.045	2.462	2.756	3.038	3.396	3.659
30		.256	.683	1.310	1.697	2.042	2.457	2.750	3.030	3.385	3.646
40		.255	.681	1.303	1.684	2.021	2.423	2.704	2.971	3.307	3.551
60		.254	.679	1.296	1.671	2.000	2.390	2.660	2.915	3.232	3.460
120		.254	.677	1.289	1.658	1.980	2.358	2.617	2.860	3.160	3.373
$\infty$		.253	.674	1.282	1.645	1.960	2.326	2.576	2.807	3.090	3.291

*v* = degrees of freedom.

\*Adapted with permission from *Biometrika Tables for Statisticians*, Vol. 1, 3rd edition, by E. S. Pearson and H. O. Hartley, Cambridge University Press, Cambridge, 1966.

III. Percentage Points of the  $\chi^2$  Distribution\*

<i>v</i>	$\alpha$	.995	.990	.975	.950	.500	.050	.025	.010	.005
1		0.00 +	0.00 +	0.00 +	0.00 +	0.45	3.84	5.02	6.63	7.88
2		0.01	0.02	0.05	0.10	1.39	5.99	7.38	9.21	10.60
3		0.07	0.11	0.22	0.35	2.37	7.81	9.35	11.34	12.84
4		0.21	0.30	0.48	0.71	3.36	9.49	11.14	13.28	14.86
5		0.41	0.55	0.83	1.15	4.35	11.07	12.38	15.09	16.75
6		0.68	0.87	1.24	1.64	5.35	12.59	14.45	16.81	18.55
7		0.99	1.24	1.69	2.17	6.35	14.07	16.01	18.48	20.28
8		1.34	1.65	2.18	2.73	7.34	15.51	17.53	20.09	21.96
9		1.73	2.09	2.70	3.33	8.34	16.92	19.02	21.67	23.59
10		2.16	2.56	3.25	3.94	9.34	18.31	20.48	23.21	25.19
11		2.60	3.05	3.82	4.57	10.34	19.68	21.92	24.72	26.76
12		3.07	3.57	4.40	5.23	11.34	21.03	23.34	26.22	28.30
13		3.57	4.11	5.01	5.89	12.34	22.36	24.74	27.69	29.82
14		4.07	4.66	5.63	6.57	13.34	23.68	26.12	29.14	31.32
15		4.60	5.23	6.27	7.26	14.34	25.00	27.49	30.58	32.80
16		5.14	5.81	6.91	7.96	15.34	26.30	28.85	32.00	34.27
17		5.70	6.41	7.56	8.67	16.34	27.59	30.19	33.41	35.72
18		6.26	7.01	8.23	9.39	17.34	28.87	31.53	34.81	37.16
19		6.84	7.63	8.91	10.12	18.34	30.14	32.85	36.19	38.58
20		7.43	8.26	9.59	10.85	19.34	31.41	34.17	37.57	40.00
25		10.52	11.52	13.12	14.61	24.34	37.65	40.65	44.31	46.93
30		13.79	14.95	16.79	18.49	29.34	43.77	46.98	50.89	53.67
40		20.71	22.16	24.43	26.51	39.34	55.76	59.34	63.69	66.77
50		27.99	29.71	32.36	34.76	49.33	67.50	71.42	76.15	79.49
60		35.53	37.48	40.48	43.19	59.33	79.08	83.30	88.38	91.95
70		43.28	45.44	48.76	51.74	69.33	90.53	95.02	100.42	104.22
80		51.17	53.54	57.15	60.39	79.33	101.88	106.63	112.33	116.32
90		59.20	61.75	65.65	69.13	89.33	113.14	118.14	124.12	128.30
100		67.33	70.06	74.22	77.93	99.33	124.34	129.56	135.81	140.17

*v* = degrees of freedom

\*Adapted with permission from *Biometrika Tables for Statisticians*, Vol. 1, 3rd edition by E. S. Pearson and H. O. Hartley, Cambridge University Press, Cambridge, 1966.






IV. Percentage Points of the F Distribution (continued)


$v_2$	$F_{\alpha, v_1, v_2}$																		
	Degrees of Freedom for the Numerator ( $v_1$ )																		
$v_1$	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	$\infty$
1	4052	4999.5	5403	5625	5764	5859	5928	5982	6022	6056	6106	6157	6209	6235	6261	6287	6313	6339	6366
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.49	99.50
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23	27.05	26.87	26.69	26.00	26.50	26.41	26.32	26.22	26.13
4	21.20	18.00	16.69	15.98	15.32	15.21	14.98	14.80	14.66	14.55	14.37	14.20	14.02	13.93	13.84	13.75	13.65	13.56	13.46
5	16.26	13.27	12.06	11.39	10.87	10.67	10.46	10.29	10.16	10.05	9.89	9.72	9.55	9.47	9.38	9.29	9.20	9.11	9.02
6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.56	7.40	7.31	7.23	7.14	7.06	6.97	6.88
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.31	6.16	6.07	5.99	5.91	5.82	5.74	5.65
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.52	5.36	5.28	5.20	5.12	5.03	4.95	4.86
9	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.11	4.96	4.81	4.73	4.65	4.57	4.48	4.40	4.31
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.71	4.56	4.41	4.33	4.25	4.17	4.08	4.00	3.91
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.40	4.25	4.10	4.02	3.94	3.86	3.78	3.69	3.60
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.01	3.86	3.78	3.70	3.62	3.54	3.45	3.36
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	3.96	3.82	3.66	3.59	3.51	3.43	3.34	3.25	3.17
14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3.66	3.51	3.43	3.35	3.27	3.18	3.09	3.00
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.52	3.37	3.29	3.21	3.13	3.05	2.96	2.87
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.41	3.26	3.18	3.10	3.02	2.93	2.84	2.75
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.46	3.31	3.16	3.08	3.00	2.92	2.83	2.75	2.65
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.37	3.23	3.08	3.00	2.92	2.84	2.75	2.66	2.57
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.30	3.15	3.00	2.92	2.84	2.76	2.67	2.58	2.49
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.09	2.94	2.86	2.78	2.69	2.61	2.52	2.42
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31	3.17	3.03	2.88	2.80	2.72	2.64	2.55	2.46	2.36
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.12	2.98	2.83	2.75	2.67	2.58	2.50	2.40	2.31
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21	3.07	2.93	2.78	2.70	2.62	2.54	2.45	2.35	2.26
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.03	2.89	2.74	2.66	2.58	2.49	2.40	2.31	2.21
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	2.99	2.85	2.70	2.62	2.54	2.45	2.36	2.27	2.17
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	2.96	2.81	2.66	2.58	2.50	2.42	2.33	2.23	2.13
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	2.93	2.78	2.63	2.55	2.47	2.38	2.29	2.20	2.10
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.90	2.75	2.60	2.52	2.44	2.34	2.26	2.17	2.06
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00	2.87	2.73	2.57	2.49	2.41	2.33	2.23	2.14	2.03
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.84	2.70	2.55	2.47	2.39	2.30	2.21	2.11	2.01
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.66	2.52	2.37	2.29	2.20	2.11	2.02	1.92	1.80
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.35	2.20	2.12	2.03	1.94	1.84	1.73	1.60
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	2.34	2.19	2.03	1.95	1.86	1.76	1.66	1.53	1.38
$\infty$	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	2.18	2.04	1.88	1.79	1.70	1.59	1.47	1.32	1.00

Probability of accepting the hypothesis




\*Adapted with permission from *Biometrika Tables for Statisticians*, Vol. 2, by E. S. Pearson and H. O. Hartley, Cambridge University Press, Cambridge, 1972.

Probability of accepting the hypothesis



V. Operating Characteristic Curves for the Fixed Effects Model Analysis of Variance\*

VII. Operating Characteristic Curves for the Random Effects Model Analysis of Variance (continued)



VII. Percentage Points of the Studentized Range Statistic\*  
 $q_{\alpha}(P, f)$

f	P																			
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	90	135	164	186	202	216	227	237	246	253	260	266	272	272	282	286	290	294	298	
2	14.0	19.0	22.3	24.7	26.6	28.2	29.5	30.7	31.7	32.6	33.4	34.1	34.8	35.4	36.0	36.5	37.0	37.5	37.9	
3	8.26	10.6	12.2	13.3	14.2	15.0	15.6	16.2	16.7	17.1	17.5	17.9	18.2	18.5	18.8	19.1	19.3	19.5	19.8	
4	6.51	8.12	9.17	9.96	10.6	11.1	11.5	11.9	12.3	12.6	12.8	13.1	13.3	13.5	13.7	13.9	14.1	14.2	14.4	
5	5.70	6.97	7.80	8.42	8.91	9.32	9.67	9.97	10.24	10.48	10.70	10.89	11.08	11.24	11.40	11.55	11.68	11.81	11.93	
6	5.24	6.33	7.03	7.56	7.97	8.32	8.61	8.87	9.10	9.30	9.49	9.65	9.81	9.95	10.08	10.21	10.32	10.43	10.54	
7	4.95	5.92	6.54	7.01	7.37	7.68	7.94	8.17	8.37	8.55	8.71	8.86	9.00	9.12	9.24	9.35	9.46	9.55	9.65	
8	4.74	5.63	6.20	6.63	6.96	7.24	7.47	7.68	7.87	8.03	8.18	8.31	8.44	8.55	8.66	8.76	8.85	8.94	9.03	
9	4.60	5.43	5.96	6.35	6.66	6.91	7.13	7.32	7.49	7.65	7.78	7.91	8.03	8.13	8.23	8.32	8.41	8.49	8.57	
10	4.48	5.27	5.77	6.14	6.43	6.67	6.87	7.05	7.21	7.36	7.48	7.60	7.71	7.81	7.91	7.99	8.07	8.15	8.22	
11	4.39	5.14	5.62	5.97	6.25	6.48	6.67	6.84	6.99	7.13	7.25	7.36	7.46	7.56	7.65	7.73	7.81	7.88	7.95	
12	4.32	5.04	5.50	5.84	6.10	6.32	6.51	6.67	6.81	6.94	7.06	7.17	7.26	7.36	7.44	7.52	7.59	7.66	7.73	
13	4.26	4.96	5.40	5.73	5.98	6.19	6.37	6.53	6.67	6.79	6.90	7.01	7.10	7.19	7.27	7.34	7.42	7.48	7.55	
14	4.21	4.89	5.32	5.63	5.88	6.08	6.26	6.41	6.54	6.66	6.77	6.87	6.96	7.05	7.12	7.20	7.27	7.33	7.39	
15	4.17	4.83	5.25	5.56	5.80	5.99	6.16	6.31	6.44	6.55	6.66	6.76	6.84	6.93	7.00	7.07	7.14	7.20	7.26	
16	4.13	4.78	5.19	5.49	5.72	5.92	6.08	6.22	6.35	6.46	6.56	6.66	6.74	6.82	6.90	6.97	7.03	7.09	7.15	
17	4.10	4.74	5.14	5.43	5.66	5.85	6.01	6.15	6.27	6.38	6.48	6.57	6.66	6.73	6.80	6.87	6.94	7.00	7.05	
18	4.07	4.70	5.09	5.38	5.60	5.79	5.94	6.08	6.20	6.31	6.41	6.50	6.58	6.65	6.72	6.79	6.85	6.91	6.96	
19	4.05	4.67	5.05	5.33	5.55	5.73	5.89	6.02	6.14	6.25	6.34	6.43	6.51	6.58	6.65	6.72	6.78	6.84	6.89	
20	4.02	4.64	5.02	5.29	5.51	5.69	5.84	5.97	6.09	6.19	6.29	6.37	6.45	6.52	6.59	6.65	6.71	6.76	6.82	
24	3.96	4.54	4.91	5.17	5.37	5.54	5.69	5.81	5.92	6.02	6.11	6.19	6.26	6.33	6.39	6.45	6.51	6.56	6.61	
30	3.89	4.45	4.80	5.05	5.24	5.40	5.54	5.65	5.76	5.85	5.93	6.01	6.08	6.14	6.20	6.26	6.31	6.36	6.41	
40	3.82	4.37	4.70	4.93	5.11	5.27	5.39	5.50	5.60	5.69	5.77	5.84	5.90	5.96	6.02	6.07	6.12	6.17	6.21	
60	3.76	4.28	4.60	4.82	4.99	5.13	5.25	5.36	5.45	5.53	5.60	5.67	5.73	5.79	5.84	5.89	5.93	5.98	6.02	
120	3.70	4.20	4.50	4.71	4.87	5.01	5.12	5.21	5.30	5.38	5.44	5.51	5.56	5.61	5.66	5.71	5.75	5.79	5.83	
$\infty$	3.64	4.12	4.40	4.60	4.76	4.88	4.99	5.08	5.16	5.23	5.29	5.35	5.40	5.45	5.49	5.54	5.57	5.61	5.65	

f = degrees of freedom.

\*From J. M. May, "Extended and Corrected Tables of the Upper Percentage Points of the Studentized Range," *Biometrika*, Vol. 39, pp. 192-193, 1952. Reproduced by permission of the trustees of *Biometrika*.



VII. Percentage Points of the Studentized Range Statistic (continued)  
 $q_{\alpha}(p, f)$

f	p																			
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	18.1	26.7	32.8	37.2	40.5	43.1	45.4	47.3	49.1	50.6	51.9	53.2	54.3	55.4	56.3	57.2	58.0	58.8	59.6	
2	6.09	8.28	9.80	10.89	11.73	12.43	13.03	13.54	13.99	14.39	14.75	15.08	15.38	15.65	15.91	16.14	16.36	16.57	16.77	
3	4.50	5.88	6.83	7.51	8.04	8.47	8.85	9.18	9.46	9.72	9.95	10.16	10.35	10.52	10.69	10.84	10.98	11.12	11.24	
4	3.93	5.00	5.76	6.31	6.73	7.06	7.35	7.60	7.83	8.03	8.21	8.37	8.52	8.67	8.80	8.92	9.03	9.14	9.24	
5	3.64	4.60	5.22	5.67	6.03	6.33	6.58	6.80	6.99	7.17	7.32	7.47	7.60	7.72	7.83	7.93	8.03	8.12	8.21	
6	3.46	4.34	4.90	5.31	5.63	5.89	6.12	6.32	6.49	6.65	6.79	6.92	7.04	7.14	7.24	7.34	7.43	7.51	7.59	
7	3.34	4.16	4.68	5.06	5.35	5.59	5.80	5.99	6.15	6.29	6.42	6.54	6.65	6.75	6.84	6.93	7.01	7.08	7.16	
8	3.26	4.04	4.53	4.89	5.17	5.40	5.60	5.77	5.92	6.05	6.18	6.29	6.39	6.48	6.57	6.65	6.73	6.80	6.87	
9	3.20	3.95	4.42	4.76	5.02	5.24	5.43	5.60	5.74	5.87	5.98	6.09	6.19	6.28	6.36	6.44	6.51	6.58	6.65	
10	3.15	3.88	4.33	4.66	4.91	5.12	5.30	5.46	5.60	5.72	5.83	5.93	6.03	6.12	6.20	6.27	6.34	6.41	6.47	
11	3.11	3.82	4.26	4.58	4.82	5.03	5.20	5.35	5.49	5.61	5.71	5.81	5.90	5.98	6.06	6.14	6.20	6.27	6.33	
12	3.08	3.77	4.20	4.51	4.75	4.95	5.12	5.27	5.40	5.51	5.61	5.71	5.80	5.88	5.95	6.02	6.09	6.15	6.21	
13	3.06	3.73	4.15	4.46	4.69	4.88	5.05	5.19	5.32	5.43	5.53	5.63	5.71	5.79	5.86	5.93	6.00	6.06	6.11	
14	3.03	3.70	4.11	4.41	4.64	4.83	4.99	5.13	5.25	5.36	5.46	5.56	5.64	5.72	5.79	5.86	5.92	5.98	6.03	
15	3.01	3.67	4.08	4.37	4.59	4.78	4.94	5.08	5.20	5.31	5.40	5.49	5.57	5.65	5.72	5.79	5.85	5.91	5.96	
16	3.00	3.65	4.05	4.34	4.56	4.74	4.90	5.03	5.15	5.26	5.35	5.44	5.52	5.59	5.66	5.73	5.79	5.84	5.90	
17	2.98	3.62	4.02	4.31	4.52	4.70	4.86	4.99	5.11	5.21	5.31	5.39	5.47	5.55	5.61	5.68	5.74	5.79	5.84	
18	2.97	3.61	4.00	4.28	4.49	4.67	4.83	4.96	5.07	5.17	5.27	5.35	5.43	5.50	5.57	5.63	5.69	5.74	5.79	
19	2.96	3.59	3.98	4.26	4.47	4.64	4.79	4.92	5.04	5.14	5.23	5.32	5.39	5.46	5.53	5.59	5.65	5.70	5.75	
20	2.95	3.58	3.96	4.24	4.45	4.62	4.77	4.90	5.01	5.11	5.20	5.28	5.36	5.43	5.50	5.56	5.61	5.66	5.71	
24	2.92	3.53	3.90	4.17	4.37	4.54	4.68	4.81	4.92	5.01	5.10	5.18	5.25	5.32	5.38	5.44	5.50	5.55	5.59	
30	2.89	3.48	3.84	4.11	4.30	4.46	4.60	4.72	4.83	4.92	5.00	5.08	5.15	5.21	5.27	5.33	5.38	5.43	5.48	
40	2.86	3.44	3.79	4.04	4.23	4.39	4.52	4.63	4.74	4.82	4.90	4.98	5.05	5.11	5.17	5.22	5.27	5.32	5.36	
60	2.83	3.40	3.74	3.98	4.16	4.31	4.44	4.55	4.65	4.73	4.81	4.88	4.94	5.00	5.06	5.11	5.15	5.20	5.24	
120	2.80	3.36	3.69	3.92	4.10	4.24	4.36	4.47	4.56	4.64	4.71	4.78	4.84	4.90	4.95	5.00	5.04	5.09	5.13	
$\infty$	2.77	3.32	3.63	3.86	4.03	4.17	4.29	4.39	4.47	4.55	4.62	4.68	4.74	4.80	4.84	4.98	4.93	4.97	5.01	

VIII. Critical Values for Dunnett's Test for Comparing Treatments with a Control\*

f	$\alpha - 1 = \text{Number of Treatment Means (excluding control)}$								
	1	2	3	4	5	6	7	8	9
5	2.57	3.03	3.29	3.48	3.62	3.73	3.82	3.90	3.97
6	2.45	2.86	3.10	3.26	3.39	3.49	3.57	3.64	3.71
7	2.36	2.75	2.97	3.12	3.24	3.33	3.41	3.47	3.53
8	2.31	2.67	2.88	3.02	3.13	3.22	3.29	3.35	3.41
9	2.26	2.61	2.81	2.95	3.05	3.14	3.20	3.26	3.32
10	2.23	2.57	2.76	2.89	2.99	3.07	3.14	3.19	3.24
11	2.20	2.53	2.72	2.84	2.94	3.02	3.08	3.14	3.19
12	2.18	2.50	2.68	2.81	2.90	2.98	3.04	3.09	3.14
13	2.16	2.48	2.65	2.78	2.87	2.94	3.00	3.06	3.10
14	2.14	2.46	2.63	2.75	2.84	2.91	2.97	3.02	3.07
15	2.13	2.44	2.61	2.73	2.82	2.89	2.95	3.00	3.04
16	2.12	2.42	2.59	2.71	2.80	2.87	2.92	2.97	3.02
17	2.11	2.41	2.58	2.69	2.78	2.85	2.90	2.95	3.00
18	2.10	2.40	2.56	2.68	2.76	2.83	2.89	2.94	2.98
19	2.09	2.39	2.55	2.66	2.75	2.81	2.87	2.92	2.96
20	2.09	2.38	2.54	2.65	2.73	2.80	2.86	2.90	2.95
24	2.06	2.35	2.51	2.61	2.70	2.76	2.81	2.86	2.90
30	2.04	2.32	2.47	2.58	2.66	2.72	2.77	2.82	2.86
40	2.02	2.29	2.44	2.54	2.62	2.68	2.73	2.77	2.81
60	2.00	2.27	2.41	2.51	2.58	2.64	2.69	2.73	2.77
120	1.98	2.24	2.38	2.47	2.55	2.60	2.65	2.69	2.73
$\infty$	1.96	2.21	2.35	2.44	2.51	2.57	2.61	2.65	2.69

\*Two-Sided Comparisons  
 $d_{\alpha}(a-1, f)$

f	$\alpha - 1 = \text{Number of Treatment Means (excluding control)}$								
	1	2	3	4	5	6	7	8	9
5	4.03	4.63	4.98	5.22	5.41	5.56	5.69	5.80	5.89
6	3.71	4.21	4.51	4.71	4.87	5.00	5.10	5.20	5.28
7	3.50	3.95	4.21	4.39	4.53	4.64	4.74	4.82	4.89
8	3.36	3.77	4.00	4.17	4.29	4.40	4.48	4.56	4.62
9	3.25	3.63	3.85	4.01	4.12	4.22	4.30	4.37	4.43
10	3.17	3.53	3.74	3.88	3.99	4.08	4.16	4.22	4.28
11	3.11	3.45	3.65	3.79	3.89	3.98	4.05	4.11	4.16
12	3.05	3.39	3.58	3.71	3.81	3.89	3.96	4.02	4.07
13	3.01	3.33	3.52	3.65	3.74	3.82	3.89	3.94	3.99
14	2.98	3.29	3.47	3.59	3.69	3.76	3.83	3.88	3.93
15	2.95	3.25	3.43	3.55	3.64	3.71	3.78	3.83	3.88
16	2.92	3.22	3.39	3.51	3.60	3.67	3.73	3.78	3.83
17	2.90	3.19	3.36	3.47	3.56	3.63	3.69	3.74	3.79
18	2.88	3.17	3.33	3.44	3.53	3.60	3.66	3.71	3.75
19	2.86	3.15	3.31	3.42	3.50	3.57	3.63	3.68	3.72
20	2.85	3.13	3.29	3.40	3.48	3.55	3.60	3.65	3.69
24	2.80	3.07	3.22	3.32	3.40	3.47	3.52	3.57	3.61
30	2.75	3.01	3.15	3.25	3.33	3.40	3.44	3.49	3.52
40	2.70	2.95	3.09	3.19	3.26	3.32	3.37	3.41	3.44
60	2.66	2.90	3.03	3.12	3.19	3.25	3.29	3.33	3.37
120	2.62	2.85	2.97	3.06	3.12	3.18	3.22	3.26	3.29
$\infty$	2.58	2.79	2.92	3.00	3.06	3.11	3.15	3.19	3.22

f = degrees of freedom.  
\*Reproduced with permission from C. W. Dunnett, "New Tables for Multiple Comparison with a Control," *Biometrics*, Vol. 20, No. 3, 1964, and from C. W. Dunnett, "A Multiple Comparison Procedure for Comparing Several Treatments with a Control," *Journal of the American Statistical Association*, Vol. 50, 1955.

VIII. Critical Values for Dunnett's Test for Comparing Treatments with a Control (continued)

$d_{05}(a-1, f)$   
One-Sided Comparisons

$a-1 = \text{Number of Treatment Means (excluding control)}$

$f$	1	2	3	4	5	6	7	8	9
5	2.02	2.44	2.68	2.85	2.98	3.08	3.16	3.24	3.30
6	1.94	2.34	2.56	2.71	2.83	2.92	3.00	3.07	3.12
7	1.89	2.27	2.48	2.62	2.73	2.82	2.89	2.95	3.01
8	1.86	2.22	2.42	2.55	2.66	2.74	2.81	2.87	2.92
9	1.83	2.18	2.37	2.50	2.60	2.68	2.75	2.81	2.86
10	1.81	2.15	2.34	2.47	2.56	2.64	2.70	2.76	2.81
11	1.80	2.13	2.31	2.44	2.53	2.60	2.67	2.72	2.77
12	1.78	2.11	2.29	2.41	2.50	2.58	2.64	2.69	2.74
13	1.77	2.09	2.27	2.39	2.48	2.55	2.61	2.66	2.71
14	1.76	2.08	2.25	2.37	2.46	2.53	2.59	2.64	2.69
15	1.75	2.07	2.24	2.36	2.44	2.51	2.57	2.62	2.67
16	1.75	2.06	2.23	2.34	2.43	2.50	2.56	2.61	2.65
17	1.74	2.05	2.22	2.33	2.42	2.49	2.54	2.59	2.64
18	1.73	2.04	2.21	2.32	2.41	2.48	2.53	2.58	2.62
19	1.73	2.03	2.20	2.31	2.40	2.47	2.52	2.57	2.61
20	1.72	2.03	2.19	2.30	2.39	2.46	2.51	2.56	2.60
24	1.71	2.01	2.17	2.28	2.36	2.43	2.48	2.53	2.57
30	1.70	1.99	2.15	2.25	2.33	2.40	2.45	2.50	2.54
40	1.68	1.97	2.13	2.23	2.31	2.37	2.42	2.47	2.51
60	1.67	1.95	2.10	2.21	2.28	2.35	2.39	2.44	2.48
120	1.66	1.93	2.08	2.18	2.26	2.32	2.37	2.41	2.45
$\infty$	1.64	1.92	2.06	2.16	2.23	2.29	2.34	2.38	2.42

$d_{05}(a-1, f)$   
One-Sided Comparisons

$a-1 = \text{Number of Treatment Means (excluding control)}$

$f$	1	2	3	4	5	6	7	8	9
5	3.37	3.90	4.21	4.43	4.60	4.73	4.85	4.94	5.03
6	3.14	3.61	3.88	4.07	4.21	4.33	4.43	4.51	4.59
7	3.00	3.42	3.66	3.83	3.96	4.07	4.15	4.23	4.30
8	2.90	3.29	3.51	3.67	3.79	3.88	3.96	4.03	4.09
9	2.82	3.19	3.40	3.55	3.66	3.75	3.82	3.89	3.94
10	2.76	3.11	3.31	3.45	3.56	3.64	3.71	3.78	3.83
11	2.72	3.06	3.25	3.38	3.48	3.56	3.63	3.69	3.74
12	2.68	3.01	3.19	3.32	3.42	3.50	3.56	3.62	3.67
13	2.65	2.97	3.15	3.27	3.37	3.44	3.51	3.56	3.61
14	2.62	2.94	3.11	3.23	3.32	3.40	3.46	3.51	3.56
15	2.60	2.91	3.08	3.20	3.29	3.36	3.42	3.47	3.52
16	2.58	2.88	3.05	3.17	3.26	3.33	3.39	3.44	3.48
17	2.57	2.86	3.03	3.14	3.23	3.30	3.36	3.41	3.45
18	2.55	2.84	3.01	3.12	3.21	3.27	3.33	3.38	3.42
19	2.54	2.83	2.99	3.10	3.18	3.25	3.31	3.36	3.40
20	2.53	2.81	2.97	3.08	3.17	3.23	3.29	3.34	3.38
24	2.49	2.77	2.92	3.03	3.11	3.17	3.22	3.27	3.31
30	2.46	2.72	2.87	2.97	3.05	3.11	3.16	3.21	3.24
40	2.42	2.68	2.82	2.92	2.99	3.05	3.10	3.14	3.18
60	2.39	2.64	2.78	2.87	2.94	3.00	3.04	3.08	3.12
120	2.36	2.60	2.73	2.82	2.89	2.94	2.99	3.03	3.06
$\infty$	2.33	2.56	2.68	2.77	2.84	2.89	2.93	2.97	3.00

IX. Coefficients of Orthogonal Polynomials\*

$X_j$	$n=3$			$n=4$			$n=5$			$n=6$			$n=7$			$\sum_{j=1}^n P_j(x_j)^2$			
	$P_1$	$P_2$	$P_3$	$P_1$	$P_2$	$P_3$	$P_4$	$P_1$	$P_2$	$P_3$	$P_4$	$P_5$	$P_1$	$P_2$	$P_3$		$P_4$	$P_5$	$P_6$
1	-1	1	-3	1	-1	2	-1	1	-5	5	-5	1	-1	-3	5	-1	-3	-1	1
2	0	-2	-1	3	1	-1	2	-4	-3	1	7	-3	5	-2	0	1	4	-6	-6
3	1	1	1	-1	-3	0	-2	0	6	-1	-4	4	2	-10	-1	-3	1	1	-5
4	4	4	3	1	1	-1	-2	-4	1	-4	-4	2	10	0	-4	0	6	0	-20
5	5	5	5	2	2	1	1	3	-1	-7	-3	-5	1	-3	-1	1	5	15	-15
6	6	6	6	3	3	3	2	2	5	5	5	1	1	2	0	-1	-7	-4	-6
7	7	7	7	4	4	4	4	5	5	5	5	1	1	3	5	1	3	1	1
$\lambda$	2	6	20	4	20	10	14	10	70	70	84	180	28	252	28	84	6	154	84
$\sum_{j=1}^n P_j(x_j)^2$	1	3	2	1	1/2	1	1	1/6	1/2	2	1/2	1/6	1/2	1/10	1	1	1/6	1/10	1/20

$X_j$	$n=8$			$n=9$			$n=10$			$\sum_{j=1}^n P_j(x_j)^2$										
	$P_1$	$P_2$	$P_3$	$P_4$	$P_5$	$P_6$	$P_1$	$P_2$	$P_3$		$P_4$	$P_5$	$P_6$	$P_7$	$P_8$	$P_9$				
1	-7	7	-7	7	-7	7	-7	7	-7	7	-7	7	-7	7	-7	7	-7	7	-7	7
2	-5	1	5	-13	23	-5	-3	7	7	-21	11	-17	-7	2	14	-22	14	-11	10	-11
3	-3	-3	7	-3	-17	9	-2	-8	13	-11	-4	22	-5	-1	35	-17	-1	35	-17	-1
4	-1	-5	3	9	-15	-5	-1	-17	9	9	-9	1	-3	31	-3	31	-3	31	-3	-11
5	1	-5	-3	9	15	-5	0	-20	0	18	0	-20	-1	-4	12	18	-6	-8	-8	-8
6	3	-3	-7	-3	17	9	1	-17	-9	9	9	1	1	-4	-12	18	6	-8	6	-8
7	5	1	-5	-13	-23	-5	2	-8	-13	-11	4	22	3	-3	-31	3	11	6	6	6
8	7	7	7	7	7	7	1	3	7	-7	-21	-11	-17	5	-1	-35	-17	1	10	-11
9	7	7	7	7	7	7	4	28	14	14	4	4	7	2	-14	-22	-14	-11	-11	-11
10	7	7	7	7	7	7	10	70	70	84	180	28	252	28	84	6	154	84	84	84
$\sum_{j=1}^n P_j(x_j)^2$	168	168	264	616	2184	264	60	2772	990	2002	468	1980	330	132	8580	2860	780	660	660	660
$\lambda$	2	1	1/2	1/2	1/2	1/2	1	3	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2

\*Adapted with permission from *Biometrika Tables for Statisticians*, Vol. 1, 3rd edition by E. S. Pearson and H. O. Hartley, Cambridge University Press, Cambridge, 1966.