

UNIVERSITY OF SWAZILAND

SUPPLEMENTARY EXAMINATION PAPER 2014

TITLE OF PAPER : MULTIVARIATE ANALYSIS

COURSE CODE : ST410

TIME ALLOWED : 2 (TWO) HOURS

**REQUIRMENTS : STATISTICAL TABLES
AND CALCULATOR**

**INSTRUCTIONS : ANSWER ANY 4 (FOUR) QUESTIONS.
ALL QUESTIONS CARRY EQUAL MARKS.**

**THIS PAPER IS NOT TO BE OPENED UNTIL PERMISSION HAS BEEN
GRANTED BY THE INVIGILATOR**

QUESTION ONE.

[10 + 10 + 5 marks]

- 1.1 Discuss factor analysis and principal component analysis with respect to their properties.
- 1.2 Discuss the methods of principal component factor analysis to obtain the factors.
- 1.3 Write the unrotated factor model using the following table.

Component	Eigenvalue	Eigenvectors				
		X ₁	X ₂	X ₃	X ₄	X ₅
1	2.616	0.452	0.462	0.451	0.471	0.398
2	1.532	-0.051	0.300	0.325	0.185	-0.377
3	0.386	0.691	0.341	-0.455	-0.411	-0.179
4	0.302	-0.420	0.548	-0.606	0.388	0.069
5	0.165	0.374	-0.530	-0.343	0.652	-0.192

QUESTION TWO.

[15 + 10 marks]

- 2.1 Suppose we have two groups, with 10 subjects in each group. The means for the two variables (X₁ and X₂) measures in group A are 10 and 7.5, while the means in group B are 9 and 9.5. The respective pooled sample variances are 9 and 4 for variables X₁ and X₂, while the pooled covariance is 4.2. Perform Hotellings' T² test and also perform univariate t tests for each of these two variables at 5% level of significance. Compare the results.
- 2.2 Suppose we have three variables in each of the 3 groups with sample sizes n_A=3, n_B=4 and n_C=5. Let the sum of squares matrices are as follows:

$$W = \begin{bmatrix} 30 & 25 & 17 \\ 25 & 24 & 17 \\ 17 & 17 & 14 \end{bmatrix}, \quad \& \quad T = \begin{bmatrix} 48.92 & -15.17 & 21.75 \\ -15.17 & 111.67 & 8.50 \\ 21.75 & 8.50 & 16.25 \end{bmatrix}$$

Compute Wilk's Λ statistics and use χ^2 approximation to test the equality of population mean vectors.

QUESTION THREE.

[10 + 4 + 3 + 8 marks]

- 3.1 What is Principal component analysis (PCA) and states all important properties of PCA.
- 3.2 State the four steps of the procedure for a principal component analysis.
- 3.3 Consider the table given in Q1.3:
 - a. How many components will you choose? Explain why.
 - b. List those selected components and interpret those in terms of original variables, X_i'^s.

QUESTION FOUR.

[4 + 5 + 5 + 11 marks]

The following tables are part of the complete output running SPSS for a set of multivariate variables; not necessarily from the same set of variables. Tables 1-5 are obtained running Factor Analysis and Tables 6-8 are from Discriminant Function Analysis:

Table 1:

Component	Eigenvalues
1	3.624
2	1.657
3	0.863
4	0.491
5	0.293
6	0.044
7	0.000

Table 2:

Component Matrix^a

	Component					
	1	2	3	4	5	6
X1	.114	.902	.060	-.246	-.332	-.010
X2	-.059	.912	.036	.232	.331	.022
X3	.763	-.063	.349	-.489	.228	.009
X4	.958	-.006	-.241	.003	-.023	.114
X5	.973	.035	.043	.147	.009	-.165
X6	.752	-.079	.533	.341	-.141	.060
X7	.772	.041	-.626	.017	.003	.001

Extraction Method: Principal Component Analysis.

a. 6 components extracted.

Table 3:

Component Matrix^a

	Component	
	1	2
X1	.114	.902
X2	-.059	.912
X3	.763	-.063
X4	.958	-.006
X5	.973	.035
X6	.752	-.079
X7	.772	.041

Extraction Method: Principal Component Analysis.

a. 2 components extracted.

Table 4:

Rotated Component Matrix

	Component	
	1	2
X1	.091	.904
X2	-.083	.910
X3	.764	-.044
X4	.958	.018
X5	.971	.060
X6	.754	-.060
X7	.770	.060

Extraction Method: Principal Component Analysis.

Rotation Method: Varimax with Kaiser Normalization

a. Rotation converged in 3 iterations.

Table 5:**Component Score Coefficient Matrix**

	Component	
	1	2
X1	.017	.545
X2	-.030	.550
X3	.211	-.033
X4	.264	.003
X5	.268	.028
X6	.209	-.043
X7	.212	.030

Extraction Method: Principal Component Analysis.

Rotation Method: Varimax with Kaiser Normalization.

Table 6:

Test of Function(s)	Wilks' Lambda	Chi-square	df	Sig.
1 through 3	.031	109.114	21	.000
2 through 3	.483	22.894	12	.029
3	.799	7.055	5	.217

Table 7:

	Function		
	1	2	3
X1	1.061	.138	.026
X2	-.165	-.215	-.153
X3	-.161	.304	1.481
X4	.036	-1.449	-1.390
X5	.904	-2.608	-1.039
X6	-.473	1.913	.510
X7	-.371	2.190	1.599

Table 8:

	Function		
	1	2	3
X1	.151	.020	.004
X2	-.010	-.013	-.009
X3	-.009	.017	.082
X4	.003	-.131	-.125
X5	.076	-.219	-.087
X6	-.040	.161	.043
X7	-.020	.116	.085
(Constant)	-5.498	.573	-.220

Unstandardized coefficients

- 4.1 How many factors will you choose if you wish to use factor analysis method? Explain your answer.
- 4.2 How many factors will you get in your factor model from Table 2? List the last two equations of your model and compute their communalities.
- 4.3 Suppose the same data were analyzed using with a restriction on the number of factors. How many factors were chosen in Table 3? List the first two equations of your model and compute their communalities.
- 4.4 Write all the discriminant functions and test whether each of those are significant at 5% level of significance.

QUESTION FIVE.

[10 + 3 + 4 + 8 marks]


- 5.1 Define the discriminant function analysis. Discuss the purpose of the discriminant function analysis.
- 5.2 The following table shows the eigenvalues and corresponding eigenvectors of $W^{-1}B$:

Component	Eigenvalue	Eigenvectors			
		X_1	X_2	X_3	X_4
1	0.437	-0.0107	0.0040	0.0119	-0.0068
2	0.035	0.0031	0.0168	-0.0046	-0.0022
3	0.015	-0.0068	0.0010	0.0000	0.0247
4	0.002	0.0126	-0.0001	0.0112	0.0054

- How many groups and variables were considered in this problem?
- List all the canonical discriminant functions.
- Assuming that the i^{th} sample size, $n_i = 30$ for all $i = 1, 2, 3, 4, 5$; test whether each of these functions varies significantly from group to group.

TABLE A.2 Percentiles of the *t* Distribution

Entry is $t(A; \nu)$ where $P\{t(\nu) \leq t(A; \nu)\} = A$




ν	A						
	.60	.70	.80	.85	.90	.95	.975
1	0.325	0.727	1.376	1.963	3.078	6.314	12.706
2	0.289	0.617	1.061	1.386	1.886	2.920	4.303
3	0.277	0.584	0.978	1.250	1.638	2.353	3.182
4	0.271	0.569	0.941	1.190	1.533	2.132	2.776
5	0.267	0.559	0.920	1.156	1.476	2.015	2.571
6	0.265	0.553	0.906	1.134	1.440	1.943	2.447
7	0.263	0.549	0.896	1.119	1.415	1.895	2.365
8	0.262	0.546	0.889	1.108	1.397	1.860	2.306
9	0.261	0.543	0.883	1.100	1.383	1.833	2.262
10	0.260	0.542	0.879	1.093	1.372	1.812	2.228
11	0.260	0.540	0.876	1.088	1.363	1.796	2.201
12	0.259	0.539	0.873	1.083	1.356	1.782	2.179
13	0.259	0.537	0.870	1.079	1.350	1.771	2.160
14	0.258	0.537	0.868	1.076	1.345	1.761	2.145
15	0.258	0.536	0.866	1.074	1.341	1.753	2.131
16	0.258	0.535	0.865	1.071	1.337	1.746	2.120
17	0.257	0.534	0.863	1.069	1.333	1.740	2.110
18	0.257	0.534	0.862	1.067	1.330	1.734	2.101
19	0.257	0.533	0.861	1.066	1.328	1.729	2.093
20	0.257	0.533	0.860	1.064	1.325	1.725	2.086
21	0.257	0.532	0.859	1.063	1.323	1.721	2.080
22	0.256	0.532	0.858	1.061	1.321	1.717	2.074
23	0.256	0.532	0.858	1.060	1.319	1.714	2.069
24	0.256	0.531	0.857	1.059	1.318	1.711	2.064
25	0.256	0.531	0.856	1.058	1.316	1.708	2.060
26	0.256	0.531	0.856	1.058	1.315	1.706	2.056
27	0.256	0.531	0.855	1.057	1.314	1.703	2.052
28	0.256	0.530	0.855	1.056	1.313	1.701	2.048
29	0.256	0.530	0.854	1.055	1.311	1.699	2.045
30	0.256	0.530	0.854	1.055	1.310	1.697	2.042
40	0.255	0.529	0.851	1.050	1.303	1.684	2.021
60	0.254	0.527	0.848	1.045	1.296	1.671	2.000
120	0.254	0.526	0.845	1.041	1.289	1.658	1.980
∞	0.253	0.524	0.842	1.036	1.282	1.645	1.960

TABLE A.2 (concluded) Percentiles of the *t* Distribution

ν	A						
	.98	.985	.99	.9925	.995	.9975	.9995
1	15.895	21.205	31.821	42.434	63.657	127.322	636.590
2	4.849	5.643	6.965	8.073	9.925	14.089	31.598
3	3.482	3.896	4.541	5.047	5.841	7.453	12.924
4	2.999	3.298	3.747	4.088	4.604	5.598	8.610
5	2.757	3.003	3.365	3.634	4.032	4.773	6.869
6	2.612	2.829	3.143	3.372	3.707	4.317	5.959
7	2.517	2.715	2.998	3.203	3.499	4.029	5.408
8	2.449	2.634	2.896	3.085	3.355	3.833	5.041
9	2.398	2.574	2.821	2.998	3.250	3.690	4.781
10	2.359	2.527	2.764	2.932	3.169	3.581	4.587
11	2.328	2.491	2.718	2.879	3.106	3.497	4.437
12	2.303	2.461	2.681	2.836	3.055	3.428	4.318
13	2.282	2.436	2.650	2.801	3.012	3.372	4.221
14	2.264	2.415	2.624	2.771	2.977	3.326	4.140
15	2.249	2.397	2.602	2.746	2.947	3.286	4.073
16	2.235	2.382	2.583	2.724	2.921	3.252	4.015
17	2.224	2.368	2.567	2.706	2.898	3.222	3.965
18	2.214	2.356	2.552	2.689	2.878	3.197	3.922
19	2.205	2.346	2.539	2.674	2.861	3.174	3.883
20	2.197	2.336	2.528	2.661	2.845	3.153	3.849
21	2.189	2.328	2.518	2.649	2.831	3.135	3.819
22	2.183	2.320	2.508	2.639	2.819	3.119	3.792
23	2.177	2.313	2.500	2.629	2.807	3.104	3.768
24	2.172	2.307	2.492	2.620	2.797	3.091	3.745
25	2.167	2.301	2.485	2.612	2.787	3.078	3.725
26	2.162	2.296	2.479	2.605	2.779	3.067	3.707
27	2.158	2.291	2.473	2.598	2.771	3.057	3.690
28	2.154	2.286	2.467	2.592	2.763	3.047	3.674
29	2.150	2.282	2.462	2.586	2.756	3.038	3.659
30	2.147	2.278	2.457	2.581	2.750	3.030	3.646
40	2.123	2.250	2.423	2.542	2.704	2.971	3.551
60	2.099	2.223	2.390	2.504	2.660	2.915	3.460
120	2.076	2.196	2.358	2.468	2.617	2.860	3.373
∞	2.054	2.170	2.326	2.432	2.576	2.807	3.291

TABLE A.3 Percentiles of the χ^2 Distribution

Entry is $\chi^2(A; \nu)$ where $P\{\chi^2(\nu) \leq \chi^2(A; \nu)\} = A$




ν	A									
	.005	.010	.025	.050	.100	.900	.950	.975	.990	.995
1	0.0 ⁺ 393	0.0 ⁺ 157	0.0 ⁺ 982	0.0 ⁺ 393	0.0158	2.71	3.84	5.02	6.63	7.88
2	0.0100	0.0201	0.0506	0.103	0.211	4.61	5.99	7.38	9.21	10.60
3	0.072	0.115	0.216	0.352	0.584	6.25	7.81	9.35	11.34	12.84
4	0.207	0.297	0.484	0.711	1.064	7.78	9.49	11.14	13.28	14.86
5	0.412	0.554	0.831	1.145	1.61	9.24	11.07	12.83	15.09	16.75
6	0.676	0.872	1.24	1.64	2.20	10.64	12.59	14.45	16.81	18.55
7	0.989	1.24	1.69	2.17	2.83	12.02	14.07	16.01	18.48	20.28
8	1.34	1.65	2.18	2.73	3.49	13.36	15.51	17.53	20.09	21.96
9	1.73	2.09	2.70	3.33	4.17	14.68	16.92	19.02	21.67	23.59
10	2.16	2.56	3.25	3.94	4.87	15.99	18.31	20.48	23.21	25.19
11	2.60	3.05	3.82	4.57	5.58	17.28	19.68	21.92	24.73	26.76
12	3.07	3.57	4.40	5.23	6.30	18.55	21.03	23.34	26.22	28.30
13	3.57	4.11	5.01	5.89	7.04	19.81	22.36	24.74	27.69	29.82
14	4.07	4.66	5.63	6.57	7.79	21.06	23.68	26.12	29.14	31.32
15	4.60	5.23	6.26	7.26	8.55	22.31	25.00	27.49	30.58	32.80
16	5.14	5.81	6.91	7.96	9.31	23.54	26.30	28.85	32.00	34.27
17	5.70	6.41	7.56	8.67	10.09	24.77	27.59	30.19	33.41	35.72
18	6.26	7.01	8.23	9.39	10.86	25.99	28.87	31.53	34.81	37.16
19	6.84	7.63	8.91	10.12	11.65	27.20	30.14	32.85	36.19	38.58
20	7.43	8.26	9.59	10.85	12.44	28.41	31.41	34.17	37.57	40.00
21	8.03	8.90	10.28	11.59	13.24	29.62	32.67	35.48	38.93	41.40
22	8.64	9.54	10.98	12.34	14.04	30.81	33.92	36.78	40.29	42.80
23	9.26	10.20	11.69	13.09	14.85	32.01	35.17	38.08	41.64	44.18
24	9.89	10.86	12.40	13.85	15.66	33.20	36.42	39.36	42.98	45.56
25	10.52	11.52	13.12	14.61	16.47	34.38	37.65	40.65	44.31	46.93
26	11.16	12.20	13.84	15.38	17.29	35.56	38.89	41.92	45.64	48.29
27	11.81	12.88	14.57	16.15	18.11	36.74	40.11	43.19	46.96	49.64
28	12.46	13.56	15.31	16.93	18.94	37.92	41.34	44.46	48.28	50.99
29	13.12	14.26	16.05	17.71	19.77	39.09	42.56	45.72	49.59	52.34
30	13.79	14.95	16.79	18.49	20.60	40.26	43.77	46.98	50.89	53.67
40	20.71	22.16	24.43	26.51	29.05	51.81	55.76	59.34	63.69	66.77
50	27.99	29.71	32.36	34.76	37.69	63.17	67.50	71.42	76.15	79.49
60	35.53	37.48	40.48	43.19	46.46	74.40	79.08	83.30	88.38	91.95
70	43.28	45.44	48.76	51.74	55.33	85.53	90.53	95.02	100.4	104.2
80	51.17	53.54	57.15	60.39	64.28	96.58	101.9	106.6	112.3	116.3
90	59.20	61.75	65.65	69.13	73.29	107.6	113.1	118.1	124.1	128.3
100	67.33	70.06	74.22	77.93	82.36	118.5	124.3	129.6	135.8	140.2

Source: Reprinted, with permission, from C. M. Thompson, "Table of Percentage Points of the Chi-Square Distribution," *Biometrika* 32 (1941), pp. 188-89.

TABLE A.4 Percentiles of the F Distribution

Entry is $F(A; \nu_1, \nu_2)$ where $P\{F(\nu_1, \nu_2) \leq F(A; \nu_1, \nu_2)\} = A$



$$F(A; \nu_1, \nu_2) = \frac{1}{F(1-A; \nu_2, \nu_1)}$$




TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	A	Numerator df								
		1	2	3	4	5	6	7	8	9
1	.50	1.00	1.50	1.71	1.82	1.89	1.94	1.98	2.00	2.03
	.90	39.9	49.5	53.6	55.8	57.2	58.2	58.9	59.4	59.9
	.95	161	200	216	225	230	234	237	239	241
	.975	648	800	864	900	922	937	948	957	963
	.99	4,052	5,000	5,403	5,625	5,764	5,859	5,928	5,981	6,022
	.995	16,211	20,000	21,615	22,300	23,056	23,437	23,715	23,925	24,091
	.999	405,280	500,000	540,380	562,500	576,400	585,940	592,870	598,140	602,280
2	.50	0.667	1.00	1.13	1.21	1.25	1.28	1.30	1.32	1.33
	.90	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38
	.95	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4
	.975	38.5	39.0	39.2	39.2	39.3	39.3	39.4	39.4	39.4
	.99	98.5	99.0	99.2	99.2	99.3	99.3	99.4	99.4	99.4
	.995	199	199	199	199	199	199	199	199	199
	.999	998.5	999.0	999.2	999.2	999.3	999.3	999.4	999.4	999.4
3	.50	0.585	0.881	1.00	1.06	1.10	1.13	1.15	1.16	1.17
	.90	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24
	.95	10.1	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
	.975	17.4	16.0	15.4	15.1	14.9	14.7	14.6	14.5	14.5
	.99	34.1	30.8	29.5	28.7	28.2	27.9	27.7	27.5	27.3
	.995	55.6	49.8	47.5	46.2	45.4	44.8	44.4	44.1	43.9
	.999	167.0	148.5	141.1	137.1	134.6	132.8	131.6	130.6	129.9
4	.50	0.549	0.828	0.941	1.00	1.04	1.06	1.08	1.09	1.10
	.90	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94
	.95	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
	.975	12.2	10.6	9.98	9.60	9.36	9.20	9.07	8.98	8.90
	.99	21.2	18.0	16.7	16.0	15.5	15.2	15.0	14.8	14.7
	.995	31.3	26.3	24.3	23.2	22.5	22.0	21.6	21.4	21.1
	.999	74.1	61.2	56.2	53.4	51.7	50.5	49.7	49.0	48.5
5	.50	0.528	0.799	0.907	0.965	1.00	1.02	1.04	1.05	1.06
	.90	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32
	.95	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
	.975	10.0	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68
	.99	16.3	13.3	12.1	11.4	11.0	10.7	10.5	10.3	10.2
	.995	22.8	18.3	16.5	15.6	14.9	14.5	14.2	14.0	13.8
	.999	47.2	37.1	33.2	31.1	29.8	28.8	28.2	27.6	27.2
6	.50	0.515	0.780	0.886	0.942	0.977	1.00	1.02	1.03	1.04
	.90	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96
	.95	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
	.975	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52
	.99	13.7	10.9	9.78	9.15	8.75	8.47	8.26	8.10	7.98
	.995	18.6	14.5	12.9	12.0	11.5	11.1	10.8	10.6	10.4
	.999	35.5	27.0	23.7	21.9	20.8	20.0	19.5	19.0	18.7
7	.50	0.506	0.767	0.871	0.926	0.960	0.983	1.00	1.01	1.02
	.90	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72
	.95	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
	.975	8.07	6.34	5.89	5.52	5.29	5.12	4.99	4.90	4.82
	.99	12.2	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72
	.995	16.2	12.4	10.9	10.1	9.52	9.16	8.89	8.68	8.51
	.999	29.2	21.7	18.8	17.2	16.2	15.5	15.0	14.6	14.3

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	A	Numerator df								
		10	12	15	20	24	30	60	120	∞
1	.50	2.04	2.07	2.09	2.12	2.13	2.15	2.17	2.18	2.20
	.90	60.2	60.7	61.2	61.7	62.0	62.3	62.8	63.1	63.3
	.95	242	244	246	248	249	250	252	253	254
	.975	969	977	985	993	997	1,001	1,010	1,014	1,018
	.99	6,056	6,106	6,157	6,209	6,235	6,261	6,313	6,339	6,366
	.995	24,224	24,426	24,630	24,836	24,940	25,044	25,253	25,359	25,464
	.999	605,620	610,670	615,760	620,910	623,500	626,100	631,340	633,970	636,620
2	.50	1.34	1.36	1.38	1.39	1.40	1.41	1.43	1.43	1.44
	.90	9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.48	9.49
	.95	19.4	19.4	19.4	19.4	19.5	19.5	19.5	19.5	19.5
	.975	39.4	39.4	39.4	39.4	39.5	39.5	39.5	39.5	39.5
	.99	99.4	99.4	99.4	99.4	99.5	99.5	99.5	99.5	99.5
	.995	199	199	199	199	199	199	199	199	200
	.999	999.4	999.4	999.4	999.4	999.5	999.5	999.5	999.5	999.5
3	.50	1.18	1.20	1.21	1.23	1.23	1.24	1.25	1.26	1.27
	.90	5.23	5.22	5.20	5.18	5.18	5.17	5.15	5.14	5.13
	.95	8.79	8.74	8.70	8.66	8.64	8.62	8.57	8.55	8.53
	.975	14.4	14.3	14.3	14.2	14.1	14.1	14.0	13.9	13.9
	.99	27.2	27.1	26.9	26.7	26.6	26.5	26.3	26.2	26.1
	.995	43.7	43.4	43.1	42.8	42.6	42.5	42.1	42.0	41.8
	.999	129.2	128.3	127.4	126.4	125.9	125.4	124.5	124.0	123.5
4	.50	1.11	1.13	1.14	1.15	1.16	1.16	1.18	1.18	1.19
	.90	3.92	3.90	3.87	3.84	3.83	3.82	3.79	3.78	3.76
	.95	5.96	5.91	5.86	5.80	5.77	5.75	5.69	5.66	5.63
	.975	8.84	8.75	8.66	8.56	8.51	8.46	8.36	8.31	8.26
	.99	14.5	14.4	14.2	14.0	13.9	13.8	13.7	13.6	13.5
	.995	21.0	20.7	20.4	20.2	20.0	19.9	19.6	19.5	19.3
	.999	48.1	47.4	46.8	46.1	45.8	45.4	44.7	44.4	44.1
5	.50	1.07	1.09	1.10	1.11	1.12	1.12	1.14	1.14	1.15
	.90	3.30	3.27	3.24	3.21	3.19	3.17	3.14	3.12	3.11
	.95	4.74	4.68	4.62	4.56	4.53	4.50	4.43	4.40	4.37
	.975	6.62	6.52	6.43	6.33	6.28	6.23	6.12	6.07	6.02
	.99	10.1	9.89	9.72	9.55	9.47	9.38	9.20	9.11	9.02
	.995	13.6	13.4	13.1	12.9	12.8	12.7	12.4	12.3	12.1
	.999	26.9	26.4	25.9	25.4	25.1	24.9	24.3	24.1	23.8
6	.50	1.05	1.06	1.07	1.08	1.09	1.10	1.11	1.12	1.12
	.90	2.94	2.90	2.87	2.84	2.82	2.80	2.76	2.74	2.72
	.95	4.06	4.00	3.94	3.87	3.84	3.81	3.74	3.70	3.67
	.975	5.46	5.37	5.27	5.17	5.12	5.07	4.96	4.90	4.85
	.99	7.87	7.72	7.56	7.40	7.31	7.23	7.06	6.97	6.88
	.995	10.2	10.0	9.81	9.59	9.47	9.36	9.12	9.00	8.88
	.999	18.4	18.0	17.6	17.1	16.9	16.7	16.2	16.0	15.7
7	.50	1.03	1.04	1.05	1.07	1.07	1.08	1.09	1.10	1.10
	.90	2.70	2.67	2.63	2.59	2.58	2.56	2.51	2.49	2.47
	.95	3.64	3.57	3.51	3.44	3.41	3.38	3.30	3.27	3.23
	.975	4.76	4.67	4.57	4.47	4.42	4.36	4.25	4.20	4.14
	.99	6.62	6.47	6.31	6.16	6.07	5.99	5.82	5.74	5.65
	.995	8.38	8.18	7.97	7.75	7.65	7.53	7.31	7.19	7.08
	.999	14.1	13.7	13.3	12.9	12.7	12.5	12.1	11.9	11.7

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	Numerator df								
	1	2	3	4	5	6	7	8	9
8 .50	0.499	0.757	0.860	0.915	0.948	0.971	0.988	1.00	1.01
.90	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56
.95	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39
.975	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36
.99	11.3	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91
.995	14.7	11.0	9.60	8.81	8.30	7.95	7.69	7.50	7.34
.999	25.4	18.5	15.8	14.4	13.5	12.9	12.4	12.0	11.8
9 .50	0.494	0.749	0.852	0.906	0.939	0.962	0.978	0.990	1.00
.90	3.16	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44
.95	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
.975	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03
.99	10.6	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35
.995	13.6	10.1	8.72	7.96	7.47	7.13	6.88	6.69	6.54
.999	22.9	16.4	13.9	12.6	11.7	11.1	10.7	10.4	10.1
10 .50	0.490	0.743	0.845	0.899	0.932	0.954	0.971	0.983	0.992
.90	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35
.95	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
.975	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78
.99	10.0	7.36	6.55	5.99	5.64	5.39	5.20	5.06	4.94
.995	12.8	9.43	8.08	7.34	6.87	6.54	6.30	6.12	5.97
.999	21.0	14.9	12.6	11.3	10.5	9.93	9.52	9.20	8.96
12 .50	0.484	0.735	0.835	0.888	0.921	0.943	0.959	0.972	0.981
.90	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21
.95	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
.975	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44
.99	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39
.995	11.8	8.51	7.23	6.52	6.07	5.76	5.52	5.35	5.20
.999	18.6	13.0	10.8	9.63	8.89	8.38	8.00	7.71	7.48
15 .50	0.478	0.726	0.826	0.878	0.911	0.933	0.949	0.960	0.970
.90	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09
.95	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
.975	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12
.99	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89
.995	10.8	7.70	6.48	5.50	5.37	5.07	4.85	4.67	4.54
.999	16.6	11.3	9.34	8.25	7.57	7.09	6.74	6.47	6.26
20 .50	0.472	0.718	0.816	0.868	0.900	0.922	0.938	0.950	0.959
.90	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96
.95	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
.975	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84
.99	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46
.995	9.94	6.99	5.82	5.17	4.76	4.47	4.26	4.09	3.96
.999	14.8	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24
24 .50	0.469	0.714	0.812	0.863	0.895	0.917	0.932	0.944	0.953
.90	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91
.95	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
.975	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70
.99	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26
.995	9.55	6.66	5.52	4.89	4.49	4.20	3.99	3.83	3.69
.999	14.0	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	Numerator df								
	10	12	15	20	24	30	60	120	∞
8 .50	1.02	1.03	1.04	1.05	1.06	1.07	1.08	1.08	1.09
.90	2.54	2.50	2.46	2.42	2.40	2.38	2.34	2.32	2.29
.95	3.35	3.28	3.22	3.15	3.12	3.08	3.01	2.97	2.93
.975	4.30	4.20	4.10	4.00	3.95	3.89	3.78	3.73	3.67
.99	5.81	5.67	5.52	5.36	5.28	5.20	5.03	4.95	4.86
.995	7.21	7.01	6.81	6.61	6.50	6.40	6.18	6.06	5.95
.999	11.5	11.2	10.8	10.5	10.3	10.1	9.73	9.53	9.33
9 .50	1.01	1.02	1.03	1.04	1.05	1.05	1.07	1.07	1.08
.90	2.42	2.38	2.34	2.30	2.28	2.25	2.21	2.18	2.16
.95	3.14	3.07	3.01	2.94	2.90	2.86	2.79	2.75	2.71
.975	3.96	3.87	3.77	3.67	3.61	3.56	3.45	3.39	3.33
.99	5.26	5.11	4.96	4.81	4.73	4.65	4.48	4.40	4.31
.995	6.42	6.23	6.03	5.83	5.73	5.62	5.41	5.30	5.19
.999	9.89	9.57	9.24	8.90	8.72	8.55	8.19	8.00	7.81
10 .50	1.00	1.01	1.02	1.03	1.04	1.05	1.06	1.06	1.07
.90	2.32	2.28	2.24	2.20	2.18	2.16	2.11	2.08	2.06
.95	2.98	2.91	2.84	2.77	2.74	2.70	2.62	2.58	2.54
.975	3.72	3.62	3.52	3.42	3.37	3.31	3.20	3.14	3.08
.99	4.85	4.71	4.56	4.41	4.33	4.25	4.08	4.00	3.91
.995	5.85	5.66	5.47	5.27	5.17	5.07	4.86	4.75	4.64
.999	8.75	8.45	8.13	7.80	7.64	7.47	7.12	6.94	6.76
12 .50	0.989	1.00	1.01	1.02	1.03	1.03	1.05	1.05	1.06
.90	2.19	2.15	2.10	2.06	2.04	2.01	1.96	1.93	1.90
.95	2.75	2.69	2.62	2.54	2.51	2.47	2.38	2.34	2.30
.975	3.37	3.28	3.18	3.07	3.02	2.96	2.85	2.79	2.72
.99	4.30	4.16	4.01	3.86	3.78	3.70	3.54	3.45	3.36
.995	5.09	4.91	4.72	4.53	4.43	4.33	4.12	4.01	3.90
.999	7.29	7.00	6.71	6.40	6.25	6.09	5.76	5.59	5.42
15 .50	0.977	0.989	1.00	1.01	1.02	1.02	1.03	1.04	1.05
.90	2.06	2.02	1.97	1.92	1.90	1.87	1.82	1.79	1.76
.95	2.54	2.48	2.40	2.33	2.29	2.25	2.16	2.11	2.07
.975	3.06	2.96	2.86	2.76	2.70	2.64	2.52	2.46	2.40
.99	3.80	3.67	3.52	3.37	3.29	3.21	3.05	2.96	2.87
.995	4.42	4.25	4.07	3.88	3.79	3.69	3.48	3.37	3.26
.999	6.08	5.81	5.54	5.25	5.10	4.95	4.64	4.48	4.31
20 .50	0.966	0.977	0.989	1.00	1.01	1.01	1.02	1.03	1.03
.90	1.94	1.89	1.84	1.79	1.77	1.74	1.68	1.64	1.61
.95	2.35	2.28	2.20	2.12	2.08	2.04	1.95	1.90	1.84
.975	2.77	2.68	2.57	2.46	2.41	2.35	2.22	2.16	2.09
.99	3.37	3.23	3.09	2.94	2.86	2.78	2.61	2.52	2.42
.995	3.85	3.68	3.50	3.32	3.22	3.12	2.92	2.81	2.69
.999	5.08	4.82	4.56	4.29	4.15	4.00	3.70	3.54	3.38
24 .50	0.961	0.972	0.983	0.994	1.00	1.01	1.02	1.02	1.03
.90	1.88	1.83	1.78	1.73	1.70	1.67	1.61	1.57	1.53
.95	2.25	2.18	2.11	2.03	1.98	1.94	1.84	1.79	1.73
.975	2.64	2.54	2.44	2.33	2.27	2.21	2.08	2.01	1.94
.99	3.17	3.03	2.89	2.74	2.66	2.58	2.40	2.31	2.21
.995	3.59	3.42	3.25	3.06	2.97	2.87	2.66	2.55	2.43
.999	4.64	4.39	4.14	3.87	3.74	3.59	3.29	3.14	2.97

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	A	Numerator df								
		1	2	3	4	5	6	7	8	9
30	.50	0.466	0.709	0.807	0.858	0.890	0.912	0.927	0.939	0.948
	.90	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85
	.95	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
	.975	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57
	.99	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07
	.995	9.18	6.35	5.24	4.62	4.23	3.95	3.74	3.58	3.45
.999	13.3	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39	
60	.50	0.461	0.701	0.798	0.849	0.880	0.901	0.917	0.928	0.937
	.90	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74
	.95	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
	.975	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33
	.99	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72
	.995	8.49	5.80	4.73	4.14	3.76	3.49	3.29	3.13	3.01
.999	12.0	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.69	
120	.50	0.458	0.697	0.793	0.844	0.875	0.896	0.912	0.923	0.932
	.90	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68
	.95	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96
	.975	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22
	.99	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56
	.995	8.18	5.54	4.50	3.92	3.55	3.28	3.09	2.93	2.81
.999	11.4	7.32	5.78	4.95	4.42	4.04	3.77	3.55	3.38	
∞	.50	0.455	0.693	0.789	0.839	0.870	0.891	0.907	0.918	0.927
	.90	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63
	.95	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88
	.975	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11
	.99	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41
	.995	7.88	5.30	4.28	3.72	3.35	3.09	2.90	2.74	2.62
.999	10.8	6.91	5.42	4.62	4.10	3.74	3.47	3.27	3.10	

TABLE A.4 (concluded) Percentiles of the F Distribution

Den. df	A	Numerator df								
		10	12	15	20	24	30	60	120	∞
30	.50	0.955	0.966	0.978	0.989	0.994	1.00	1.01	1.02	1.02
	.90	1.82	1.77	1.72	1.67	1.64	1.61	1.54	1.50	1.46
	.95	2.16	2.09	2.01	1.93	1.89	1.84	1.74	1.68	1.62
	.975	2.51	2.41	2.31	2.20	2.14	2.07	1.94	1.87	1.79
	.99	2.98	2.84	2.70	2.55	2.47	2.39	2.21	2.11	2.01
	.995	3.34	3.18	3.01	2.82	2.73	2.63	2.42	2.30	2.18
.999	4.24	4.00	3.75	3.49	3.36	3.22	2.92	2.76	2.59	
60	.50	0.945	0.956	0.967	0.978	0.983	0.989	1.00	1.01	1.01
	.90	1.71	1.66	1.60	1.54	1.51	1.48	1.40	1.35	1.29
	.95	1.99	1.92	1.84	1.75	1.70	1.65	1.53	1.47	1.39
	.975	2.27	2.17	2.06	1.94	1.88	1.82	1.67	1.58	1.48
	.99	2.63	2.50	2.35	2.20	2.12	2.03	1.84	1.73	1.60
	.995	2.90	2.74	2.57	2.39	2.29	2.19	1.96	1.83	1.69
.999	3.54	3.32	3.08	2.83	2.69	2.55	2.25	2.08	1.89	
120	.50	0.939	0.950	0.961	0.972	0.978	0.983	0.994	1.00	1.01
	.90	1.65	1.60	1.55	1.48	1.45	1.41	1.32	1.26	1.19
	.95	1.91	1.83	1.75	1.66	1.61	1.55	1.43	1.35	1.25
	.975	2.16	2.05	1.93	1.82	1.76	1.69	1.53	1.43	1.31
	.99	2.47	2.34	2.19	2.03	1.95	1.86	1.66	1.53	1.38
	.995	2.71	2.54	2.37	2.19	2.09	1.98	1.75	1.61	1.43
.999	3.24	3.02	2.78	2.53	2.40	2.26	1.95	1.77	1.54	
∞	.50	0.934	0.945	0.956	0.967	0.972	0.978	0.989	0.994	1.00
	.90	1.60	1.55	1.49	1.42	1.38	1.34	1.24	1.17	1.00
	.95	1.83	1.75	1.67	1.57	1.52	1.46	1.32	1.22	1.00
	.975	2.05	1.94	1.83	1.71	1.64	1.57	1.39	1.27	1.00
	.99	2.32	2.18	2.04	1.88	1.79	1.70	1.47	1.32	1.00
	.995	2.52	2.36	2.19	2.00	1.90	1.79	1.53	1.36	1.00
.999	2.96	2.74	2.51	2.27	2.13	1.99	1.66	1.45	1.00	

Source: Reprinted from Table 5 of Pearson and Hartley, *Biometrika Tables for Statisticians*, Volume 2, 1972, published by the Cambridge University Press, on behalf of The Biometrika Society, by permission of the authors and publishers.